

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Hypopharynx (C12-13) - Male

| | C12 | | C13 | |
|---|-----------------------|---------|------------------------|-----------|
| | Pyriform sinus ASR | (%) | Other & unspec. ASR | (%) |
| Africa | | | | |
| Algeria, Setif | - | - | 4.4 | (100.0) * |
| Egypt, Gharbiah | 0.4 | (25.0) | 0.9 | (75.0) |
| Tunisia, Centre, Sousse | 0.1 | (100.0) | - | - * |
| Uganda, Kyadondo County | - | - | 0.3 | (100.0) * |
| Zimbabwe, Harare: African | 0.1 | (50.0) | 0.0 | (50.0) * |
| America, Central and South | | | | |
| Argentina, Bahia Blanca | 0.2 | (33.3) | 0.4 | (66.7) |
| Brazil, Brasilia | 0.5 | (33.3) | 1.0 | (66.7) |
| Brazil, Cuiaba | 0.2 | (12.5) | 1.2 | (87.5) |
| Brazil, Goiania | 1.7 | (55.6) | 1.4 | (44.4) |
| Brazil, Sao Paulo | 1.2 | (58.3) | 0.9 | (41.7) |
| Chile, Valdivia | 0.3 | (100.0) | - | - |
| Colombia, Cali | 0.2 | (60.0) | 0.1 | (40.0) |
| Costa Rica | 0.4 | (66.7) | 0.2 | (33.3) |
| Ecuador, Quito | - | - | 0.0 | (100.0) |
| France, La Martinique | 1.7 | (66.7) | 1.0 | (33.3) |
| Peru, Trujillo | - | - | - | - * |
| America, North | | | | |
| Canada (Excluding Quebec, Yukon and Nunavut) | 0.5 | (62.5) | 0.3 | (37.5) |
| Canada, Alberta | 0.5 | (60.5) | 0.3 | (39.5) |
| Canada, British Columbia | 0.4 | (57.7) | 0.3 | (42.3) |
| Canada, Manitoba | 0.6 | (75.0) | 0.2 | (25.0) |
| Canada, New Brunswick | 1.0 | (84.8) | 0.2 | (15.2) |
| Canada, Newfoundland and Labrador | 0.6 | (90.9) | 0.1 | (9.1) |
| Canada, Northwest Territories | - | - | - | - |
| Canada, Nova Scotia | 0.6 | (63.3) | 0.3 | (36.7) |
| Canada, Ontario | 0.5 | (59.8) | 0.3 | (40.2) |
| Canada, Prince Edward Island | 1.1 | (83.3) | 0.2 | (16.7) |
| Canada, Saskatchewan | 0.4 | (60.9) | 0.2 | (39.1) |
| USA, Alabama | 0.8 | (62.2) | 0.5 | (37.8) |
| USA, Alabama: Black | 0.9 | (51.1) | 0.9 | (48.9) |
| USA, Alabama: White | 0.8 | (65.9) | 0.4 | (34.1) |
| USA, Alaska | 0.5 | (54.5) | 0.3 | (45.5) |
| USA, Arizona | 0.5 | (56.7) | 0.4 | (43.3) |
| USA, California | 0.5 | (55.7) | 0.4 | (44.3) |
| USA, California: Asian and Pacific Islander | 0.3 | (57.7) | 0.2 | (42.3) |
| USA, California: Black | 0.7 | (54.1) | 0.6 | (45.9) |
| USA, California: Hispanic White | 0.4 | (52.6) | 0.4 | (47.4) |
| USA, California: Non-Hispanic White | 0.5 | (56.9) | 0.4 | (43.1) |
| USA, California, Greater San Francisco Bay Area | 0.5 | (56.2) | 0.4 | (43.8) |
| USA, California, Greater San Francisco Bay Area: Black | 0.6 | (41.2) | 0.7 | (58.8) |
| USA, California, Greater San Francisco Bay Area: Chinese | 0.2 | (62.5) | 0.2 | (37.5) |
| USA, California, Greater San Francisco Bay Area: Filipino | 0.2 | (33.3) | 0.2 | (66.7) |
| USA, California, Greater San Francisco Bay Area: Japanese | - | - | - | - |
| USA, California, Greater San Francisco Bay Area: Hispanic White | 0.3 | (41.7) | 0.3 | (58.3) |
| USA, California, Greater San Francisco Bay Area: Non-Hispanic White | 0.6 | (61.7) | 0.4 | (38.3) |
| USA, California, Los Angeles County | 0.5 | (54.9) | 0.4 | (45.1) |
| USA, California, Los Angeles County: Black | 0.7 | (55.9) | 0.6 | (44.1) |
| USA, California, Los Angeles County: Chinese | 0.4 | (80.0) | 0.1 | (20.0) |
| USA, California, Los Angeles County: Filipino | 0.1 | (50.0) | 0.1 | (50.0) |
| USA, California, Los Angeles County: Japanese | 0.5 | (66.7) | 0.1 | (33.3) |
| USA, California, Los Angeles County: Korean | 0.7 | (80.0) | 0.2 | (20.0) |
| USA, California, Los Angeles County: Hispanic White | 0.4 | (47.9) | 0.4 | (52.1) |
| USA, California, Los Angeles County: Non-Hispanic White | 0.5 | (55.9) | 0.4 | (44.1) |
| USA, Colorado | 0.3 | (54.5) | 0.3 | (45.5) |
| USA, Connecticut | 0.7 | (59.2) | 0.5 | (40.8) |
| USA, Connecticut: Black | 1.0 | (46.7) | 1.2 | (53.3) |
| USA, Connecticut: White | 0.7 | (60.3) | 0.5 | (39.7) |
| USA, District of Columbia | 2.3 | (69.2) | 1.0 | (30.8) |
| USA, District of Columbia: Black | 3.1 | (69.8) | 1.2 | (30.2) |
| USA, District of Columbia: White | 1.2 | (66.7) | 0.5 | (33.3) |
| USA, Florida | 0.7 | (59.8) | 0.5 | (40.2) |
| USA, Florida: Black | 1.1 | (55.3) | 0.9 | (44.7) |
| USA, Florida: White | 0.7 | (60.4) | 0.4 | (39.6) |
| USA, Georgia | 0.8 | (62.7) | 0.5 | (37.3) |
| USA, Georgia: Black | 1.3 | (59.4) | 1.0 | (40.6) |
| USA, Georgia: White | 0.7 | (64.1) | 0.4 | (35.9) |
| USA, Georgia, Atlanta | 0.7 | (68.2) | 0.3 | (31.8) |
| USA, Georgia, Atlanta: Black | 0.8 | (51.9) | 0.7 | (48.1) |
| USA, Georgia, Atlanta: White | 0.6 | (78.4) | 0.2 | (21.6) |
| USA, Idaho | 0.5 | (66.7) | 0.2 | (33.3) |
| USA, Illinois | 0.6 | (54.2) | 0.5 | (45.8) |
| USA, Illinois: Black | 1.2 | (50.5) | 1.1 | (49.5) |
| USA, Illinois: White | 0.6 | (54.9) | 0.4 | (45.1) |
| USA, Indiana | 0.5 | (53.9) | 0.5 | (46.1) |
| USA, Iowa | 0.6 | (68.9) | 0.3 | (31.1) |
| USA, Kentucky | 0.7 | (63.8) | 0.4 | (36.2) |
| USA, Louisiana | 0.8 | (67.9) | 0.4 | (32.1) |
| USA, Louisiana: Black | 1.0 | (66.0) | 0.5 | (34.0) |
| USA, Louisiana: White | 0.7 | (68.5) | 0.3 | (31.5) |
| USA, Louisiana, New Orleans: Black | 1.0 | (60.0) | 0.7 | (40.0) |
| USA, Louisiana, New Orleans: White | 0.8 | (75.0) | 0.3 | (25.0) |

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Hypopharynx (C12-13) - Male (contd)

| | C12 | | C13 | |
|---|-----------------------|---------|------------------------|----------|
| | Pyriform sinus ASR | (%) | Other & unspec. ASR | (%) |
| America, North (contd) | | | | |
| USA, Maine | 0.7 | (68.9) | 0.3 | (31.1) |
| USA, Massachusetts | 0.8 | (60.7) | 0.5 | (39.3) |
| USA, Michigan | 0.7 | (64.8) | 0.4 | (35.2) |
| USA, Michigan: Black | 2.1 | (72.7) | 0.7 | (27.3) |
| USA, Michigan: White | 0.6 | (61.5) | 0.4 | (38.5) |
| USA, Michigan, Detroit | 1.0 | (71.3) | 0.4 | (28.7) |
| USA, Michigan, Detroit: Black | 2.1 | (70.6) | 0.8 | (29.4) |
| USA, Michigan, Detroit: White | 0.7 | (71.1) | 0.3 | (28.9) |
| USA, Missouri | 0.6 | (66.2) | 0.3 | (33.8) |
| USA, Missouri: Black | 1.2 | (54.8) | 1.1 | (45.2) |
| USA, Missouri: White | 0.5 | (68.8) | 0.2 | (31.2) |
| USA, Montana | 0.5 | (75.0) | 0.2 | (25.0) |
| USA, NPCR | 0.6 | (59.3) | 0.4 | (40.7) |
| USA, NPCR: Black | 1.1 | (56.9) | 0.8 | (43.1) |
| USA, NPCR: White | 0.6 | (59.7) | 0.4 | (40.3) |
| USA, New Jersey | 0.6 | (59.3) | 0.4 | (40.7) |
| USA, New Jersey: Black | 1.3 | (62.1) | 0.7 | (37.9) |
| USA, New Jersey: White | 0.5 | (58.9) | 0.4 | (41.1) |
| USA, New Mexico | 0.4 | (71.0) | 0.1 | (29.0) |
| USA, New Mexico: American Indian | 0.4 | (100.0) | - | - |
| USA, New Mexico: Hispanic White | 0.6 | (85.7) | 0.1 | (14.3) |
| USA, New Mexico: Non-Hispanic White | 0.3 | (60.0) | 0.2 | (40.0) |
| USA, New York State | 0.5 | (57.3) | 0.4 | (42.7) |
| USA, New York State: Black | 0.6 | (46.2) | 0.8 | (53.8) |
| USA, New York State: White | 0.5 | (59.9) | 0.3 | (40.1) |
| USA, Ohio | 0.5 | (52.8) | 0.4 | (47.2) |
| USA, Ohio: Black | 0.7 | (47.8) | 0.8 | (52.2) |
| USA, Ohio: White | 0.5 | (53.9) | 0.4 | (46.1) |
| USA, Oklahoma | 0.5 | (60.6) | 0.3 | (39.4) |
| USA, Oregon | 0.5 | (66.7) | 0.3 | (33.3) |
| USA, Pennsylvania | 0.6 | (63.3) | 0.4 | (36.7) |
| USA, Pennsylvania: Black | 1.7 | (58.8) | 1.1 | (41.3) |
| USA, Pennsylvania: White | 0.5 | (63.8) | 0.3 | (36.2) |
| USA, Rhode Island | 0.7 | (56.5) | 0.6 | (43.5) |
| USA, SEER (9 Registries) | 0.6 | (63.3) | 0.4 | (36.7) |
| USA, SEER (9 Registries): Black | 1.2 | (60.8) | 0.7 | (39.2) |
| USA, SEER (9 Registries): White | 0.6 | (65.0) | 0.3 | (35.0) |
| USA, SEER (14 Registries) | 0.6 | (60.6) | 0.4 | (39.4) |
| USA, SEER (14 Registries): Asian and Pacific Islander | 0.4 | (56.8) | 0.3 | (43.2) |
| USA, SEER (14 Registries): Black | 1.1 | (61.8) | 0.7 | (38.2) |
| USA, SEER (14 Registries): Hispanic White | 0.5 | (57.4) | 0.3 | (42.6) |
| USA, SEER (14 Registries): Non-Hispanic White | 0.5 | (61.1) | 0.3 | (38.9) |
| USA, South Carolina | 0.7 | (49.7) | 0.7 | (50.3) |
| USA, South Carolina: Black | 1.4 | (44.4) | 1.7 | (55.6) |
| USA, South Carolina: White | 0.5 | (53.6) | 0.4 | (46.4) |
| USA, Texas | 0.6 | (61.5) | 0.4 | (38.5) |
| USA, Texas: Black | 0.9 | (60.3) | 0.6 | (39.7) |
| USA, Texas: White | 0.6 | (61.6) | 0.4 | (38.4) |
| USA, Utah | 0.4 | (62.1) | 0.2 | (37.9) |
| USA, Vermont | 0.5 | (59.1) | 0.4 | (40.9) |
| USA, Washington State | 0.5 | (64.0) | 0.3 | (36.0) |
| USA, Washington, Seattle | 0.5 | (62.5) | 0.3 | (37.5) |
| USA, West Virginia | 0.6 | (60.9) | 0.4 | (39.1) |
| USA, Wisconsin | 0.7 | (56.2) | 0.6 | (43.8) |
| Asia | | | | |
| Bahrain: Bahraini | 0.2 | (33.3) | 0.3 | (66.7) |
| China, Guangzhou City | 0.2 | (14.3) | 1.1 | (85.7) * |
| China, Hong Kong | 0.3 | (18.4) | 1.2 | (81.6) |
| China, Jiashan | 0.1 | (16.7) | 0.4 | (83.3) * |
| China, Nangang District, Harbin City | - | - | 0.2 | (100.0) |
| China, Shanghai | 0.1 | (35.7) | 0.1 | (64.3) * |
| China, Zhongshan | 0.1 | (14.3) | 0.7 | (85.7) * |
| Cyprus | 0.1 | (50.0) | 0.0 | (50.0) * |
| India, Chennai (Madras) | 2.8 | (54.6) | 2.2 | (45.4) |
| India, New Delhi | 1.6 | (70.0) | 0.7 | (30.0) * |
| India, Karunagappally | 1.4 | (52.2) | 1.3 | (47.8) |
| India, Mumbai (Bombay) | 3.3 | (80.4) | 0.8 | (19.6) |
| India, Nagpur | 1.6 | (49.6) | 1.6 | (50.4) * |
| India, Poona | 1.3 | (54.3) | 1.1 | (45.7) * |
| India, Trivandrum | 1.0 | (50.0) | 1.0 | (50.0) * |
| Israel | 0.1 | (27.3) | 0.2 | (72.7) |
| Israel: Jews | 0.1 | (29.6) | 0.1 | (70.4) |
| Israel: Non-Jews | 0.1 | (25.0) | 0.2 | (75.0) |
| Japan, Aichi Prefecture | - | - | 0.9 | (100.0) |
| Japan, Fukui Prefecture | 0.0 | (4.3) | 0.5 | (95.7) |
| Japan, Hiroshima | 0.1 | (4.5) | 1.6 | (95.5) |
| Japan, Miyagi Prefecture | 0.1 | (7.0) | 1.3 | (93.0) |
| Japan, Nagasaki Prefecture | 0.0 | (0.8) | 1.9 | (99.2) |
| Japan, Osaka Prefecture | 0.3 | (20.5) | 1.2 | (79.5) |
| Japan, Yamagata Prefecture | 0.0 | (1.4) | 1.1 | (98.6) |

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Hypopharynx (C12-13) - Male (contd)

| | C12 | | C13 | |
|---|-----------------------|---------------|------------------------|------------------|
| | Pyriform sinus ASR | (%) | Other & unspec. ASR | (%) |
| Asia (contd) | | | | |
| Korea | 0.4 | (32.4) | 0.8 | (67.6) |
| Korea, Busan | 0.4 | (40.7) | 0.6 | (59.3) |
| Korea, Daegu | 0.8 | (67.2) | 0.4 | (32.8) |
| Korea, Daejeon | <i>0.4</i> | <i>(37.5)</i> | 0.6 | (62.5) |
| Korea, Gwangju | <i>0.1</i> | <i>(5.6)</i> | 1.4 | (94.4) |
| Korea, Incheon | 0.5 | (36.5) | 0.7 | (63.5) |
| Korea, Jeju-do | <i>0.1</i> | <i>(14.3)</i> | <i>1.0</i> | <i>(85.7)</i> |
| Korea, Seoul | 0.3 | (27.3) | 0.9 | (72.7) |
| Korea, Ulsan | <i>0.3</i> | <i>(44.4)</i> | <i>0.5</i> | <i>(55.6)</i> |
| Kuwait: Kuwaitis | <i>0.1</i> | <i>(33.3)</i> | <i>0.3</i> | <i>(66.7)</i> |
| Kuwait: Non-Kuwaitis | <i>0.9</i> | <i>(69.2)</i> | <i>0.0</i> | <i>(30.8)</i> |
| Malaysia, Penang | 0.7 | (50.0) | 0.6 | (50.0) |
| Malaysia, Sarawak | <i>0.1</i> | <i>(13.0)</i> | 0.6 | (87.0) |
| Oman: Omani | - | - | <i>0.2</i> | <i>(100.0) *</i> |
| Pakistan, South Karachi | 3.6 | (79.6) | 1.0 | (20.4) * |
| Philippines, Manila | <i>0.1</i> | <i>(18.5)</i> | 0.3 | (81.5) * |
| Singapore | 0.7 | (69.2) | 0.3 | (30.8) |
| Singapore: Chinese | 0.7 | (72.6) | 0.3 | (27.4) |
| Singapore: Indian | <i>0.7</i> | <i>(60.0)</i> | <i>0.7</i> | <i>(40.0)</i> |
| Singapore: Malay | <i>0.4</i> | <i>(50.0)</i> | <i>0.4</i> | <i>(50.0)</i> |
| Thailand, Chiang Mai | 1.1 | (76.4) | 0.4 | (23.6) * |
| Thailand, Lampang | 0.5 | (83.3) | <i>0.1</i> | <i>(16.7) *</i> |
| Thailand, Songkhla | 2.3 | (83.6) | 0.5 | (16.4) |
| Turkey, Antalya | - | - | <i>0.0</i> | <i>(100.0) *</i> |
| Turkey, Izmir | 0.3 | (47.9) | 0.3 | (52.1) * |
| Europe | | | | |
| Austria | 0.6 | (25.4) | 1.7 | (74.6) |
| Austria, Tyrol | 0.5 | (26.2) | 1.5 | (73.8) |
| Austria, Vorarlberg | <i>0.2</i> | <i>(17.6)</i> | 1.3 | (82.4) |
| Belarus | 1.0 | (36.5) | 1.8 | (63.5) * |
| Belgium, Antwerp | 1.1 | (72.7) | 0.4 | (27.3) * |
| Belgium, Flanders | 1.1 | (63.5) | 0.6 | (36.5) |
| Bulgaria | 0.1 | (7.8) | 1.0 | (92.2) * |
| Croatia | 0.4 | (7.8) | 4.4 | (92.2) |
| Czech Republic | 0.3 | (16.8) | 1.4 | (83.2) |
| Denmark | 0.4 | (27.9) | 0.9 | (72.1) |
| Estonia | 1.0 | (52.6) | 0.9 | (47.4) |
| Finland | - | - | 0.5 | (100.0) |
| France, Bas-Rhin | 6.0 | (75.7) | 2.0 | (24.3) |
| France, Calvados | 7.2 | (74.7) | 2.4 | (25.3) |
| France, Doubs | 5.0 | (70.4) | 2.2 | (29.6) |
| France, Haut-Rhin | 2.9 | (64.0) | 1.6 | (36.0) |
| France, Hérault | 2.9 | (67.4) | 1.4 | (32.6) |
| France, Isère | 3.6 | (76.4) | 1.1 | (23.6) |
| France, Loire-Atlantique | 3.2 | (51.1) | 3.0 | (48.9) |
| France, Manche | 6.8 | (69.5) | 3.0 | (30.5) |
| France, Somme | 8.1 | (79.1) | 2.2 | (20.9) |
| France, Tarn | 3.2 | (82.7) | <i>0.7</i> | <i>(17.3)</i> |
| France, Vendée | 2.6 | (53.5) | 2.3 | (46.5) |
| Germany, Brandenburg | 0.4 | (11.1) | 2.8 | (88.9) |
| Germany, Free State of Saxony | 0.4 | (18.4) | 1.9 | (81.6) |
| Germany, Hamburg | 0.2 | (9.6) | 2.2 | (90.4) |
| Germany, Mecklenburg-Western Pomerania | 0.8 | (24.4) | 2.5 | (75.6) |
| Germany, Munich | 1.7 | (53.4) | 1.5 | (46.6) |
| Germany, Northrhine-Westphalia: Munster | 0.2 | (6.4) | 2.4 | (93.6) |
| Germany, Saarland | 1.2 | (34.9) | 2.0 | (65.1) |
| Iceland | <i>0.1</i> | <i>(20.0)</i> | <i>0.5</i> | <i>(80.0)</i> |
| Ireland | 0.6 | (71.6) | 0.2 | (28.4) |
| Italy, Biella Province | 2.3 | (90.0) | <i>0.2</i> | <i>(10.0)</i> |
| Italy, Brescia Province | 1.9 | (63.0) | 1.2 | (37.0) |
| Italy, Ferrara Province | <i>0.3</i> | <i>(37.5)</i> | 0.6 | (62.5) |
| Italy, Florence and Prato | 0.5 | (65.7) | 0.2 | (34.3) |
| Italy, Genoa Province | 0.6 | (45.5) | 0.7 | (54.5) |
| Italy, Macerata Province | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Italy, Milan | 0.8 | (60.4) | 0.4 | (39.6) |
| Italy, Modena Province | 0.4 | (55.0) | <i>0.3</i> | <i>(45.0)</i> |
| Italy, Naples | <i>0.2</i> | <i>(30.0)</i> | <i>0.5</i> | <i>(70.0)</i> |
| Italy, North East Cancer Surveillance Network | 1.7 | (48.2) | 1.8 | (51.8) |
| Italy, Parma Province | 1.0 | (70.8) | <i>0.4</i> | <i>(29.2)</i> |
| Italy, Ragusa Province | - | - | - | - |
| Italy, Reggio Emilia Province | <i>0.4</i> | <i>(88.9)</i> | <i>0.1</i> | <i>(11.1)</i> |
| Italy, Romagna Region | <i>0.2</i> | <i>(46.7)</i> | <i>0.2</i> | <i>(53.3)</i> |
| Italy, Salerno Province | <i>0.2</i> | <i>(40.0)</i> | <i>0.3</i> | <i>(60.0)</i> |
| Italy, Sassari Province | 0.7 | (32.4) | 1.4 | (67.6) |
| Italy, Syracuse Province | <i>0.1</i> | <i>(20.0)</i> | <i>0.3</i> | <i>(80.0)</i> |
| Italy, Sondrio | <i>1.1</i> | <i>(61.5)</i> | <i>0.9</i> | <i>(38.5)</i> |
| Italy, Torino | 1.1 | (70.0) | 0.5 | (30.0) |
| Italy, Umbria Region | 0.3 | (42.9) | 0.4 | (57.1) |
| Italy, Varese Province | 1.6 | (66.7) | 0.7 | (33.3) |
| Italy, Veneto Region | 1.0 | (58.3) | 0.7 | (41.7) |

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Hypopharynx (C12-13) - Male (contd)

| | C12 | | C13 | |
|--|------------|-----------------------|------------|------------------------|
| | ASR | Pyriform sinus (%) | ASR | Other & unspec. (%) |
| Europe (contd) | | | | |
| Latvia | <i>0.1</i> | <i>(2.2)</i> | 2.4 | (97.8) |
| Lithuania | <i>0.0</i> | <i>(1.3)</i> | 3.0 | (98.7) |
| Malta | <i>0.4</i> | <i>(71.4)</i> | <i>0.2</i> | <i>(28.6)</i> |
| Norway | 0.2 | (24.1) | 0.5 | (75.9) |
| Poland, Cracow | - | - | 0.7 | (100.0) * |
| Poland, Kielce | <i>0.1</i> | <i>(27.3)</i> | 0.4 | (72.7) |
| Poland, Warsaw City | <i>0.0</i> | <i>(1.4)</i> | 1.2 | (98.6) |
| Portugal, Porto | 0.8 | (51.8) | 0.7 | (48.2) * |
| Portugal, South Regional | 1.2 | (57.9) | 0.9 | (42.1) |
| Russia, St Petersburg | <i>0.0</i> | <i>(0.2)</i> | 3.1 | (99.8) |
| Serbia | <i>0.0</i> | <i>(1.4)</i> | 1.7 | (98.6) |
| Slovak Republic | 1.2 | (23.7) | 3.7 | (76.3) |
| Slovenia | 1.8 | (52.8) | 1.6 | (47.2) |
| Spain, Albacete | 1.3 | (81.3) | <i>0.3</i> | <i>(18.8)</i> |
| Spain, Asturias | 3.2 | (68.2) | 1.5 | (31.8) |
| Spain, Basque Country | 3.0 | (67.3) | 1.4 | (32.7) |
| Spain, Canary Islands | 3.5 | (78.4) | 1.0 | (21.6) |
| Spain, Cuenca | <i>0.6</i> | <i>(50.0)</i> | <i>0.5</i> | <i>(50.0)</i> |
| Spain, Girona | 2.2 | (73.7) | 0.8 | (26.3) |
| Spain, Granada | 1.3 | (64.7) | 0.7 | (35.3) |
| Spain, Murcia | 1.4 | (74.2) | 0.4 | (25.8) |
| Spain, Navarra | 1.7 | (61.8) | 1.0 | (38.2) |
| Spain, Tarragona | 2.8 | (88.5) | <i>0.4</i> | <i>(11.5)</i> |
| Spain, Zaragoza | 0.9 | (60.0) | 0.5 | (40.0) |
| Sweden | 0.1 | (21.5) | 0.5 | (78.5) |
| Switzerland, Geneva | 2.8 | (80.0) | 0.8 | (20.0) |
| Switzerland, Graubunden and Glarus | <i>0.9</i> | <i>(53.8)</i> | <i>0.8</i> | <i>(46.2)</i> |
| Switzerland, Neuchatel | 2.7 | (69.6) | 1.2 | (30.4) |
| Switzerland, St Gall-Appenzell | <i>0.5</i> | <i>(27.6)</i> | 1.2 | (72.4) |
| Switzerland, Ticino | 0.9 | (35.7) | 1.6 | (64.3) |
| Switzerland, Valais | 1.7 | (54.8) | 1.5 | (45.2) |
| Switzerland, Vaud | 2.0 | (47.8) | 2.2 | (52.2) |
| The Netherlands | 0.9 | (74.5) | 0.3 | (25.5) |
| The Netherlands, Eindhoven | 0.7 | (65.8) | 0.4 | (34.2) |
| The Netherlands, Maastricht | 1.4 | (75.8) | 0.4 | (24.2) |
| UK, East of England Region | 0.4 | (77.4) | 0.1 | (22.6) |
| UK, England, Merseyside and Cheshire | 0.6 | (74.4) | 0.2 | (25.6) |
| UK, England, North Western | 0.7 | (71.6) | 0.2 | (28.4) |
| UK, England, Northern and Yorkshire | 0.6 | (68.6) | 0.3 | (31.4) |
| UK, England, Oxford Region | 0.4 | (78.7) | 0.1 | (21.3) |
| UK, England, South and Western Regions | 0.3 | (67.7) | 0.2 | (32.3) |
| UK, England, Thames | 0.5 | (71.8) | 0.2 | (28.2) |
| UK, England, Trent | 0.5 | (72.6) | 0.2 | (27.4) |
| UK, England, West Midlands | 0.5 | (68.7) | 0.2 | (31.3) |
| UK, Northern Ireland | 0.5 | (70.7) | 0.2 | (29.3) |
| UK, Scotland | 0.8 | (61.9) | 0.5 | (38.1) |
| Oceania | | | | |
| Australia, New South Wales | 0.7 | (71.8) | 0.3 | (28.2) |
| Australia, Northern Territory | 3.5 | (93.8) | <i>0.2</i> | <i>(6.3)</i> |
| Australia, Queensland | 0.9 | (69.1) | 0.4 | (30.9) |
| Australia, South | 0.6 | (82.5) | <i>0.1</i> | <i>(17.5)</i> |
| Australia, Tasmania | <i>0.5</i> | <i>(80.0)</i> | <i>0.1</i> | <i>(20.0)</i> |
| Australia, Victoria | 0.8 | (78.9) | 0.2 | (21.1) |
| Australia, Western | 0.9 | (83.9) | 0.2 | (16.1) |
| Australian Capital Territory | <i>0.7</i> | <i>(75.0)</i> | <i>0.2</i> | <i>(25.0)</i> |
| French Polynesia | <i>0.5</i> | <i>(33.3)</i> | 1.0 | (66.7) |
| New Zealand | 0.4 | (62.5) | 0.2 | (37.5) |
| USA, Hawaii | 0.7 | (50.8) | 0.7 | (49.2) |
| USA, Hawaii: Chinese | 1.0 | (50.0) | 1.1 | (50.0) |
| USA, Hawaii: Filipino | 0.3 | (33.3) | 0.6 | (66.7) |
| USA, Hawaii: Hawaiian | 1.1 | (54.5) | 1.1 | (45.5) |
| USA, Hawaii: Japanese | 0.8 | (52.6) | 0.9 | (47.4) |
| USA, Hawaii: White | <i>0.7</i> | <i>(46.2)</i> | <i>0.6</i> | <i>(53.8)</i> |

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Hypopharynx (C12-13) - Female

| | C12 | | C13 | |
|---|-----------------------|---------|------------------------|-----------|
| | Pyriform sinus ASR | (%) | Other & unspec. ASR | (%) |
| Africa | | | | |
| Algeria, Setif | 0.1 | (11.1) | 0.4 | (88.9) * |
| Egypt, Gharbiah | 0.2 | (17.9) | 0.8 | (82.1) |
| Tunisia, Centre, Sousse | - | - | 0.1 | (100.0) * |
| Uganda, Kyadondo County | - | - | - | - * |
| Zimbabwe, Harare: African | - | - | 0.1 | (100.0) * |
| America, Central and South | | | | |
| Argentina, Bahia Blanca | - | - | - | - |
| Brazil, Brasilia | - | - | 0.0 | (100.0) |
| Brazil, Cuiaba | - | - | - | - |
| Brazil, Goiania | 0.2 | (60.0) | 0.1 | (40.0) |
| Brazil, Sao Paulo | 0.1 | (44.4) | 0.1 | (55.6) |
| Chile, Valdivia | - | - | - | - |
| Colombia, Cali | - | - | 0.0 | (100.0) |
| Costa Rica | 0.0 | (50.0) | 0.0 | (50.0) |
| Ecuador, Quito | - | - | 0.0 | (100.0) |
| France, La Martinique | 0.1 | (75.0) | 0.1 | (25.0) |
| Peru, Trujillo | - | - | - | - * |
| America, North | | | | |
| Canada (Excluding Quebec, Yukon and Nunavut) | 0.1 | (48.4) | 0.1 | (51.6) |
| Canada, Alberta | 0.0 | (45.5) | 0.1 | (54.5) |
| Canada, British Columbia | 0.1 | (64.0) | 0.0 | (36.0) |
| Canada, Manitoba | 0.1 | (25.0) | 0.1 | (75.0) |
| Canada, New Brunswick | - | - | 0.1 | (100.0) |
| Canada, Newfoundland and Labrador | - | - | - | - |
| Canada, Northwest Territories | - | - | - | - |
| Canada, Nova Scotia | 0.1 | (57.1) | 0.1 | (42.9) |
| Canada, Ontario | 0.1 | (46.3) | 0.1 | (53.7) |
| Canada, Prince Edward Island | 0.2 | (100.0) | - | - |
| Canada, Saskatchewan | 0.1 | (50.0) | 0.1 | (50.0) |
| USA, Alabama | 0.1 | (66.7) | 0.1 | (33.3) |
| USA, Alabama: Black | 0.2 | (75.0) | 0.1 | (25.0) |
| USA, Alabama: White | 0.1 | (63.6) | 0.0 | (36.4) |
| USA, Alaska | - | - | 0.1 | (100.0) |
| USA, Arizona | 0.1 | (45.7) | 0.1 | (54.3) |
| USA, California | 0.1 | (54.7) | 0.1 | (45.3) |
| USA, California: Asian and Pacific Islander | 0.0 | (58.3) | 0.0 | (41.7) |
| USA, California: Black | 0.1 | (52.6) | 0.1 | (47.4) |
| USA, California: Hispanic White | 0.0 | (57.1) | 0.0 | (42.9) |
| USA, California: Non-Hispanic White | 0.2 | (54.6) | 0.1 | (45.4) |
| USA, California, Greater San Francisco Bay Area | 0.2 | (60.9) | 0.1 | (39.1) |
| USA, California, Greater San Francisco Bay Area: Black | 0.1 | (33.3) | 0.3 | (66.7) |
| USA, California, Greater San Francisco Bay Area: Chinese | - | - | - | - |
| USA, California, Greater San Francisco Bay Area: Filipino | - | - | 0.1 | (100.0) |
| USA, California, Greater San Francisco Bay Area: Japanese | 0.4 | (100.0) | - | - |
| USA, California, Greater San Francisco Bay Area: Hispanic White | 0.2 | (100.0) | - | - |
| USA, California, Greater San Francisco Bay Area: Non-Hispanic White | 0.2 | (58.3) | 0.1 | (41.7) |
| USA, California, Los Angeles County | 0.1 | (54.7) | 0.1 | (45.3) |
| USA, California, Los Angeles County: Black | 0.2 | (66.7) | 0.1 | (33.3) |
| USA, California, Los Angeles County: Chinese | 0.1 | (100.0) | - | - |
| USA, California, Los Angeles County: Filipino | - | - | - | - |
| USA, California, Los Angeles County: Japanese | 0.3 | (25.0) | 0.5 | (75.0) |
| USA, California, Los Angeles County: Korean | - | - | - | - |
| USA, California, Los Angeles County: Hispanic White | 0.0 | (50.0) | 0.0 | (50.0) |
| USA, California, Los Angeles County: Non-Hispanic White | 0.2 | (54.2) | 0.1 | (45.8) |
| USA, Colorado | 0.1 | (69.2) | 0.0 | (30.8) |
| USA, Connecticut | 0.2 | (61.0) | 0.1 | (39.0) |
| USA, Connecticut: Black | 0.2 | (66.7) | 0.1 | (33.3) |
| USA, Connecticut: White | 0.2 | (60.5) | 0.1 | (39.5) |
| USA, District of Columbia | 0.3 | (50.0) | 0.3 | (50.0) |
| USA, District of Columbia: Black | 0.3 | (55.6) | 0.3 | (44.4) |
| USA, District of Columbia: White | 0.2 | (50.0) | 0.3 | (50.0) |
| USA, Florida | 0.2 | (49.5) | 0.1 | (50.5) |
| USA, Florida: Black | 0.1 | (52.9) | 0.1 | (47.1) |
| USA, Florida: White | 0.2 | (49.7) | 0.1 | (50.3) |
| USA, Georgia | 0.1 | (37.7) | 0.2 | (62.3) |
| USA, Georgia: Black | 0.1 | (28.6) | 0.2 | (71.4) |
| USA, Georgia: White | 0.1 | (40.0) | 0.2 | (60.0) |
| USA, Georgia, Atlanta | 0.1 | (58.8) | 0.1 | (41.2) |
| USA, Georgia, Atlanta: Black | 0.0 | (50.0) | 0.0 | (50.0) |
| USA, Georgia, Atlanta: White | 0.2 | (60.0) | 0.1 | (40.0) |
| USA, Idaho | 0.2 | (61.5) | 0.1 | (38.5) |
| USA, Illinois | 0.1 | (53.0) | 0.1 | (47.0) |
| USA, Illinois: Black | 0.2 | (57.9) | 0.2 | (42.1) |
| USA, Illinois: White | 0.1 | (53.2) | 0.1 | (46.8) |
| USA, Indiana | 0.1 | (46.9) | 0.1 | (53.1) |
| USA, Iowa | 0.1 | (44.4) | 0.1 | (55.6) |
| USA, Kentucky | 0.1 | (54.3) | 0.1 | (45.7) |
| USA, Louisiana | 0.1 | (55.8) | 0.1 | (44.2) |
| USA, Louisiana: Black | 0.1 | (38.5) | 0.2 | (61.5) |
| USA, Louisiana: White | 0.2 | (63.3) | 0.1 | (36.7) |
| USA, Louisiana, New Orleans: Black | 0.2 | (33.3) | 0.3 | (66.7) |
| USA, Louisiana, New Orleans: White | 0.1 | (42.9) | 0.2 | (57.1) |

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Hypopharynx (C12-13) - Female (contd)

| | C12 | | C13 | |
|---|-----------------------|----------------|------------------------|------------------|
| | Pyriform sinus ASR | (%) | Other & unspec. ASR | (%) |
| America, North (contd) | | | | |
| USA, Maine | <i>0.1</i> | <i>(50.0)</i> | <i>0.2</i> | <i>(50.0)</i> |
| USA, Massachusetts | 0.2 | (50.0) | 0.2 | (50.0) |
| USA, Michigan | 0.1 | (50.7) | 0.1 | (49.3) |
| USA, Michigan: Black | <i>0.2</i> | <i>(47.4)</i> | <i>0.2</i> | <i>(52.6)</i> |
| USA, Michigan: White | 0.1 | (52.7) | 0.1 | (47.3) |
| USA, Michigan, Detroit | 0.1 | (60.6) | 0.1 | (39.4) |
| USA, Michigan, Detroit: Black | <i>0.3</i> | <i>(53.3)</i> | <i>0.2</i> | <i>(46.7)</i> |
| USA, Michigan, Detroit: White | 0.1 | (66.7) | <i>0.1</i> | <i>(33.3)</i> |
| USA, Missouri | 0.1 | (55.6) | 0.1 | (44.4) |
| USA, Missouri: Black | <i>0.3</i> | <i>(100.0)</i> | - | - |
| USA, Missouri: White | 0.1 | (50.0) | 0.1 | (50.0) |
| USA, Montana | <i>0.1</i> | <i>(62.5)</i> | <i>0.1</i> | <i>(37.5)</i> |
| USA, NPCR | 0.1 | (49.2) | 0.1 | (50.8) |
| USA, NPCR: Black | 0.2 | (47.3) | 0.2 | (52.7) |
| USA, NPCR: White | 0.1 | (49.4) | 0.1 | (50.6) |
| USA, New Jersey | 0.1 | (52.7) | 0.1 | (47.3) |
| USA, New Jersey: Black | <i>0.1</i> | <i>(44.4)</i> | <i>0.1</i> | <i>(55.6)</i> |
| USA, New Jersey: White | 0.1 | (54.0) | 0.1 | (46.0) |
| USA, New Mexico | <i>0.1</i> | <i>(55.6)</i> | <i>0.0</i> | <i>(44.4)</i> |
| USA, New Mexico: American Indian | <i>0.2</i> | <i>(100.0)</i> | - | - |
| USA, New Mexico: Hispanic White | <i>0.1</i> | <i>(66.7)</i> | <i>0.0</i> | <i>(33.3)</i> |
| USA, New Mexico: Non-Hispanic White | <i>0.1</i> | <i>(40.0)</i> | <i>0.1</i> | <i>(60.0)</i> |
| USA, New York State | 0.1 | (42.7) | 0.1 | (57.3) |
| USA, New York State: Black | 0.1 | (36.4) | 0.2 | (63.6) |
| USA, New York State: White | 0.1 | (44.5) | 0.1 | (55.5) |
| USA, Ohio | 0.1 | (45.7) | 0.1 | (54.3) |
| USA, Ohio: Black | <i>0.1</i> | <i>(55.6)</i> | <i>0.1</i> | <i>(44.4)</i> |
| USA, Ohio: White | 0.1 | (43.9) | 0.1 | (56.1) |
| USA, Oklahoma | <i>0.1</i> | <i>(64.3)</i> | <i>0.0</i> | <i>(35.7)</i> |
| USA, Oregon | 0.1 | (32.4) | 0.2 | (67.6) |
| USA, Pennsylvania | 0.1 | (46.0) | 0.1 | (54.0) |
| USA, Pennsylvania: Black | <i>0.1</i> | <i>(16.7)</i> | 0.2 | (83.3) |
| USA, Pennsylvania: White | 0.1 | (48.6) | 0.1 | (51.4) |
| USA, Rhode Island | <i>0.2</i> | <i>(54.5)</i> | <i>0.1</i> | <i>(45.5)</i> |
| USA, SEER (9 Registries) | 0.1 | (56.5) | 0.1 | (43.5) |
| USA, SEER (9 Registries): Black | 0.2 | (46.4) | 0.2 | (53.6) |
| USA, SEER (9 Registries): White | 0.1 | (56.4) | 0.1 | (43.6) |
| USA, SEER (14 Registries) | 0.1 | (54.4) | 0.1 | (45.6) |
| USA, SEER (14 Registries): Asian and Pacific Islander | 0.0 | (62.5) | <i>0.0</i> | <i>(37.5)</i> |
| USA, SEER (14 Registries): Black | 0.1 | (47.1) | 0.2 | (52.9) |
| USA, SEER (14 Registries): Hispanic White | 0.1 | (56.5) | 0.0 | (43.5) |
| USA, SEER (14 Registries): Non-Hispanic White | 0.1 | (54.9) | 0.1 | (45.1) |
| USA, South Carolina | 0.2 | (55.3) | 0.1 | (44.7) |
| USA, South Carolina: Black | <i>0.3</i> | <i>(56.3)</i> | <i>0.2</i> | <i>(43.8)</i> |
| USA, South Carolina: White | 0.1 | (54.8) | 0.1 | (45.2) |
| USA, Texas | 0.1 | (46.0) | 0.1 | (54.0) |
| USA, Texas: Black | 0.2 | (44.0) | 0.2 | (56.0) |
| USA, Texas: White | 0.1 | (46.3) | 0.1 | (53.7) |
| USA, Utah | <i>0.1</i> | <i>(66.7)</i> | <i>0.0</i> | <i>(33.3)</i> |
| USA, Vermont | <i>0.1</i> | <i>(33.3)</i> | <i>0.1</i> | <i>(66.7)</i> |
| USA, Washington State | 0.1 | (50.9) | 0.1 | (49.1) |
| USA, Washington, Seattle | 0.2 | (53.5) | 0.1 | (46.5) |
| USA, West Virginia | <i>0.0</i> | <i>(38.5)</i> | <i>0.1</i> | <i>(61.5)</i> |
| USA, Wisconsin | 0.2 | (50.0) | 0.2 | (50.0) |
| Asia | | | | |
| Bahrain: Bahraini | - | - | <i>0.4</i> | <i>(100.0)</i> |
| China, Guangzhou City | - | - | <i>0.1</i> | <i>(100.0) *</i> |
| China, Hong Kong | <i>0.0</i> | <i>(13.3)</i> | 0.1 | (86.7) |
| China, Jiashan | - | - | <i>0.2</i> | <i>(100.0) *</i> |
| China, Nangang District, Harbin City | - | - | <i>0.0</i> | <i>(100.0)</i> |
| China, Shanghai | <i>0.0</i> | <i>(28.6)</i> | <i>0.0</i> | <i>(71.4) *</i> |
| China, Zhongshan | - | - | - | - * |
| Cyprus | <i>0.1</i> | <i>(50.0)</i> | <i>0.0</i> | <i>(50.0) *</i> |
| India, Chennai (Madras) | 0.3 | (18.7) | 1.5 | (81.3) |
| India, New Delhi | 0.2 | (36.8) | 0.3 | (63.2) * |
| India, Karunagappally | <i>0.1</i> | <i>(33.3)</i> | <i>0.2</i> | <i>(66.7)</i> |
| India, Mumbai (Bombay) | 0.5 | (51.4) | 0.4 | (48.6) |
| India, Nagpur | 0.3 | (26.8) | 0.8 | (73.2) * |
| India, Poona | 0.4 | (41.5) | 0.5 | (58.5) * |
| India, Trivandrum | <i>0.1</i> | <i>(50.0)</i> | <i>0.1</i> | <i>(50.0) *</i> |
| Israel | <i>0.0</i> | <i>(25.0)</i> | 0.1 | (75.0) |
| Israel: Jews | <i>0.0</i> | <i>(33.3)</i> | 0.1 | (66.7) |
| Israel: Non-Jews | - | - | <i>0.2</i> | <i>(100.0)</i> |
| Japan, Aichi Prefecture | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Japan, Fukui Prefecture | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Japan, Hiroshima | <i>0.0</i> | <i>(7.1)</i> | 0.3 | (92.9) |
| Japan, Miyagi Prefecture | - | - | 0.2 | (100.0) |
| Japan, Nagasaki Prefecture | - | - | 0.2 | (100.0) |
| Japan, Osaka Prefecture | <i>0.0</i> | <i>(15.7)</i> | 0.1 | (84.3) |
| Japan, Yamagata Prefecture | - | - | 0.3 | (100.0) |

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Hypopharynx (C12-13) - Female (contd)

| | C12 | | C13 | |
|---|-----------------------|----------------|------------------------|------------------|
| | Pyriform sinus ASR | (%) | Other & unspec. ASR | (%) |
| Asia (contd) | | | | |
| Korea | 0.0 | (15.6) | 0.1 | (84.4) |
| Korea, Busan | <i>0.0</i> | <i>(11.1)</i> | <i>0.1</i> | <i>(88.9)</i> |
| Korea, Daegu | <i>0.0</i> | <i>(50.0)</i> | <i>0.0</i> | <i>(50.0)</i> |
| Korea, Daejeon | - | - | - | - |
| Korea, Gwangju | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Korea, Incheon | <i>0.0</i> | <i>(100.0)</i> | - | - |
| Korea, Jeju-do | - | - | - | - |
| Korea, Seoul | <i>0.0</i> | <i>(35.3)</i> | 0.0 | (64.7) |
| Korea, Ulsan | - | - | - | - |
| Kuwait: Kuwaitis | <i>0.1</i> | <i>(50.0)</i> | <i>0.1</i> | <i>(50.0)</i> |
| Kuwait: Non-Kuwaitis | - | - | <i>0.3</i> | <i>(100.0)</i> |
| Malaysia, Penang | <i>0.1</i> | <i>(25.0)</i> | <i>0.3</i> | <i>(75.0)</i> |
| Malaysia, Sarawak | <i>0.0</i> | <i>(10.0)</i> | <i>0.2</i> | <i>(90.0)</i> |
| Oman: Omani | <i>0.0</i> | <i>(16.7)</i> | <i>0.3</i> | <i>(83.3) *</i> |
| Pakistan, South Karachi | 0.8 | (44.1) | 1.0 | (55.9) * |
| Philippines, Manila | - | - | 0.1 | (100.0) * |
| Singapore | <i>0.1</i> | <i>(50.0)</i> | <i>0.1</i> | <i>(50.0)</i> |
| Singapore: Chinese | <i>0.0</i> | <i>(42.9)</i> | <i>0.1</i> | <i>(57.1)</i> |
| Singapore: Indian | <i>0.4</i> | <i>(66.7)</i> | <i>0.2</i> | <i>(33.3)</i> |
| Singapore: Malay | <i>0.1</i> | <i>(50.0)</i> | <i>0.1</i> | <i>(50.0)</i> |
| Thailand, Chiang Mai | <i>0.2</i> | <i>(62.5)</i> | <i>0.1</i> | <i>(37.5) *</i> |
| Thailand, Lampang | <i>0.0</i> | <i>(25.0)</i> | <i>0.1</i> | <i>(75.0) *</i> |
| Thailand, Songkhla | <i>0.2</i> | <i>(42.9)</i> | <i>0.2</i> | <i>(57.1)</i> |
| Turkey, Antalya | - | - | <i>0.1</i> | <i>(100.0) *</i> |
| Turkey, Izmir | <i>0.0</i> | <i>(9.1)</i> | 0.2 | (90.9) * |
| Europe | | | | |
| Austria | 0.1 | (20.5) | 0.2 | (79.5) |
| Austria, Tyrol | - | - | <i>0.2</i> | <i>(100.0)</i> |
| Austria, Vorarlberg | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Belarus | <i>0.0</i> | <i>(11.1)</i> | <i>0.0</i> | <i>(88.9) *</i> |
| Belgium, Antwerp | 0.2 | (64.7) | <i>0.1</i> | <i>(35.3) *</i> |
| Belgium, Flanders | 0.1 | (61.0) | 0.1 | (39.0) |
| Bulgaria | - | - | 0.1 | (100.0) * |
| Croatia | <i>0.0</i> | <i>(4.4)</i> | 0.3 | (95.6) |
| Czech Republic | 0.0 | (16.7) | 0.1 | (83.3) |
| Denmark | 0.1 | (22.1) | 0.2 | (77.9) |
| Estonia | <i>0.0</i> | <i>(100.0)</i> | - | - |
| Finland | - | - | 0.1 | (100.0) |
| France, Bas-Rhin | <i>0.3</i> | <i>(64.3)</i> | <i>0.2</i> | <i>(35.7)</i> |
| France, Calvados | <i>0.3</i> | <i>(70.0)</i> | <i>0.1</i> | <i>(30.0)</i> |
| France, Doubs | <i>0.2</i> | <i>(50.0)</i> | <i>0.2</i> | <i>(50.0)</i> |
| France, Haut-Rhin | <i>0.2</i> | <i>(80.0)</i> | <i>0.0</i> | <i>(20.0)</i> |
| France, Hérault | 0.3 | (66.7) | <i>0.1</i> | <i>(33.3)</i> |
| France, Isère | <i>0.2</i> | <i>(56.3)</i> | <i>0.2</i> | <i>(43.8)</i> |
| France, Loire-Atlantique | <i>0.2</i> | <i>(70.0)</i> | <i>0.1</i> | <i>(30.0)</i> |
| France, Manche | <i>0.2</i> | <i>(66.7)</i> | <i>0.1</i> | <i>(33.3)</i> |
| France, Somme | <i>0.2</i> | <i>(57.1)</i> | <i>0.1</i> | <i>(42.9)</i> |
| France, Tarn | <i>0.1</i> | <i>(100.0)</i> | - | - |
| France, Vendée | <i>0.1</i> | <i>(40.0)</i> | <i>0.2</i> | <i>(60.0)</i> |
| Germany, Brandenburg | <i>0.1</i> | <i>(20.7)</i> | 0.2 | (79.3) |
| Germany, Free State of Saxony | <i>0.0</i> | <i>(15.9)</i> | 0.2 | (84.1) |
| Germany, Hamburg | <i>0.0</i> | <i>(10.5)</i> | 0.2 | (89.5) |
| Germany, Mecklenburg-Western Pomerania | <i>0.0</i> | <i>(5.9)</i> | 0.2 | (94.1) |
| Germany, Munich | 0.1 | (32.3) | 0.2 | (67.7) |
| Germany, Northrhine-Westphalia: Munster | - | - | 0.3 | (100.0) |
| Germany, Saarland | <i>0.2</i> | <i>(29.2)</i> | 0.4 | (70.8) |
| Iceland | - | - | <i>0.2</i> | <i>(100.0)</i> |
| Ireland | 0.1 | (43.2) | 0.1 | (56.8) |
| Italy, Biella Province | - | - | <i>0.2</i> | <i>(100.0)</i> |
| Italy, Brescia Province | <i>0.3</i> | <i>(66.7)</i> | <i>0.1</i> | <i>(33.3)</i> |
| Italy, Ferrara Province | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Italy, Florence and Prato | <i>0.0</i> | <i>(42.9)</i> | <i>0.1</i> | <i>(57.1)</i> |
| Italy, Genoa Province | <i>0.1</i> | <i>(28.6)</i> | <i>0.2</i> | <i>(71.4)</i> |
| Italy, Macerata Province | - | - | - | - |
| Italy, Milan | <i>0.1</i> | <i>(36.4)</i> | <i>0.1</i> | <i>(63.6)</i> |
| Italy, Modena Province | <i>0.2</i> | <i>(44.4)</i> | <i>0.2</i> | <i>(55.6)</i> |
| Italy, Naples | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Italy, North East Cancer Surveillance Network | <i>0.1</i> | <i>(31.8)</i> | 0.1 | (68.2) |
| Italy, Parma Province | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Italy, Ragusa Province | - | - | - | - |
| Italy, Reggio Emilia Province | <i>0.1</i> | <i>(50.0)</i> | <i>0.0</i> | <i>(50.0)</i> |
| Italy, Romagna Region | <i>0.0</i> | <i>(33.3)</i> | <i>0.0</i> | <i>(66.7)</i> |
| Italy, Salerno Province | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Italy, Sassari Province | <i>0.1</i> | <i>(33.3)</i> | <i>0.1</i> | <i>(66.7)</i> |
| Italy, Syracuse Province | - | - | - | - |
| Italy, Sondrio | <i>0.2</i> | <i>(100.0)</i> | - | - |
| Italy, Torino | <i>0.1</i> | <i>(66.7)</i> | <i>0.1</i> | <i>(33.3)</i> |
| Italy, Umbria Region | <i>0.0</i> | <i>(100.0)</i> | - | - |
| Italy, Varese Province | - | - | <i>0.1</i> | <i>(100.0)</i> |
| Italy, Veneto Region | <i>0.1</i> | <i>(33.3)</i> | 0.2 | (66.7) |

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Hypopharynx (C12-13) - Female (contd)

| | C12 | | C13 | |
|--|-----|--------------------|-----|---------------------|
| | ASR | Pyriform sinus (%) | ASR | Other & unspec. (%) |
| Europe (contd) | | | | |
| Latvia | - | - | 0.1 | (100.0) |
| Lithuania | - | - | 0.1 | (100.0) |
| Malta | 0.2 | (100.0) | - | - |
| Norway | 0.0 | (6.7) | 0.2 | (93.3) |
| Poland, Cracow | - | - | 0.1 | (100.0) * |
| Poland, Kielce | - | - | 0.0 | (100.0) |
| Poland, Warsaw City | - | - | 0.2 | (100.0) |
| Portugal, Porto | 0.0 | (50.0) | 0.0 | (50.0) * |
| Portugal, South Regional | 0.0 | (45.5) | 0.0 | (54.5) |
| Russia, St Petersburg | 0.0 | (4.5) | 0.1 | (95.5) |
| Serbia | 0.1 | (10.8) | 0.3 | (89.2) |
| Slovak Republic | 0.0 | (27.3) | 0.1 | (72.7) |
| Slovenia | 0.0 | (17.6) | 0.2 | (82.4) |
| Spain, Albacete | - | - | - | - |
| Spain, Asturias | - | - | 0.0 | (100.0) |
| Spain, Basque Country | 0.1 | (62.5) | 0.1 | (37.5) |
| Spain, Canary Islands | 0.1 | (80.0) | 0.0 | (20.0) |
| Spain, Cuenca | - | - | - | - |
| Spain, Girona | - | - | - | - |
| Spain, Granada | - | - | 0.0 | (100.0) |
| Spain, Murcia | 0.1 | (66.7) | 0.1 | (33.3) |
| Spain, Navarra | 0.0 | (50.0) | 0.1 | (50.0) |
| Spain, Tarragona | 0.0 | (100.0) | - | - |
| Spain, Zaragoza | - | - | - | - |
| Sweden | 0.0 | (16.7) | 0.1 | (83.3) |
| Switzerland, Geneva | 0.4 | (71.4) | 0.1 | (28.6) |
| Switzerland, Graubunden and Glarus | 0.2 | (50.0) | 0.2 | (50.0) |
| Switzerland, Neuchatel | 0.3 | (33.3) | 0.6 | (66.7) |
| Switzerland, St Gall-Appenzell | - | - | 0.1 | (100.0) |
| Switzerland, Ticino | 0.2 | (40.0) | 0.2 | (60.0) |
| Switzerland, Valais | 0.4 | (57.1) | 0.3 | (42.9) |
| Switzerland, Vaud | 0.3 | (35.0) | 0.5 | (65.0) |
| The Netherlands | 0.2 | (68.6) | 0.1 | (31.4) |
| The Netherlands, Eindhoven | 0.2 | (70.0) | 0.1 | (30.0) |
| The Netherlands, Maastricht | 0.3 | (83.3) | 0.0 | (16.7) |
| UK, East of England Region | 0.1 | (37.9) | 0.1 | (62.1) |
| UK, England, Merseyside and Cheshire | 0.1 | (40.5) | 0.2 | (59.5) |
| UK, England, North Western | 0.1 | (42.6) | 0.1 | (57.4) |
| UK, England, Northern and Yorkshire | 0.1 | (37.7) | 0.1 | (62.3) |
| UK, England, Oxford Region | 0.1 | (47.1) | 0.1 | (52.9) |
| UK, England, South and Western Regions | 0.0 | (25.0) | 0.1 | (75.0) |
| UK, England, Thames | 0.1 | (46.1) | 0.1 | (53.9) |
| UK, England, Trent | 0.1 | (30.2) | 0.1 | (69.8) |
| UK, England, West Midlands | 0.2 | (50.0) | 0.1 | (50.0) |
| UK, Northern Ireland | 0.0 | (8.3) | 0.1 | (91.7) |
| UK, Scotland | 0.2 | (43.9) | 0.2 | (56.1) |
| Oceania | | | | |
| Australia, New South Wales | 0.1 | (54.0) | 0.1 | (46.0) |
| Australia, Northern Territory | 0.2 | (100.0) | - | - |
| Australia, Queensland | 0.1 | (64.0) | 0.1 | (36.0) |
| Australia, South | 0.1 | (80.0) | 0.0 | (20.0) |
| Australia, Tasmania | 0.1 | (66.7) | 0.1 | (33.3) |
| Australia, Victoria | 0.1 | (54.1) | 0.1 | (45.9) |
| Australia, Western | 0.1 | (42.9) | 0.1 | (57.1) |
| Australian Capital Territory | 0.1 | (100.0) | - | - |
| French Polynesia | - | - | - | - |
| New Zealand | 0.0 | (40.0) | 0.1 | (60.0) |
| USA, Hawaii | 0.0 | (33.3) | 0.1 | (66.7) |
| USA, Hawaii: Chinese | - | - | - | - |
| USA, Hawaii: Filipino | - | - | - | - |
| USA, Hawaii: Hawaiian | 0.2 | (100.0) | - | - |
| USA, Hawaii: Japanese | - | - | 0.0 | (100.0) |
| USA, Hawaii: White | 0.1 | (28.6) | 0.4 | (71.4) |

Rates based on less than 10 cases are in italics.

*Important. See note on population page.