

# Age-standardized (world) incidence rates (per 100,000)

## Percentage distribution of the number of cases

### Colon (C18) - Male

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9	
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other									
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																		
Algeria, Setif	0.1	(3.0)	0.3	(10.6)	-	-	-	-	-	-	-	-	-	-	0.4	(10.6)	2.3	(75.8) *
Egypt, Gharbiah	0.5	(12.3)	-	-	0.3	(7.1)	0.4	(9.0)	0.4	(9.0)	0.1	(3.8)	0.4	(9.4)	0.8	(20.3)	1.3	(29.2)
Tunisia, Centre, Sousse	1.0	(16.1)	-	-	0.8	(11.3)	0.4	(6.5)	0.7	(9.7)	0.2	(3.2)	1.2	(17.7)	1.9	(30.6)	0.3	(4.8) *
Uganda, Kyadondo County	0.3	(10.3)	-	-	-	-	-	-	-	-	-	-	-	-	0.0	(3.4)	2.6	(86.2) *
Zimbabwe, Harare: African	0.4	(14.9)	0.1	(3.0)	0.1	(3.0)	-	-	0.1	(3.0)	-	-	-	-	0.4	(7.5)	2.7	(68.7) *
America, Central and South																		
Argentina, Bahia Blanca	0.5	(2.7)	-	-	1.1	(4.3)	0.4	(2.2)	0.3	(1.1)	-	-	0.9	(3.8)	2.7	(11.8)	14.4	(74.2)
Brazil, Brasilia	0.8	(5.5)	0.5	(2.9)	0.9	(6.1)	0.1	(0.6)	0.3	(1.9)	0.1	(0.3)	0.5	(2.6)	2.9	(18.3)	9.2	(61.7)
Brazil, Cuiaba	0.6	(9.4)	0.1	(1.9)	0.4	(5.7)	0.8	(7.5)	0.1	(1.9)	-	-	0.2	(1.9)	1.2	(15.1)	4.5	(56.6)
Brazil, Goiania	0.6	(5.5)	0.0	(0.7)	0.8	(7.5)	-	-	0.4	(4.1)	0.1	(0.7)	0.1	(0.7)	1.5	(15.1)	6.9	(65.8)
Brazil, Sao Paulo	1.0	(5.1)	0.1	(0.6)	1.5	(7.6)	0.1	(0.6)	0.8	(4.1)	0.1	(0.4)	0.8	(4.1)	3.6	(18.3)	11.4	(59.1)
Chile, Valdivia	0.5	(5.9)	0.3	(2.9)	0.7	(8.8)	-	-	0.4	(5.9)	-	-	0.2	(2.9)	1.3	(17.6)	4.3	(55.9)
Colombia, Cali	0.4	(5.9)	0.1	(1.5)	0.8	(10.4)	-	-	0.4	(5.6)	0.1	(1.5)	0.8	(9.6)	1.5	(18.5)	3.6	(47.0)
Costa Rica	0.7	(8.9)	0.0	(0.6)	1.1	(13.5)	0.1	(1.3)	0.4	(5.2)	0.1	(0.8)	0.8	(9.6)	2.0	(23.2)	3.0	(36.9)
Ecuador, Quito	0.4	(6.7)	0.0	(0.7)	0.8	(14.0)	0.1	(1.3)	0.4	(8.0)	0.1	(1.3)	0.3	(4.7)	1.4	(24.7)	2.1	(38.7)
France, La Martinique	0.5	(4.8)	-	-	0.8	(8.0)	0.2	(1.6)	0.3	(4.0)	0.2	(1.6)	0.6	(5.6)	2.1	(20.0)	6.1	(54.4)
Peru, Trujillo	0.4	(5.5)	-	-	0.5	(9.1)	0.1	(1.8)	0.1	(1.8)	0.1	(1.8)	0.5	(7.3)	1.5	(23.6)	2.8	(49.1) *
America, North																		
Canada (Excluding Quebec, Yukon and Nunavut)	5.0	(19.5)	0.3	(1.0)	3.5	(13.8)	0.9	(3.4)	1.6	(6.3)	0.8	(3.1)	1.5	(5.7)	8.5	(31.4)	4.1	(15.8)
Canada, Alberta	4.8	(20.6)	0.3	(1.2)	2.9	(12.5)	1.2	(5.5)	2.0	(8.8)	1.1	(4.5)	1.4	(5.8)	8.4	(34.8)	1.4	(6.3)
Canada, British Columbia	4.6	(22.3)	0.3	(1.4)	2.7	(13.6)	0.9	(4.0)	1.5	(7.0)	0.7	(3.3)	1.1	(5.2)	7.6	(34.5)	1.8	(8.6)
Canada, Manitoba	5.8	(22.0)	0.2	(0.8)	3.4	(13.1)	1.3	(5.0)	1.6	(6.2)	0.7	(2.6)	2.0	(7.2)	10.3	(35.7)	1.9	(7.4)
Canada, New Brunswick	7.1	(27.8)	0.4	(1.3)	2.9	(11.9)	1.2	(4.7)	1.2	(4.6)	0.9	(3.6)	1.4	(5.4)	7.6	(29.2)	3.0	(11.5)
Canada, Newfoundland and Labrador	6.6	(20.4)	0.2	(0.5)	4.6	(13.9)	1.5	(4.5)	2.7	(7.8)	1.2	(3.8)	2.8	(8.3)	10.9	(32.4)	2.6	(8.3)
Canada, Northwest Territories	7.7	(16.7)	-	-	7.8	(20.0)	1.7	(3.3)	1.4	(3.3)	-	-	3.9	(10.0)	10.5	(30.0)	7.2	(16.7)
Canada, Nova Scotia	7.2	(23.6)	0.2	(0.4)	4.4	(14.3)	1.0	(3.2)	2.1	(6.9)	1.3	(3.5)	2.2	(7.0)	9.9	(30.5)	3.3	(10.6)
Canada, Ontario	4.6	(16.9)	0.3	(0.8)	3.9	(14.5)	0.7	(2.5)	1.5	(5.4)	0.7	(2.6)	1.5	(5.4)	8.3	(29.2)	6.2	(22.7)
Canada, Prince Edward Island	7.8	(32.7)	0.4	(1.3)	2.2	(9.3)	0.5	(2.0)	2.5	(9.3)	1.1	(3.3)	1.5	(6.0)	8.9	(33.3)	0.7	(2.7)
Canada, Saskatchewan	5.1	(21.6)	0.4	(1.2)	2.5	(11.1)	1.1	(4.5)	1.9	(8.1)	1.1	(4.5)	1.4	(5.7)	9.3	(36.2)	1.5	(7.1)
USA, Alabama	5.0	(19.5)	0.3	(1.2)	4.2	(16.1)	1.3	(4.9)	2.0	(7.6)	0.9	(3.5)	1.8	(6.6)	8.3	(30.1)	2.7	(10.4)
USA, Alabama: Black	5.2	(17.8)	0.3	(1.0)	4.5	(15.6)	1.6	(5.3)	2.4	(8.1)	1.4	(4.8)	2.4	(8.1)	8.5	(27.2)	3.5	(12.2)
USA, Alabama: White	5.0	(20.1)	0.4	(1.3)	4.1	(16.2)	1.2	(4.9)	1.9	(7.5)	0.9	(3.2)	1.7	(6.2)	8.2	(30.7)	2.5	(9.9)
USA, Alaska	5.0	(18.9)	0.3	(1.9)	4.6	(17.2)	1.7	(6.3)	2.3	(9.0)	0.7	(2.7)	1.1	(4.4)	8.6	(32.5)	1.6	(7.1)
USA, Arizona	4.5	(21.6)	0.3	(1.3)	3.1	(15.0)	1.3	(6.2)	1.7	(8.0)	0.8	(3.6)	1.4	(6.5)	6.9	(30.0)	1.7	(7.8)
USA, California	4.6	(21.1)	0.3	(1.4)	3.2	(14.5)	1.3	(6.0)	1.8	(8.1)	0.9	(4.1)	1.5	(6.4)	7.9	(33.3)	1.1	(5.2)
USA, California: Asian and Pacific Islander	2.3	(12.9)	0.2	(1.1)	2.2	(12.4)	1.0	(5.6)	1.6	(8.5)	0.6	(3.4)	1.5	(8.4)	8.1	(43.7)	0.8	(4.1)
USA, California: Black	6.9	(23.6)	0.3	(1.0)	4.1	(14.4)	1.8	(5.8)	2.1	(7.7)	1.8	(6.1)	2.0	(6.9)	8.3	(28.1)	1.8	(6.3)
USA, California: Hispanic White	3.6	(19.3)	0.2	(1.4)	2.5	(14.2)	1.1	(6.1)	1.3	(7.3)	0.6	(3.2)	1.0	(5.4)	6.9	(37.2)	1.1	(6.0)
USA, California: Non-Hispanic White	5.0	(22.2)	0.4	(1.5)	3.4	(14.9)	1.4	(6.0)	1.9	(8.2)	1.0	(4.1)	1.5	(6.2)	8.0	(31.7)	1.1	(5.1)
USA, California, Greater San Francisco Bay Area	4.4	(20.0)	0.3	(1.3)	3.4	(15.3)	1.4	(6.4)	1.8	(8.1)	1.0	(4.3)	1.5	(6.4)	8.0	(33.8)	1.0	(4.5)
USA, California, Greater San Francisco Bay Area: Black	6.7	(25.3)	0.2	(0.8)	4.0	(15.7)	2.1	(7.1)	1.9	(7.1)	1.3	(4.4)	1.8	(6.9)	7.0	(25.5)	1.9	(7.1)
USA, California, Greater San Francisco Bay Area: Chinese	1.9	(10.0)	0.3	(1.4)	3.3	(15.1)	1.6	(8.4)	1.3	(6.2)	0.7	(3.5)	1.8	(8.1)	9.5	(43.8)	0.7	(3.5)
USA, California, Greater San Francisco Bay Area: Filipino	1.4	(8.9)	0.3	(2.2)	1.6	(11.1)	1.0	(6.7)	1.7	(11.1)	0.4	(3.7)	1.1	(8.1)	7.4	(46.7)	0.2	(1.5)
USA, California, Greater San Francisco Bay Area: Japanese	5.0	(23.0)	-	-	1.3	(4.6)	1.2	(5.7)	2.7	(6.9)	0.6	(2.3)	1.6	(6.9)	13.0	(46.0)	1.3	(4.6)
USA, California, Greater San Francisco Bay Area: Hispanic White	3.7	(16.8)	0.3	(1.8)	3.0	(15.4)	1.0	(5.5)	1.6	(8.3)	0.7	(3.2)	1.0	(4.6)	8.1	(38.7)	1.1	(5.5)
USA, California, Greater San Francisco Bay Area: Non-Hispanic White	5.1	(22.0)	0.3	(1.3)	3.6	(15.6)	1.4	(6.3)	2.0	(8.3)	1.1	(4.6)	1.5	(6.3)	7.7	(31.4)	0.9	(4.3)
USA, California, Los Angeles County	4.6	(20.4)	0.4	(1.4)	3.1	(14.0)	1.3	(5.7)	1.9	(8.2)	1.0	(4.4)	1.4	(6.0)	8.5	(35.3)	1.1	(4.7)
USA, California, Los Angeles County: Black	7.5	(24.2)	0.4	(1.1)	4.3	(14.0)	1.6	(5.0)	2.4	(8.3)	2.0	(6.5)	1.8	(6.0)	8.8	(28.3)	2.0	(6.5)
USA, California, Los Angeles County: Chinese	2.3	(10.8)	0.2	(1.1)	3.0	(14.5)	1.0	(4.1)	2.1	(9.3)	0.8	(3.3)	2.1	(9.3)	10.1	(44.6)	0.7	(3.0)
USA, California, Los Angeles County: Filipino	1.4	(7.9)	0.2	(1.3)	1.8	(9.3)	0.8	(4.0)	2.2	(11.3)	0.4	(2.0)	1.2	(7.3)	10.1	(53.0)	0.7	(4.0)
USA, California, Los Angeles County: Japanese	6.0	(22.5)	0.1	(1.1)	2.3	(11.8)	1.2	(5.6)	1.9	(7.9)	1.7	(6.2)	1.1	(4.5)	12.0	(38.2)	0.7	(2.2)
USA, California, Los Angeles County: Korean	3.3	(16.7)	0.2	(0.9)	2.7	(12.0)	1.0	(5.6)	1.6	(8.3)	0.7	(3.7)	1.8	(8.3)	7.8	(38.9)	1.1	(5.6)
USA, California, Los Angeles County: Hispanic White	3.4	(19.8)	0.2	(1.2)	2.2	(13.0)	1.0	(5.8)	1.1	(6.8)	0.5	(3.4)	0.9	(5.1)	7.0	(38.9)	1.0	(6.0)
USA, California, Los Angeles County: Non-Hispanic White	5.0	(21.2)	0.5	(1.6)	3.5	(14.7)	1.4	(6.0)	2.0	(8.3)	1.1	(4.4)	1.6	(5.8)	9.0	(33.9)	1.0	(4.1)
USA, Colorado	4.8	(22.3)	0.4	(1.9)	2.9	(13.2)	1.1	(4.9)	1.8	(8.5)	0.9	(4.3)	1.1	(5.3)	7.2	(32.2)	1.5	(7.5)
USA, Connecticut	5.7	(21.0)	0.4	(1.4)	4.2	(15.6)	1.0	(4.0)	2.3	(8.4)	1.1	(4.1)	1.8	(6.4)	10.0	(34.1)	1.3	(5.0)
USA, Connecticut: Black	6.3	(22.1)	0.5	(1.5)	5.4	(19.0)	0.8	(2.6)	2.9	(10.3)	1.5	(5.6)	1.7	(6.2)	7.2	(26.2)	1.9	(6.7)
USA, Connecticut: White	5.7	(21.2)	0.4	(1.4)	4.1	(15.4)	1.0	(4.1)	2.3	(8.3)	1.1	(4.0)	1.9	(6.5)	10.1	(34.3)	1.3	(4.9)
USA, District of Columbia	5.4	(18.6)	0.7	(2.0)	6.2	(21.3)	1.6	(5.5)	2.1	(6.9)	1.3	(4.2)	2.4	(7.8)	7.3	(23.7)	2.8	(10.0)
USA, District of Columbia: Black	6.6	(18.7)	0.7	(1.7)	7.9	(22.5)	1.6	(4.5)	2.5	(6.7)	1.8	(4.8)	2.9	(8.1)	8.5	(22.7)	3.5	(10.3)
USA, District of Columbia: White	3.3	(18.8)	0.4	(1.7)	3.2	(18.8)	1.4	(8.5)	1.6	(8.5)	0.3	(1.7)	1.2	(6.0)	5.1	(25.6)	1.5	(10.3)
USA, Florida	5.0																	

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Colon (C18) - Male (contd)**

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9		
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
<b>America, North (contd)</b>																			
USA, Maine	5.2	(19.8)	0.6	(1.6)	3.9	(15.0)	1.4	(6.0)	2.3	(9.0)	1.0	(3.5)	1.4	(4.8)	9.4	(32.8)	1.8	(7.4)	
USA, Massachusetts	5.4	(20.2)	0.4	(1.2)	3.8	(14.0)	1.5	(5.4)	2.2	(8.1)	1.2	(4.1)	1.8	(6.1)	9.9	(33.9)	1.9	(7.0)	
USA, Michigan	5.1	(20.7)	0.4	(1.4)	4.1	(16.3)	1.1	(4.4)	2.1	(8.2)	0.8	(3.1)	1.7	(6.4)	8.3	(30.7)	2.3	(9.0)	
USA, Michigan: Black	7.5	(20.6)	0.4	(1.0)	6.2	(17.9)	1.6	(4.5)	2.5	(7.3)	1.9	(5.1)	3.2	(9.1)	9.8	(27.5)	2.3	(7.0)	
USA, Michigan: White	4.9	(20.9)	0.4	(1.4)	3.9	(16.1)	1.1	(4.4)	2.1	(8.3)	0.7	(2.7)	1.5	(5.9)	8.1	(31.0)	2.3	(9.3)	
USA, Michigan, Detroit	6.2	(23.2)	0.4	(1.4)	4.1	(15.3)	1.3	(5.1)	2.1	(8.1)	1.1	(4.0)	1.9	(7.0)	8.6	(30.3)	1.5	(5.7)	
USA, Michigan, Detroit: Black	8.1	(22.0)	0.3	(0.9)	5.9	(16.5)	2.0	(5.5)	2.3	(6.8)	2.1	(5.7)	3.4	(9.3)	10.0	(27.0)	2.2	(6.4)	
USA, Michigan, Detroit: White	5.8	(23.9)	0.4	(1.5)	3.8	(14.9)	1.2	(4.9)	2.1	(8.6)	0.9	(3.5)	1.5	(6.0)	8.3	(31.2)	1.3	(5.4)	
USA, Missouri	5.8	(20.2)	0.4	(1.2)	4.2	(14.6)	1.7	(5.9)	2.4	(8.1)	1.1	(3.7)	1.8	(5.9)	10.1	(33.2)	2.0	(7.1)	
USA, Missouri: Black	6.9	(18.7)	0.8	(2.3)	5.9	(16.1)	1.5	(4.2)	3.8	(10.0)	1.9	(5.7)	2.4	(6.4)	10.1	(27.4)	3.3	(9.3)	
USA, Missouri: White	5.7	(20.4)	0.4	(1.1)	4.0	(14.5)	1.7	(6.1)	2.3	(8.0)	1.0	(3.4)	1.7	(5.9)	10.1	(33.6)	1.9	(6.9)	
USA, Montana	4.6	(19.0)	0.4	(1.4)	3.8	(16.3)	1.3	(5.9)	2.1	(8.6)	1.0	(3.9)	1.1	(4.3)	7.9	(31.4)	2.0	(9.2)	
USA, NPCR	5.1	(19.8)	0.4	(1.3)	4.0	(15.7)	1.3	(5.2)	2.1	(8.0)	1.0	(3.6)	1.7	(6.2)	8.8	(31.7)	2.2	(8.6)	
USA, NPCR: Black	6.3	(19.5)	0.3	(1.1)	5.1	(15.9)	1.6	(5.0)	2.6	(8.1)	1.6	(4.8)	2.5	(7.6)	8.8	(26.6)	3.6	(11.3)	
USA, NPCR: White	5.0	(20.0)	0.4	(1.3)	4.0	(15.8)	1.3	(5.2)	2.1	(8.0)	0.9	(3.5)	1.6	(6.0)	8.7	(32.0)	2.1	(8.2)	
USA, New Jersey	5.6	(19.3)	0.4	(1.3)	4.9	(16.9)	1.4	(4.7)	2.1	(7.2)	1.2	(4.0)	2.1	(6.9)	9.8	(31.6)	2.3	(8.1)	
USA, New Jersey: Black	7.1	(20.2)	0.3	(0.9)	5.8	(16.5)	1.4	(3.8)	2.3	(6.6)	1.9	(5.6)	2.9	(8.2)	10.1	(28.5)	3.3	(9.6)	
USA, New Jersey: White	5.5	(19.3)	0.5	(1.3)	4.8	(17.1)	1.4	(4.9)	2.1	(7.3)	1.1	(3.8)	2.0	(6.6)	9.9	(31.9)	2.2	(7.8)	
USA, New Mexico	3.8	(19.0)	0.4	(1.7)	3.2	(15.8)	1.2	(5.9)	1.4	(6.9)	0.7	(3.2)	1.4	(6.4)	7.1	(33.4)	1.6	(7.8)	
USA, New Mexico: American Indian	2.6	(22.5)	0.3	(2.5)	0.7	(7.5)	-	-	0.6	(5.0)	-	-	-	-	7.1	(57.5)	0.8	(5.0)	
USA, New Mexico: Hispanic White	4.1	(19.7)	0.2	(0.8)	2.7	(13.0)	1.5	(7.2)	1.3	(6.1)	0.8	(3.8)	1.6	(7.2)	7.3	(34.8)	1.6	(7.4)	
USA, New Mexico: Non-Hispanic White	3.9	(19.1)	0.5	(1.8)	3.6	(17.0)	1.2	(5.5)	1.5	(7.4)	0.6	(2.9)	1.4	(6.3)	7.2	(32.0)	1.6	(8.0)	
USA, New York State	4.9	(17.5)	0.4	(1.1)	4.4	(16.2)	1.3	(4.5)	2.2	(7.5)	1.0	(3.4)	2.0	(6.8)	9.2	(30.9)	3.4	(12.1)	
USA, New York State: Black	5.1	(17.7)	0.4	(1.3)	5.0	(16.8)	1.5	(5.1)	2.3	(7.8)	1.1	(4.0)	2.1	(7.0)	7.1	(23.8)	4.8	(16.6)	
USA, New York State: White	5.0	(17.8)	0.4	(1.1)	4.4	(16.2)	1.2	(4.4)	2.2	(7.6)	1.0	(3.3)	2.0	(6.7)	9.6	(31.6)	3.2	(11.4)	
USA, Ohio	5.3	(19.6)	0.4	(1.3)	4.2	(15.7)	1.2	(4.7)	2.2	(8.0)	0.8	(3.1)	1.6	(5.5)	8.7	(30.1)	3.3	(12.0)	
USA, Ohio: Black	7.0	(21.1)	0.6	(2.0)	4.7	(14.6)	1.7	(5.1)	2.5	(7.9)	1.4	(4.2)	2.2	(6.4)	8.2	(24.7)	4.5	(14.0)	
USA, Ohio: White	5.1	(19.5)	0.4	(1.3)	4.1	(15.8)	1.2	(4.5)	2.1	(8.0)	0.8	(2.9)	1.5	(5.4)	8.5	(30.7)	3.1	(11.9)	
USA, Oklahoma	4.6	(16.9)	0.5	(1.6)	4.0	(14.8)	1.0	(4.0)	2.0	(7.4)	0.9	(3.3)	1.6	(5.8)	8.7	(30.5)	4.2	(15.7)	
USA, Oregon	4.8	(21.6)	0.3	(1.1)	3.2	(14.4)	1.4	(6.1)	2.3	(10.0)	0.8	(3.7)	1.2	(5.0)	7.6	(31.5)	1.4	(6.5)	
USA, Pennsylvania	5.8	(19.9)	0.5	(1.3)	4.8	(16.6)	1.6	(5.2)	2.4	(8.1)	1.1	(3.5)	2.0	(6.3)	10.6	(33.7)	1.5	(5.4)	
USA, Pennsylvania: Black	8.1	(22.4)	0.3	(0.8)	5.9	(16.5)	1.7	(4.9)	2.6	(7.1)	1.6	(4.4)	3.6	(9.6)	10.0	(27.3)	2.4	(6.9)	
USA, Pennsylvania: White	5.7	(19.8)	0.5	(1.3)	4.7	(16.6)	1.5	(5.3)	2.3	(8.2)	1.0	(3.5)	1.9	(6.0)	10.5	(34.2)	1.4	(5.2)	
USA, Rhode Island	5.5	(18.8)	0.4	(1.1)	4.5	(15.7)	1.8	(6.2)	2.2	(7.5)	1.2	(3.9)	2.0	(6.7)	10.9	(35.5)	1.3	(4.6)	
USA, SEER (9 Registries)	5.2	(21.2)	0.4	(1.4)	3.8	(15.5)	1.3	(5.6)	2.1	(8.4)	1.0	(3.9)	1.7	(6.5)	8.4	(32.3)	1.2	(5.2)	
USA, SEER (9 Registries): Black	7.1	(21.9)	0.3	(1.2)	5.6	(17.2)	1.8	(5.5)	2.7	(8.5)	1.9	(5.8)	2.5	(7.6)	8.1	(25.3)	2.2	(6.9)	
USA, SEER (9 Registries): White	5.2	(21.8)	0.4	(1.5)	3.7	(15.5)	1.3	(5.6)	2.0	(8.3)	0.9	(3.8)	1.6	(6.2)	8.3	(32.1)	1.2	(5.2)	
USA, SEER (14 Registries)	5.0	(20.7)	0.4	(1.4)	3.7	(15.2)	1.4	(5.6)	2.0	(8.0)	1.0	(4.0)	1.7	(6.6)	8.6	(32.7)	1.4	(5.8)	
USA, SEER (14 Registries): Asian and Pacific Islander	2.5	(13.9)	0.2	(1.0)	2.4	(12.9)	1.0	(5.4)	1.7	(8.8)	0.6	(3.4)	1.7	(8.9)	8.1	(41.9)	0.7	(3.9)	
USA, SEER (14 Registries): Black	6.8	(20.6)	0.3	(1.0)	5.3	(16.2)	1.8	(5.4)	2.6	(8.0)	1.9	(5.7)	2.6	(7.8)	9.1	(27.6)	2.4	(7.6)	
USA, SEER (14 Registries): Hispanic White	3.7	(19.1)	0.2	(1.4)	2.7	(14.2)	1.1	(6.0)	1.3	(7.2)	0.6	(3.3)	1.1	(5.9)	7.0	(36.4)	1.2	(6.5)	
USA, SEER (14 Registries): Non-Hispanic White	5.3	(21.4)	0.4	(1.4)	3.8	(15.4)	1.4	(5.6)	2.0	(8.1)	1.0	(3.9)	1.7	(6.3)	8.7	(32.3)	1.4	(5.6)	
USA, South Carolina	5.5	(19.2)	0.4	(1.4)	4.2	(14.6)	1.5	(5.1)	2.3	(7.7)	1.3	(4.3)	2.0	(7.0)	9.3	(31.0)	2.8	(9.6)	
USA, South Carolina: Black	6.8	(19.3)	0.4	(1.1)	4.3	(12.1)	1.7	(5.0)	2.8	(7.5)	2.5	(6.9)	3.1	(8.6)	10.0	(28.0)	3.9	(11.4)	
USA, South Carolina: White	5.1	(19.3)	0.5	(1.5)	4.1	(15.5)	1.5	(5.2)	2.2	(7.7)	1.0	(3.4)	1.7	(6.4)	9.1	(31.9)	2.4	(9.0)	
USA, Texas	4.6	(18.8)	0.4	(1.4)	4.0	(16.3)	1.2	(4.7)	1.8	(7.3)	0.7	(2.9)	1.6	(6.2)	7.7	(30.3)	2.9	(12.1)	
USA, Texas: Black	6.2	(18.0)	0.2	(0.9)	5.7	(16.1)	1.6	(4.3)	2.5	(7.3)	1.1	(3.2)	2.7	(7.7)	9.6	(27.0)	5.3	(15.4)	
USA, Texas: White	4.4	(19.0)	0.4	(1.5)	3.8	(16.4)	1.1	(4.8)	1.8	(7.4)	0.7	(2.8)	1.5	(6.0)	7.5	(30.6)	2.7	(11.5)	
USA, Utah	4.0	(21.8)	0.4	(1.8)	2.6	(14.5)	1.1	(6.9)	1.1	(6.1)	0.9	(4.6)	1.1	(5.4)	7.0	(35.6)	0.6	(3.3)	
USA, Vermont	5.5	(22.4)	0.5	(1.8)	3.3	(12.7)	1.0	(4.0)	2.0	(7.5)	1.3	(4.7)	1.4	(4.8)	8.9	(33.6)	2.1	(8.4)	
USA, Washington State	5.0	(22.5)	0.4	(1.4)	3.5	(15.5)	1.3	(5.8)	2.1	(8.9)	0.9	(3.8)	1.4	(5.6)	7.6	(30.9)	1.3	(5.5)	
USA, Washington, Seattle	4.9	(22.4)	0.4	(1.5)	3.4	(15.5)	1.2	(5.5)	2.1	(9.1)	0.9	(4.0)	1.4	(5.9)	7.3	(30.7)	1.2	(5.4)	
USA, West Virginia	6.0	(20.8)	0.3	(0.9)	4.0	(14.7)	1.4	(4.7)	2.4	(8.1)	0.9	(3.0)	1.7	(5.7)	10.6	(35.8)	1.8	(6.3)	
USA, Wisconsin	4.9	(19.1)	0.4	(1.2)	3.9	(15.1)	1.4	(5.6)	2.4	(9.2)	0.9	(3.5)	1.5	(5.2)	9.2	(32.8)	2.1	(8.2)	
<b>Asia</b>																			
Bahrain: Bahraini	0.6	(8.3)	-	-	0.5	(6.3)	0.2	(2.1)	0.2	(4.2)	-	-	0.9	(10.4)	1.8	(22.9)	3.5	(45.8)	
China, Guangzhou City	0.6	(4.2)	0.2	(1.2)	1.9	(14.3)	1.1	(8.5)	1.2	(8.9)	0.3	(2.4)	0.9	(6.3)	4.9	(34.1)	2.8	(20.1)*	
China, Hong Kong	0.9	(3.5)	0.1	(0.2)	1.2	(5.3)	0.7	(3.1)	0.8	(3.5)	0.4	(1.7)	0.8	(3.5)	4.0	(17.0)	14.9	(62.1)	
China, Jiasan	1.3	(13.4)	0.3	(1.6)	1.1	(11.0)	0.4	(3.9)	0.8	(7.9)	0.1	(0.8)	0.9	(10.2)	2.7	(27.6)	2.3	(23.6)*	
China, Nangang District, Harbin City	-	-	-	-	0.1	(1.4)	0.6	(6.4)	-	-	-	-	0.0	(0.5)	-	-	8.7	(91.8)	
China, Shanghai	1.2	(7.3)	0.1	(0.6)	2.7	(16.9)	0.6	(3.7)	1.1	(6.8)	0.2	(1.1)	0.9	(6.0)	5.0	(31.4)	4.0	(26.2)*	
China, Zhongshan	0.3	(3.9)	0.1	(1.8)	1.7	(19.6)	0.1	(1.4)	0.8	(10.0)	0.3	(2.9)	1.0	(11.8)	2.3	(26.4)	1.9	(22.1)*	
Cyprus	2.0	(14.9)	0.2	(1.5)	0.8	(6.3)	0.2	(1.2)	0.4	(3.0)	0.3	(2.1)	0.5	(3.6)	4.5	(31.6)	5.1	(35.8)*	
India, Chennai (Madras)	0.1	(7.7)	0.0	(2.2)	0.4	(21.0)	0.0	(2.8)	0.1	(3.9)	0.0	(1.7)	0.1	(3.9)	0.3	(16.0)	0.8	(40.9)	
India, New Delhi	0.3	(12.0)	0.0	(1.1)	0.2	(7.1)	0.0	(1.6)	0.0	(1.6)	-	-	0.0	(0.9)	0.3	(10.4)	1.7	(65.1)*	
India, Karunagappally	-	-	-	-	0.4	(16.7)	0.1	(5.6)	0.3	(16.7)	0.1	(5.6)	0.2	(11.1)	0.5	(22.2)	0.4	(22.2)	
India, Mumbai (Bombay)	0.3	(8.8)	0.0	(1.5)	0.2	(6.7)	0.1	(2.4)	0.1	(4.5)	0.0	(1.5)	0.1	(3.6)	0.6	(18.0)	1.6	(53.1)	
India, Nagpur	0.5	(15.0)	-	-	0.1	(4.4)	0.1	(1.8)	-	-	-	-	0.1	(1.8)	0.5	(16.8)	1.6	(60.2)*	
India, Poona	0.2	(8.8)	0.0	(0.7)	0.2	(8.8)	0.1	(3.4)	0.1	(2.0)	-	-	0.0	(0.7)	0.2	(8.8)	1.6	(66.7)*	
India, Trivandrum	0.2	(8.1)	-	-	0.1	(4.8)	0.0	(1.6)	0.3	(11.3)	-	-	0.1	(3.2)	0.6	(25.8)	1.0	(45.2)*	
Israel	3.0	(11.1)	0.1	(0.4)	4.8	(17.4)	1.0	(3.6)	1.7	(5.8)	1.0	(3.3)	2.9	(10.1)	8.9	(30.9)	4.8	(17.4)	
Israel: Jews	3.2																		

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Colon (C18) - Male (contd)**

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9		
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
<b>Asia (contd)</b>																			
Korea	0.7	(4.9)	0.1	(0.7)	2.4	(17.2)	0.5	(3.9)	0.9	(7.0)	0.2	(1.3)	0.8	(5.5)	5.5	(38.4)	3.1	(21.0)	
Korea, Busan	0.4	(3.7)	0.1	(0.7)	2.2	(17.9)	0.4	(3.6)	0.9	(7.4)	0.1	(1.1)	0.9	(5.7)	4.3	(34.3)	3.5	(25.5)	
Korea, Daegu	0.6	(4.4)	0.1	(0.4)	2.2	(17.3)	0.6	(4.8)	0.8	(6.0)	0.1	(1.5)	0.9	(6.3)	5.4	(39.0)	2.9	(20.3)	
Korea, Daejeon	1.2	(6.9)	0.1	(0.9)	2.0	(12.8)	0.9	(5.7)	1.1	(6.6)	0.2	(0.9)	1.0	(6.9)	6.1	(36.3)	4.0	(23.0)	
Korea, Gwangju	0.8	(5.5)	0.1	(0.6)	2.2	(16.6)	0.4	(3.0)	0.6	(4.4)	0.1	(1.1)	0.6	(4.7)	4.9	(32.9)	4.9	(31.2)	
Korea, Incheon	0.8	(5.6)	0.2	(1.1)	2.7	(18.3)	0.4	(2.6)	1.0	(7.3)	0.1	(0.8)	0.9	(6.2)	6.5	(41.0)	2.9	(17.1)	
Korea, Jeju-do	0.7	(5.9)	-	-	2.4	(22.4)	0.1	(1.2)	0.5	(4.7)	0.3	(3.5)	1.0	(8.2)	3.6	(31.8)	2.5	(22.4)	
Korea, Seoul	0.8	(4.6)	0.1	(0.4)	3.1	(17.3)	0.7	(3.8)	1.3	(7.3)	0.2	(1.5)	1.1	(6.0)	7.8	(41.8)	3.7	(17.4)	
Korea, Ulsan	0.4	(3.6)	0.2	(1.0)	2.5	(19.1)	0.2	(1.0)	1.1	(7.7)	0.1	(0.5)	0.9	(6.7)	4.7	(32.0)	4.9	(28.4)	
Kuwait: Kuwaitis	0.6	(8.8)	0.2	(2.5)	0.7	(7.5)	0.4	(5.0)	0.4	(3.8)	0.1	(1.3)	0.7	(8.8)	2.5	(28.7)	3.0	(33.8)	
Kuwait: Non-Kuwaitis	0.6	(19.3)	0.2	(2.4)	0.2	(8.4)	0.2	(8.4)	0.3	(7.2)	0.1	(2.4)	0.5	(3.6)	1.4	(25.3)	2.0	(22.9)	
Malaysia, Penang	0.5	(3.6)	0.0	(0.4)	0.5	(3.6)	0.1	(0.8)	0.6	(4.3)	0.1	(0.8)	0.5	(3.2)	4.5	(31.2)	7.1	(52.2)	
Malaysia, Sarawak	0.8	(11.5)	0.1	(1.1)	0.3	(4.2)	0.1	(1.9)	0.4	(5.4)	0.0	(0.8)	0.3	(3.8)	1.4	(19.2)	3.9	(52.1)	
Oman: Omani	0.3	(13.0)	0.1	(4.3)	0.3	(15.2)	-	-	0.1	(4.3)	0.1	(2.2)	0.1	(4.3)	0.5	(17.4)	1.1	(39.1)*	
Pakistan, South Karachi	0.3	(9.9)	0.0	(1.0)	0.1	(3.0)	0.1	(2.0)	0.1	(4.0)	-	-	0.3	(7.9)	0.8	(22.8)	1.8	(49.5)*	
Philippines, Manila	0.6	(4.8)	0.0	(0.3)	0.8	(5.7)	0.1	(0.8)	0.4	(3.5)	0.2	(1.3)	0.8	(5.3)	3.7	(24.3)	7.9	(53.9)*	
Singapore	2.0	(9.0)	0.1	(0.7)	1.6	(7.2)	0.8	(3.8)	2.0	(8.9)	1.2	(5.2)	1.8	(8.0)	9.3	(40.5)	3.9	(16.8)	
Singapore: Chinese	2.3	(8.8)	0.2	(0.8)	1.8	(7.0)	1.0	(4.0)	2.4	(9.1)	1.4	(5.2)	2.0	(7.9)	10.9	(40.5)	4.5	(16.7)	
Singapore: Indian	0.3	(6.9)	-	-	0.7	(8.6)	0.3	(3.4)	0.5	(8.6)	0.6	(8.6)	0.8	(10.3)	2.5	(29.3)	1.7	(24.1)	
Singapore: Malay	1.3	(13.4)	-	-	0.8	(8.2)	0.1	(1.0)	0.5	(4.1)	0.3	(2.1)	1.0	(8.2)	5.1	(48.5)	1.5	(14.4)	
Thailand, Chiang Mai	0.4	(7.1)	0.1	(1.5)	0.9	(19.3)	0.3	(5.1)	0.3	(7.1)	0.1	(1.5)	0.4	(8.6)	1.5	(29.4)	1.0	(20.3)*	
Thailand, Lampang	0.7	(9.2)	0.1	(1.7)	0.7	(8.6)	0.1	(1.1)	0.5	(6.3)	0.1	(0.6)	0.2	(2.9)	1.5	(17.8)	4.1	(51.7)*	
Thailand, Songkhla	0.5	(9.8)	0.0	(0.7)	0.1	(2.8)	0.0	(0.7)	0.3	(5.6)	0.0	(0.7)	0.3	(4.9)	1.5	(27.3)	2.5	(47.6)	
Turkey, Antalya	0.8	(11.3)	0.0	(0.4)	0.7	(10.0)	0.1	(1.7)	0.2	(2.6)	0.1	(0.9)	0.3	(4.3)	1.5	(19.6)	3.8	(49.1)*	
Turkey, Izmir	1.1	(13.9)	0.1	(1.1)	0.7	(9.0)	0.4	(6.0)	0.6	(6.9)	0.4	(4.7)	0.6	(7.4)	2.5	(32.0)	1.4	(18.9)*	
<b>Europe</b>																			
Austria	2.9	(12.2)	0.4	(1.3)	2.6	(11.2)	1.0	(4.4)	1.4	(5.9)	0.7	(3.0)	0.9	(3.6)	8.7	(35.6)	5.3	(22.7)	
Austria, Tyrol	3.2	(15.3)	0.2	(0.8)	2.8	(13.4)	1.6	(7.6)	1.9	(8.7)	0.8	(3.8)	0.9	(4.5)	7.9	(36.7)	2.0	(9.3)	
Austria, Vorarlberg	2.6	(11.0)	-	-	3.4	(14.7)	1.5	(6.2)	1.3	(5.5)	1.2	(5.1)	1.5	(6.2)	8.9	(37.4)	3.2	(13.9)	
Belarus	1.3	(10.6)	0.0	(0.3)	1.2	(9.9)	1.3	(10.7)	1.0	(8.1)	1.1	(8.8)	0.8	(6.4)	4.6	(38.2)	0.9	(7.0)*	
Belgium, Antwerp	3.3	(16.4)	0.2	(0.6)	2.8	(14.3)	1.1	(5.8)	1.3	(6.9)	1.0	(4.9)	1.1	(5.5)	8.2	(40.5)	1.0	(5.1)*	
Belgium, Flanders	2.4	(10.7)	0.3	(1.1)	2.6	(11.2)	0.4	(1.8)	1.1	(5.1)	0.5	(2.1)	1.1	(5.1)	7.3	(31.7)	7.1	(31.1)	
Bulgaria	1.6	(9.7)	0.0	(0.0)	2.2	(13.5)	0.8	(5.0)	1.4	(8.7)	0.8	(4.9)	1.4	(8.8)	5.5	(35.5)	2.1	(14.0)*	
Croatia	1.5	(6.9)	0.1	(0.3)	1.5	(7.0)	0.6	(2.7)	1.1	(5.0)	0.7	(3.5)	0.9	(4.2)	6.3	(30.0)	8.7	(40.5)	
Czech Republic	3.7	(11.9)	0.3	(0.9)	3.4	(10.8)	2.8	(8.7)	2.9	(8.9)	2.4	(7.6)	2.4	(7.7)	10.9	(34.1)	2.9	(9.4)	
Denmark	3.3	(15.3)	0.3	(1.1)	2.5	(12.0)	0.7	(3.1)	1.9	(8.5)	0.6	(2.7)	1.0	(4.4)	9.8	(44.1)	2.0	(8.7)	
Estonia	2.4	(13.0)	0.1	(0.5)	3.1	(16.7)	0.8	(4.6)	2.0	(10.4)	0.8	(4.0)	1.2	(6.6)	7.4	(40.8)	0.6	(3.3)	
Finland	-	-	-	-	5.6	(38.0)	-	-	2.3	(15.7)	-	-	0.7	(4.9)	4.6	(32.7)	1.2	(8.6)	
France, Bas-Rhin	3.6	(12.5)	0.1	(0.3)	5.1	(18.2)	0.7	(2.6)	1.8	(6.3)	1.0	(3.5)	4.8	(16.5)	11.6	(39.2)	0.2	(0.9)	
France, Calvados	2.2	(12.1)	0.1	(0.8)	2.3	(12.9)	1.0	(5.4)	1.9	(9.9)	0.9	(4.6)	2.5	(12.5)	7.1	(36.9)	0.9	(4.8)	
France, Doubs	2.7	(13.7)	0.3	(0.9)	3.4	(15.6)	1.2	(5.5)	1.7	(7.1)	1.0	(4.6)	3.2	(13.7)	8.2	(35.7)	0.7	(3.2)	
France, Haut-Rhin	1.5	(5.2)	0.1	(0.4)	7.0	(24.6)	0.3	(1.2)	1.1	(3.9)	0.3	(1.0)	3.6	(12.8)	7.5	(26.7)	6.8	(24.2)	
France, Herault	2.3	(10.2)	0.1	(0.4)	4.0	(18.5)	1.1	(4.5)	1.6	(6.3)	0.9	(3.8)	3.9	(17.1)	7.1	(28.8)	2.3	(10.5)	
France, Isere	4.0	(17.8)	0.2	(0.6)	3.7	(16.1)	1.1	(4.6)	1.3	(6.1)	0.8	(3.6)	3.0	(12.7)	8.2	(35.7)	0.6	(2.8)	
France, Loire-Atlantique	2.1	(9.4)	0.2	(0.9)	4.2	(18.9)	1.0	(4.3)	1.3	(5.8)	0.7	(2.8)	4.0	(17.2)	7.6	(32.4)	1.9	(8.3)	
France, Manche	2.5	(14.5)	0.1	(0.5)	2.0	(10.7)	1.1	(6.1)	1.5	(8.0)	1.0	(5.5)	1.7	(8.6)	7.9	(40.9)	0.9	(5.2)	
France, Somme	2.3	(10.8)	0.3	(1.3)	2.7	(12.9)	1.3	(6.1)	1.0	(4.9)	1.1	(5.3)	2.7	(12.3)	7.1	(31.9)	3.3	(14.6)	
France, Tarn	2.2	(13.5)	0.0	(0.3)	2.2	(13.8)	1.5	(9.5)	1.2	(7.2)	1.3	(7.2)	2.1	(12.7)	5.6	(28.8)	0.9	(6.9)	
France, Vendee	1.1	(4.6)	0.3	(1.0)	2.1	(9.0)	0.4	(1.8)	0.8	(3.1)	0.2	(1.2)	1.3	(5.3)	6.5	(25.1)	12.0	(48.8)	
Germany, Brandenburg	2.5	(10.0)	0.1	(0.5)	2.7	(10.8)	1.1	(4.5)	1.9	(7.5)	0.9	(3.8)	1.5	(5.9)	10.9	(44.4)	3.1	(12.6)	
Germany, Free State of Saxony	2.5	(10.4)	0.3	(0.9)	3.0	(12.3)	1.6	(6.6)	2.1	(8.5)	1.2	(5.2)	1.4	(5.7)	10.2	(41.9)	2.0	(8.6)	
Germany, Hamburg	1.7	(9.3)	0.1	(0.5)	2.1	(11.1)	0.4	(2.0)	0.9	(4.3)	0.3	(1.4)	0.7	(3.7)	5.9	(30.8)	6.9	(37.0)	
Germany, Mecklenburg-Western Pomerania	2.5	(9.9)	0.1	(0.2)	2.9	(11.6)	1.2	(5.0)	1.8	(7.1)	1.1	(4.2)	1.8	(7.2)	10.3	(41.1)	3.5	(13.6)	
Germany, Munich	3.0	(11.3)	0.4	(1.3)	4.0	(14.5)	0.5	(1.8)	2.0	(7.5)	0.4	(1.6)	1.6	(5.9)	10.7	(38.1)	4.9	(18.0)	
Germany, Northrhine-Westphalia: Munster	3.0	(11.1)	0.2	(0.6)	3.1	(12.0)	1.0	(4.0)	1.5	(5.7)	0.7	(2.5)	0.9	(3.2)	8.9	(33.4)	7.3	(27.6)	
Germany, Saarland	3.0	(10.0)	0.5	(1.3)	2.9	(9.9)	1.3	(4.5)	1.8	(6.1)	1.0	(3.2)	1.5	(5.1)	10.9	(37.0)	6.6	(23.0)	
Iceland	4.0	(17.0)	-	-	4.8	(22.2)	0.9	(3.9)	1.5	(5.7)	0.5	(2.2)	2.1	(8.3)	8.3	(34.8)	1.3	(6.1)	
Ireland	5.0	(20.7)	0.2	(0.7)	2.5	(10.4)	1.1	(4.6)	1.8	(7.7)	0.9	(3.9)	1.7	(6.9)	8.7	(35.2)	2.3	(9.9)	
Italy, Biella Province	3.7	(13.4)	-	-	2.8	(10.8)	0.8	(3.0)	2.2	(7.8)	1.0	(4.1)	2.1	(7.8)	11.7	(45.7)	1.9	(7.4)	
Italy, Brescia Province	2.4	(9.0)	0.0	(0.1)	3.5	(13.4)	1.1	(4.6)	2.2	(8.4)	1.0	(3.5)	4.9	(18.4)	7.2	(27.6)	4.0	(15.1)	
Italy, Ferrara Province	3.4	(9.8)	0.2	(0.5)	6.8	(19.0)	0.9	(2.7)	2.4	(7.0)	1.0	(2.9)	4.4	(12.1)	14.9	(39.9)	1.9	(6.0)	
Italy, Florence and Prato	3.4	(11.1)	0.1	(0.2)	5.0	(16.9)	0.6	(2.1)	2.3	(7.5)	0.8	(2.6)	3.3	(10.7)	10.2	(32.8)	4.6	(16.1)	
Italy, Genoa Province	2.9	(11.0)	0.2	(0.5)	3.9	(15.8)	1.1	(3.7)	1.7	(7.3)	1.4	(5.4)	3.7	(12.8)	10.1	(36.0)	2.0	(7.5)	
Italy, Macerata Province	2.2	(6.3)	0.3	(0.7)	3.2	(10.6)	0.5	(2.0)	1.3	(4.3)	0.3	(1.0)	2.0	(6.6)	10.0	(35.2)	10.1	(33.2)	
Italy, Milan	2.2	(7.7)	0.1	(0.2)	3.6	(12.4)	0.4	(1.5)	1.2	(4.1)	0.8	(2.5)	2.2	(7.3)	6.2	(21.2)	12.6	(43.0)	
Italy, Modena Province	2.5	(7.6)	0.1	(0.3)	3.8	(12.4)	0.6	(1.8)	2.4	(7.0)	0.9	(2.6)	3.6	(10.4)	13.5	(40.4)	6.1	(17.4)	
Italy, Naples	1.3	(6.5)	-	-	2.4	(12.3)	0.4	(1.9)	1.0	(5.5)	0.3	(1.6)	1.7	(8.4)	4.2	(21.1)	8.3	(42.5)	
Italy, North East Cancer Surveillance Network	2.1	(6.6)	0.2	(0.5)	2.4	(7.5)	0.7	(2.0)	1.5	(4.6)	0.8	(2.6)	1.4	(4.4)	7.7	(23.8)	15.4	(48.0)	
Italy, Parma Province	2.3	(8.1)	-	-	6.5	(24.1)	0.9	(3.4)	2.1	(6.8)	0.6	(2.2)	5.1	(16.0)	8.8	(31.6)	2.1	(7.8)	
Italy, Ragusa Province	1.4	(6.9)	0.2	(0.4)	2.8	(15.8)	0.7	(4.6)	0.9	(5.0)	0.7	(3.5)	3.2	(15.4)	6.5	(36.9)	2.1	(11.5)	
Italy, Reggio Emilia Province	2.4	(8.2)	-	-	5.6	(18.5)	1.0	(3.2)	2.0	(6.6)	0.5	(1.8)	2.6	(8.2)	11.6	(37.9)	4.6	(15.6)	
Italy, Romagna Region	2.0	(6.9)	0.1	(0.2)	5.8	(19.4)	0.6	(2.0)											

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Colon (C18) - Male (contd)**

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9		
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Europe (contd)																			
Latvia	1.4	(9.6)	0.1	(1.0)	1.5	(10.9)	0.9	(6.8)	1.3	(9.3)	0.8	(5.8)	0.9	(6.9)	5.6	(41.4)	1.1	(8.5)	
Lithuania	1.9	(13.1)	0.1	(0.4)	1.6	(11.4)	0.7	(5.2)	1.5	(10.3)	0.6	(4.5)	1.0	(6.7)	5.9	(41.7)	0.9	(6.6)	
Malta	2.1	(14.1)	0.1	(0.5)	1.4	(9.2)	0.6	(3.9)	1.0	(6.3)	0.7	(4.4)	0.7	(4.4)	4.2	(27.7)	4.4	(29.6)	
Norway	5.0	(21.3)	0.2	(0.7)	3.3	(14.1)	1.1	(4.2)	2.3	(9.3)	0.9	(3.8)	1.2	(4.8)	8.7	(34.9)	1.5	(6.8)	
Poland, Cracow	1.4	(7.3)	-	-	1.3	(7.1)	1.2	(6.7)	1.0	(5.4)	0.5	(2.9)	0.6	(2.9)	6.8	(36.8)	5.8	(31.0)	*
Poland, Kielce	1.5	(10.7)	0.1	(0.5)	1.2	(7.6)	0.6	(4.3)	0.8	(5.9)	0.6	(4.0)	0.6	(3.7)	5.3	(37.2)	3.7	(26.2)	
Poland, Warsaw City	2.0	(11.4)	0.0	(0.1)	1.3	(7.8)	0.7	(4.3)	1.2	(6.6)	0.7	(4.2)	1.0	(5.4)	6.9	(41.2)	3.1	(19.1)	
Portugal, Porto	1.2	(5.0)	0.1	(0.4)	1.3	(5.7)	0.6	(2.4)	0.7	(2.9)	0.4	(1.6)	1.1	(4.6)	7.7	(32.4)	10.6	(45.0)	*
Portugal, South Regional	1.6	(6.6)	0.2	(0.7)	2.5	(10.0)	0.6	(2.3)	1.0	(3.7)	0.5	(2.1)	1.5	(5.8)	9.6	(38.9)	7.1	(30.0)	
Russia, St Petersburg	2.4	(11.6)	0.0	(0.2)	1.7	(8.4)	1.3	(6.3)	1.6	(7.7)	1.5	(7.1)	1.3	(6.4)	8.9	(43.2)	1.9	(9.0)	
Serbia	1.7	(11.9)	0.1	(0.3)	1.1	(7.1)	0.5	(3.7)	0.6	(4.3)	0.5	(3.4)	0.6	(3.8)	3.1	(22.0)	6.3	(43.5)	
Slovak Republic	3.3	(11.9)	0.1	(0.5)	2.7	(9.9)	2.2	(8.0)	2.3	(8.0)	2.0	(7.3)	1.9	(7.0)	10.3	(37.5)	2.7	(10.1)	
Slovenia	2.8	(11.7)	0.1	(0.4)	2.7	(11.4)	2.2	(9.3)	1.6	(6.5)	1.7	(7.3)	1.3	(5.7)	10.2	(42.9)	1.1	(4.7)	
Spain, Albacete	1.2	(8.4)	0.4	(2.0)	1.6	(11.3)	0.3	(2.0)	0.9	(5.4)	0.7	(3.9)	1.0	(6.9)	6.0	(41.4)	2.6	(18.7)	
Spain, Asturias	1.5	(6.5)	0.0	(0.2)	1.4	(6.2)	0.8	(3.3)	0.8	(3.4)	0.4	(1.7)	1.0	(4.5)	8.0	(33.6)	9.3	(40.7)	
Spain, Basque Country	2.6	(9.8)	0.2	(0.5)	2.4	(9.0)	1.9	(7.1)	1.4	(5.0)	1.3	(4.7)	2.0	(7.3)	11.6	(43.3)	3.6	(13.4)	
Spain, Canary Islands	2.5	(12.8)	0.2	(0.8)	1.8	(9.2)	1.0	(4.9)	1.2	(6.1)	1.0	(4.9)	1.2	(6.0)	7.6	(40.0)	2.8	(15.2)	
Spain, Cuenca	1.5	(8.3)	0.2	(1.5)	1.7	(8.3)	1.3	(5.9)	1.0	(6.8)	1.2	(5.4)	0.6	(3.9)	7.4	(41.5)	2.4	(18.5)	
Spain, Girona	2.6	(9.2)	0.2	(0.7)	1.9	(6.8)	0.5	(1.6)	0.5	(1.5)	0.3	(1.1)	1.1	(3.6)	8.8	(31.1)	12.8	(44.4)	
Spain, Granada	2.0	(10.5)	0.4	(2.1)	2.1	(11.7)	0.9	(4.8)	1.2	(6.6)	1.0	(4.9)	1.7	(9.0)	8.4	(46.7)	0.6	(3.6)	
Spain, Murcia	2.6	(11.4)	0.2	(1.0)	2.5	(10.6)	0.4	(1.6)	1.2	(5.0)	0.7	(3.1)	1.3	(5.7)	9.6	(42.2)	4.5	(19.5)	
Spain, Navarra	2.8	(13.2)	0.1	(0.5)	2.7	(11.4)	1.8	(8.8)	1.3	(5.3)	1.0	(4.8)	2.0	(8.1)	9.6	(41.6)	1.3	(6.3)	
Spain, Tarragona	2.3	(9.1)	0.1	(0.3)	3.2	(12.7)	1.2	(4.3)	1.1	(4.1)	0.9	(3.0)	1.4	(5.3)	9.0	(33.4)	7.4	(27.8)	
Spain, Zaragoza	1.6	(9.8)	0.0	(0.1)	1.1	(6.2)	0.7	(3.9)	0.8	(4.2)	0.6	(3.1)	0.7	(3.4)	4.9	(27.7)	7.5	(41.7)	
Sweden	3.2	(18.8)	0.2	(1.1)	2.2	(12.8)	0.7	(4.0)	1.3	(7.5)	0.6	(3.3)	0.7	(3.7)	6.3	(35.5)	2.4	(13.3)	
Switzerland, Geneva	3.1	(15.9)	0.4	(1.5)	3.1	(15.9)	0.9	(4.7)	1.3	(6.8)	0.7	(3.2)	1.1	(5.3)	8.9	(41.6)	1.0	(5.0)	
Switzerland, Graubunden and Glarus	4.5	(18.9)	0.3	(0.9)	2.9	(13.2)	1.6	(6.6)	1.6	(5.7)	1.4	(5.7)	1.4	(6.1)	9.5	(40.8)	0.4	(2.2)	
Switzerland, Neuchatel	5.4	(23.2)	0.4	(1.8)	3.2	(14.3)	1.4	(6.0)	0.7	(2.4)	1.1	(5.4)	3.2	(12.5)	7.1	(32.1)	0.5	(2.4)	
Switzerland, St Gall-Appenzell	2.6	(16.1)	0.2	(0.9)	1.8	(12.4)	1.0	(6.0)	1.0	(5.7)	0.8	(4.6)	1.0	(5.7)	7.5	(42.8)	0.8	(5.7)	
Switzerland, Ticino	2.2	(9.5)	0.1	(0.6)	3.6	(16.7)	1.3	(6.3)	2.1	(8.9)	1.6	(6.3)	1.6	(6.0)	10.1	(42.6)	0.7	(3.3)	
Switzerland, Valais	3.5	(18.0)	-	-	2.1	(10.7)	1.2	(6.9)	1.7	(7.7)	1.5	(6.4)	1.5	(7.3)	9.0	(39.5)	0.7	(3.4)	
Switzerland, Vaud	3.2	(15.1)	0.2	(0.9)	3.2	(15.6)	0.9	(3.6)	1.0	(5.3)	0.8	(3.8)	1.7	(7.6)	9.6	(43.6)	0.8	(4.5)	
The Netherlands	4.4	(18.9)	0.3	(1.2)	2.9	(12.4)	1.4	(6.2)	1.6	(6.8)	1.2	(5.2)	1.2	(4.8)	9.9	(41.7)	0.7	(2.8)	
The Netherlands, Eindhoven	4.6	(18.4)	0.3	(1.0)	3.5	(13.6)	1.6	(6.5)	1.6	(6.5)	1.4	(5.5)	1.3	(5.1)	10.7	(42.3)	0.3	(1.0)	
The Netherlands, Maastricht	4.4	(19.2)	0.6	(1.9)	2.7	(12.4)	1.9	(8.6)	1.1	(4.7)	1.1	(4.8)	0.8	(3.3)	9.9	(41.7)	0.8	(3.5)	
UK, East of England Region	4.7	(24.6)	0.1	(0.5)	2.0	(10.2)	0.5	(3.1)	1.6	(8.1)	0.7	(3.5)	0.9	(4.1)	6.8	(34.7)	2.0	(11.2)	
UK, England, Merseyside and Cheshire	4.0	(17.4)	0.2	(0.7)	1.7	(7.4)	0.5	(2.0)	1.2	(5.1)	0.7	(2.9)	1.0	(4.4)	7.9	(32.7)	6.3	(27.4)	
UK, England, North Western	4.0	(19.1)	0.3	(1.1)	1.4	(6.6)	0.5	(2.6)	1.1	(5.5)	0.6	(2.6)	0.9	(3.9)	7.2	(34.0)	5.1	(24.6)	
UK, England, Northern and Yorkshire	4.4	(21.4)	0.2	(0.8)	2.0	(9.6)	1.0	(4.6)	1.4	(6.9)	0.9	(4.2)	1.0	(4.7)	7.7	(36.4)	2.3	(11.4)	
UK, England, Oxford Region	3.8	(20.7)	0.2	(0.9)	1.5	(8.2)	0.7	(3.4)	1.3	(7.0)	0.6	(3.4)	0.7	(3.6)	7.0	(36.9)	3.0	(15.8)	
UK, England, South and Western Regions	4.0	(19.0)	0.4	(1.2)	1.8	(8.4)	0.7	(3.3)	1.3	(6.0)	0.6	(3.0)	0.9	(4.1)	7.5	(33.5)	4.6	(21.6)	
UK, England, Thames	3.2	(17.8)	0.2	(0.8)	1.5	(8.1)	0.6	(3.4)	1.2	(6.2)	0.6	(3.4)	0.8	(4.3)	5.9	(31.7)	4.3	(24.2)	
UK, England, Trent	4.0	(20.8)	0.2	(0.6)	1.4	(7.8)	0.5	(2.6)	1.0	(5.2)	0.6	(3.0)	0.8	(4.3)	6.5	(32.9)	4.3	(22.7)	
UK, England, West Midlands	3.9	(18.6)	0.2	(0.8)	2.1	(10.3)	0.6	(2.6)	1.1	(5.1)	0.6	(2.9)	0.9	(3.9)	7.2	(33.2)	4.7	(22.8)	
UK, Northern Ireland	5.0	(20.9)	0.2	(0.8)	2.6	(10.8)	1.1	(4.3)	2.0	(8.0)	1.0	(4.0)	1.2	(4.8)	8.4	(33.2)	3.1	(13.2)	
UK, Scotland	4.9	(19.6)	0.2	(0.6)	2.4	(9.8)	0.8	(3.2)	1.9	(7.7)	1.0	(4.1)	1.4	(5.4)	9.3	(35.9)	3.4	(13.8)	
Oceania																			
Australia, New South Wales	5.0	(18.6)	0.3	(0.8)	3.2	(11.9)	1.3	(4.6)	2.5	(9.0)	1.3	(4.5)	1.4	(5.0)	10.0	(35.2)	2.8	(10.5)	
Australia, Northern Territory	3.4	(16.3)	-	-	2.4	(11.6)	0.8	(3.5)	2.3	(8.1)	0.3	(2.3)	2.0	(9.3)	9.7	(43.0)	1.5	(5.8)	
Australia, Queensland	5.9	(19.6)	0.5	(1.4)	4.3	(13.9)	1.4	(4.5)	2.5	(8.1)	1.4	(4.5)	1.6	(5.2)	9.8	(31.5)	3.4	(11.3)	
Australia, South	6.8	(23.0)	0.5	(1.2)	4.1	(14.9)	1.1	(4.0)	2.6	(8.7)	1.0	(3.4)	1.9	(6.3)	10.0	(34.0)	1.2	(4.5)	
Australia, Tasmania	5.5	(20.3)	0.2	(0.9)	3.7	(12.9)	0.9	(3.0)	2.3	(8.9)	0.9	(3.4)	1.3	(4.7)	10.5	(35.5)	2.8	(10.2)	
Australia, Victoria	4.8	(17.7)	0.2	(0.6)	3.6	(13.1)	1.2	(4.2)	2.4	(8.6)	1.1	(3.9)	1.6	(5.3)	10.5	(35.9)	3.0	(10.7)	
Australia, Western	4.9	(18.5)	0.4	(1.2)	4.0	(14.9)	1.2	(4.6)	1.7	(6.3)	1.1	(4.2)	2.1	(7.6)	10.2	(37.6)	1.3	(5.2)	
Australian Capital Territory	6.4	(20.9)	0.8	(2.6)	3.1	(10.4)	1.3	(4.9)	3.1	(10.1)	1.6	(4.9)	0.6	(1.9)	12.8	(39.2)	1.6	(5.2)	
French Polynesia	0.2	(2.8)	-	-	1.2	(13.9)	0.3	(2.8)	0.3	(2.8)	0.6	(5.6)	0.6	(5.6)	4.0	(38.9)	2.5	(27.8)	
New Zealand	4.8	(16.5)	0.5	(1.4)	4.7	(16.1)	1.0	(3.5)	2.4	(8.0)	1.1	(3.7)	2.3	(7.8)	10.7	(35.7)	2.1	(7.3)	
USA, Hawaii	3.8	(16.4)	0.4	(1.3)	3.3	(13.4)	1.5	(5.8)	2.5	(10.1)	0.8	(3.4)	2.6	(9.6)	10.2	(38.0)	0.5	(2.1)	
USA, Hawaii: Chinese	2.8	(15.7)	-	-	4.5	(23.6)	1.1	(5.6)	2.9	(12.4)	0.6	(2.2)	2.0	(10.1)	7.5	(28.1)	0.3	(2.2)	
USA, Hawaii: Filipino	1.4	(6.7)	0.2	(0.7)	1.8	(10.1)	0.7	(2.7)	2.3	(9.4)	0.4	(2.7)	2.6	(12.1)	11.1	(53.0)	0.2	(2.7)	
USA, Hawaii: Hawaiian	4.6	(19.1)	-	-	1.6	(6.1)	1.6	(7.0)	2.8	(12.2)	1.4	(6.1)	2.4	(9.6)	9.7	(38.3)	0.4	(1.7)	
USA, Hawaii: Japanese	4.9	(18.5)	0.5	(0.9)	3.9	(13.7)	1.4	(4.7)	3.1	(10.5)	0.5	(2.6)	4.1	(11.2)	12.9	(36.5)	0.4	(1.5)	
USA, Hawaii: White	4.2	(17.2)	0.8	(3.1)	3.6	(14.1)	1.9	(6.9)	2.1	(8.8)	1.0	(4.1)	2.1	(7.5)	9.6	(35.6)	0.7	(2.8)	

Rates based on less than 10 cases are in italics.  
 \*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Colon (C18) - Female**

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9	
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other									
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																		
Algeria, Setif	-	-	0.1	(6.2)	-	-	-	-	-	-	-	-	-	-	0.2	(7.7)	2.5	(86.2) *
Egypt, Gharbiah	0.3	(11.2)	0.0	(1.3)	0.2	(5.9)	0.1	(2.6)	0.2	(9.9)	0.1	(3.3)	0.2	(7.2)	0.6	(23.0)	1.0	(35.5)
Tunisia, Centre, Sousse	0.7	(11.3)	0.4	(6.5)	0.2	(3.2)	0.1	(1.6)	0.3	(4.8)	0.2	(3.2)	1.0	(17.7)	2.8	(45.2)	0.4	(6.5) *
Uganda, Kyadondo County	0.3	(7.0)	0.0	(2.3)	-	-	-	-	-	-	-	-	-	-	-	-	3.7	(90.7) *
Zimbabwe, Harare: African	0.6	(15.9)	0.0	(2.3)	0.2	(4.5)	-	-	0.4	(6.8)	-	-	-	-	0.1	(6.8)	1.8	(63.6) *
America, Central and South																		
Argentina, Bahia Blanca	0.5	(3.4)	-	-	0.8	(8.3)	0.1	(0.7)	0.0	(0.7)	-	-	0.7	(4.8)	1.6	(11.7)	7.6	(70.3)
Brazil, Brasilia	0.8	(4.8)	0.2	(1.3)	0.6	(4.5)	0.0	(0.3)	0.6	(3.4)	0.1	(0.5)	0.3	(2.1)	1.9	(13.5)	10.3	(69.6)
Brazil, Cuiaba	0.1	(1.8)	0.2	(1.8)	0.7	(8.9)	-	-	0.1	(1.8)	0.1	(1.8)	0.3	(5.4)	1.8	(21.4)	4.7	(57.1)
Brazil, Goiania	0.7	(6.9)	0.1	(0.5)	0.9	(9.0)	-	-	0.6	(5.3)	0.2	(2.1)	0.2	(1.6)	2.0	(19.0)	5.8	(55.6)
Brazil, Sao Paulo	1.0	(6.1)	0.1	(0.9)	1.4	(8.8)	0.1	(0.5)	0.6	(4.0)	0.0	(0.3)	0.6	(3.8)	2.8	(17.4)	9.2	(58.2)
Chile, Valdivia	0.5	(5.0)	-	-	1.0	(11.9)	-	-	0.3	(3.0)	-	-	0.2	(2.0)	1.7	(16.8)	5.7	(61.4)
Colombia, Cali	0.9	(9.5)	0.1	(1.2)	1.1	(12.2)	0.1	(1.5)	0.4	(4.2)	0.0	(0.5)	0.7	(7.1)	1.8	(20.0)	3.9	(43.8)
Costa Rica	0.7	(9.4)	0.1	(0.7)	1.1	(13.5)	0.1	(1.6)	0.6	(7.1)	0.1	(1.3)	0.5	(5.3)	1.7	(20.2)	3.0	(40.7)
Ecuador, Quito	0.4	(7.2)	0.1	(2.8)	0.7	(11.6)	0.1	(2.2)	0.4	(7.2)	-	-	0.4	(7.2)	1.1	(20.4)	2.3	(41.4)
France, La Martinique	1.0	(10.2)	0.1	(0.6)	0.8	(9.6)	0.2	(1.1)	0.4	(3.4)	0.2	(1.1)	0.7	(5.6)	2.3	(18.6)	5.6	(49.7)
Peru, Trujillo	0.6	(13.7)	0.1	(2.0)	0.7	(15.7)	-	-	0.3	(5.9)	-	-	-	-	0.7	(15.7)	2.0	(47.1) *
America, North																		
Canada (Excluding Quebec, Yukon and Nunavut)	4.6	(24.0)	0.3	(1.2)	3.2	(16.8)	0.7	(3.5)	1.6	(7.7)	0.6	(2.8)	1.0	(4.7)	5.4	(24.0)	2.8	(15.3)
Canada, Alberta	4.7	(27.3)	0.4	(1.7)	2.4	(14.8)	0.9	(4.9)	1.9	(10.8)	0.5	(3.2)	0.7	(4.1)	5.0	(26.8)	0.8	(6.4)
Canada, British Columbia	4.0	(25.5)	0.2	(0.8)	2.7	(16.7)	0.7	(4.0)	1.4	(8.4)	0.6	(3.3)	0.8	(4.2)	4.9	(26.1)	1.5	(11.0)
Canada, Manitoba	5.4	(27.9)	0.3	(1.0)	3.1	(17.5)	0.7	(4.1)	1.9	(9.1)	0.4	(2.1)	1.3	(4.7)	6.4	(27.6)	1.0	(6.1)
Canada, New Brunswick	7.7	(36.2)	0.3	(1.0)	3.3	(15.7)	0.8	(3.9)	1.4	(6.6)	0.6	(2.6)	1.4	(5.6)	5.0	(21.3)	1.4	(7.2)
Canada, Newfoundland and Labrador	7.2	(29.3)	0.0	(0.4)	3.9	(15.2)	1.1	(4.2)	1.9	(7.4)	1.3	(4.9)	1.4	(5.8)	6.0	(24.1)	2.0	(8.9)
Canada, Northwest Territories	8.7	(37.5)	-	-	3.1	(12.5)	-	-	2.3	(12.5)	-	-	-	-	7.1	(31.3)	1.1	(6.3)
Canada, Nova Scotia	6.4	(28.2)	0.4	(1.1)	4.1	(17.4)	0.5	(2.5)	1.8	(7.7)	0.9	(3.2)	1.5	(6.1)	6.5	(24.1)	2.1	(9.7)
Canada, Ontario	4.2	(20.5)	0.4	(1.4)	3.5	(17.4)	0.6	(2.9)	1.4	(6.5)	0.6	(2.6)	1.2	(4.9)	5.3	(22.6)	4.2	(21.2)
Canada, Prince Edward Island	7.2	(31.9)	0.2	(0.5)	3.1	(13.0)	1.6	(5.4)	3.7	(11.9)	1.4	(4.3)	1.7	(5.9)	5.9	(20.0)	1.3	(7.0)
Canada, Saskatchewan	4.5	(28.6)	0.3	(1.2)	2.8	(14.8)	1.0	(5.9)	2.1	(10.7)	0.6	(3.1)	0.6	(2.8)	5.7	(25.9)	1.0	(7.0)
USA, Alabama	4.5	(24.2)	0.2	(1.0)	3.2	(17.7)	0.8	(4.3)	1.6	(8.2)	0.6	(3.0)	1.0	(5.0)	5.7	(26.6)	1.9	(10.0)
USA, Alabama: Black	6.1	(24.9)	0.3	(0.9)	4.2	(17.5)	1.1	(4.5)	2.2	(8.3)	0.9	(3.1)	1.6	(6.4)	6.5	(24.6)	2.2	(9.6)
USA, Alabama: White	4.0	(23.9)	0.2	(1.0)	3.0	(18.0)	0.8	(4.3)	1.5	(8.2)	0.5	(2.9)	0.9	(4.5)	5.4	(27.3)	1.7	(10.0)
USA, Alaska	6.3	(27.6)	0.0	(0.3)	3.1	(13.5)	1.6	(7.3)	2.2	(8.8)	1.1	(4.1)	0.8	(3.5)	6.9	(29.6)	1.1	(5.3)
USA, Arizona	4.1	(26.5)	0.3	(1.1)	2.5	(16.7)	0.8	(5.1)	1.4	(8.6)	0.5	(2.8)	0.8	(4.5)	4.6	(25.3)	1.4	(9.3)
USA, California	4.2	(25.3)	0.4	(1.6)	2.7	(16.4)	1.0	(5.7)	1.6	(9.2)	0.7	(3.6)	1.0	(5.1)	5.4	(27.4)	0.8	(5.7)
USA, California: Asian and Pacific Islander	2.5	(17.0)	0.2	(1.4)	2.1	(13.9)	0.8	(5.7)	1.3	(8.6)	0.6	(3.6)	1.1	(7.0)	6.2	(39.2)	0.5	(3.5)
USA, California: Black	6.4	(26.3)	0.3	(1.3)	3.9	(15.7)	1.2	(5.2)	2.0	(8.0)	1.5	(5.9)	1.7	(6.5)	6.5	(25.3)	1.2	(5.8)
USA, California: Hispanic White	3.2	(23.8)	0.3	(2.6)	2.0	(14.9)	0.8	(5.9)	1.0	(7.3)	0.4	(3.1)	0.7	(5.2)	4.3	(31.3)	0.7	(5.8)
USA, California: Non-Hispanic White	4.6	(26.5)	0.4	(1.5)	2.9	(17.0)	1.0	(5.7)	1.7	(9.8)	0.7	(3.4)	0.9	(4.7)	5.3	(25.5)	0.8	(5.9)
USA, California, Greater San Francisco Bay Area	4.1	(24.2)	0.3	(1.1)	2.9	(17.1)	1.0	(6.0)	1.5	(9.2)	0.6	(3.3)	1.2	(5.7)	5.6	(28.0)	0.7	(5.3)
USA, California, Greater San Francisco Bay Area: Black	5.5	(25.9)	0.2	(1.0)	3.1	(14.1)	1.7	(7.9)	2.0	(8.4)	1.2	(5.4)	1.8	(7.7)	5.5	(22.7)	1.1	(6.9)
USA, California, Greater San Francisco Bay Area: Chinese	2.7	(14.9)	0.0	(0.3)	3.4	(19.6)	1.1	(6.8)	1.5	(9.2)	0.7	(3.1)	1.5	(8.9)	6.6	(35.3)	0.3	(1.8)
USA, California, Greater San Francisco Bay Area: Filipino	2.0	(14.3)	-	-	1.6	(13.7)	0.8	(5.1)	1.2	(8.6)	0.6	(4.0)	1.4	(9.1)	5.8	(39.4)	0.7	(5.7)
USA, California, Greater San Francisco Bay Area: Japanese	2.9	(16.2)	0.3	(1.0)	2.4	(16.2)	0.9	(7.1)	1.3	(8.1)	0.1	(1.0)	0.5	(4.0)	8.3	(43.4)	0.6	(3.0)
USA, California, Greater San Francisco Bay Area: Hispanic White	2.9	(22.9)	0.2	(1.6)	2.2	(16.0)	0.7	(5.6)	1.3	(9.8)	0.4	(3.2)	0.8	(5.1)	4.1	(29.8)	0.7	(6.1)
USA, California, Greater San Francisco Bay Area: Non-Hispanic White	4.7	(26.3)	0.4	(1.3)	3.0	(17.6)	1.1	(5.9)	1.6	(9.5)	0.6	(3.2)	1.0	(4.9)	5.4	(25.8)	0.8	(5.6)
USA, California, Los Angeles County	4.4	(25.5)	0.4	(1.7)	2.8	(16.4)	0.9	(5.3)	1.6	(9.5)	0.7	(3.6)	1.0	(5.1)	5.6	(28.4)	0.7	(4.5)
USA, California, Los Angeles County: Black	6.5	(25.7)	0.4	(1.5)	4.2	(16.7)	1.2	(4.6)	2.3	(8.7)	1.7	(5.9)	1.7	(6.0)	7.0	(25.8)	1.1	(5.1)
USA, California, Los Angeles County: Chinese	2.7	(17.2)	0.1	(0.4)	2.3	(13.8)	1.1	(7.5)	2.2	(13.4)	0.2	(1.3)	1.2	(7.5)	6.2	(36.0)	0.4	(2.9)
USA, California, Los Angeles County: Filipino	2.4	(19.0)	0.3	(2.0)	1.6	(12.2)	0.8	(6.1)	1.0	(7.5)	0.4	(3.4)	1.0	(6.8)	5.6	(40.8)	0.3	(2.0)
USA, California, Los Angeles County: Japanese	4.8	(24.9)	0.1	(1.0)	2.6	(12.4)	1.0	(5.2)	1.7	(8.3)	1.5	(4.1)	1.2	(5.2)	9.5	(35.8)	0.7	(3.1)
USA, California, Los Angeles County: Korean	2.1	(15.0)	0.2	(0.9)	2.7	(19.6)	0.9	(7.5)	0.9	(6.5)	0.4	(2.8)	0.4	(2.8)	6.1	(40.2)	0.8	(4.7)
USA, California, Los Angeles County: Hispanic White	3.1	(24.8)	0.3	(2.6)	2.1	(16.7)	0.7	(6.1)	0.7	(6.2)	0.4	(2.8)	0.5	(4.1)	4.1	(31.0)	0.6	(5.7)
USA, California, Los Angeles County: Non-Hispanic White	4.9	(27.0)	0.5	(1.6)	2.9	(19.9)	0.9	(5.1)	1.9	(10.5)	0.7	(3.4)	1.0	(4.9)	5.7	(26.3)	0.6	(4.3)
USA, Colorado	4.4	(25.4)	0.5	(2.1)	2.8	(16.3)	1.0	(5.7)	1.8	(10.4)	0.5	(2.9)	0.7	(3.7)	5.0	(25.8)	1.2	(7.7)
USA, Connecticut	5.0	(25.1)	0.5	(1.4)	3.6	(17.9)	0.9	(4.7)	2.0	(9.5)	0.5	(2.4)	1.3	(5.2)	7.1	(28.6)	0.9	(5.2)
USA, Connecticut: Black	7.2	(26.2)	0.3	(1.0)	5.2	(17.8)	1.0	(3.5)	3.2	(10.8)	1.4	(5.2)	2.5	(7.3)	7.5	(24.5)	1.1	(3.5)
USA, Connecticut: White	4.9	(25.0)	0.5	(1.3)	3.5	(17.9)	0.9	(4.8)	1.9	(9.3)	0.5	(2.2)	1.2	(5.1)	7.0	(29.0)	0.8	(5.4)
USA, District of Columbia	5.0	(20.5)	0.5	(1.7)	5.5	(22.3)	0.9	(4.2)	2.2	(9.8)	0.8	(2.8)	2.0	(7.4)	5.8	(22.0)	2.5	(9.3)
USA, District of Columbia: Black	5.7	(21.3)	0.6	(1.8)	5.6	(20.1)	1.0	(4.1)	2.7	(10.4)	1.0	(3.1)	2.2	(7.4)	6.6	(21.4)	3.1	(10.4)
USA, District of Columbia: White	3.7	(20.3)	0.2	(0.7)	4.8	(28.8)	0.8	(4.6)	1.2	(7.8)	0.6	(2.0)	1.5	(7.8)	3.6	(22.2)	1.1	(5.9)
USA, Florida	4.5	(23.4)	0.3	(1.1)	3.7	(19.7)	1.0	(5.4)	1.7	(8.2)	0.7	(3.1)	1.2	(5.2)	6.1	(25.7)	1.5	(8.3)
USA, Florida: Black	5.0	(20.9)	0.3	(1.1)	4.1	(17.3)	1.3	(5.3)	2.1	(8.5)	0.9	(4.0)	1.6	(6.5)	6.9	(27.6)	1.9	(8.8)
USA, Florida: White	4.4	(23.7)	0.4	(1.1)	3.7	(19.9)	1.0	(5.4)	1.6	(8.1)	0.7	(3.1)	1.1	(5.1)	6.0	(25.3)	1.5	(8.2)
USA, Georgia	4.2	(21.9)	0.4	(1.6)	3.4	(17.7)	0.8	(4.1)	1.7	(8.5)	0.6	(2.8)	1.3	(6.1)	5.9	(27.7)	1.7	(9.5)
USA, Georgia: Black	5.6	(21.9)	0.3	(1.3)	4.4	(17.3)	1.0	(4.0)	2.3	(8.4)	1.1	(3.9)	1.8	(7.1)	6.7	(26.1)	2.4	(9.9)
USA, Georgia: White	3.9	(22.0)	0.4	(1.7)	3.2	(17.9)	0.7	(4.1)	1.6	(8.5)	0.5	(2.4)	1.1	(5.7)	5.6	(28.3)	1.6	(9.4)
USA, Georgia, Atlanta	4.6	(22.8)	0.3	(1.7)	3.8	(18.8)	0.9	(4.9)	1.6	(8.0)	0.6	(2.8)	1.5	(6.7)	5.9	(27.5)	1.4	(6.7)
USA, Georgia, Atlanta: Black	6.1	(23.4)	0.4	(1.7)	4.9	(18.6)	1.3	(5.0)	2.0	(7.6)	1.0	(3.7)	1.8	(6.9)	6.5	(25.0)	2.2	(8.1)
USA, Georgia, Atlanta: White	4.1	(22.9)	0.4	(1.7)	3.3	(18.8)	0.8	(4.8)	1.4	(8.2)	0.4	(2.3)	1.4	(6.7)	5.6	(28.5)	1.1	(6.1)
USA, Idaho	4.3	(27.1)	0.4	(2.0)	2.6	(15.4)	0.9	(5.7)	1.8	(11.5)	0.7	(3.7)	0.9	(4.9)	4.5	(24.9)	0.5	(5.0)
USA, Illinois	5.0	(23.5)	0.4	(1.2)	4.1	(19.1)	1.1	(5.1)	2.0	(9.0)	0.8	(3.2)	1.4	(5.6)	6.1	(24.5)	1.9	(9.0)
USA, Illinois: Black	6.9	(23.6)	0.3	(0.8)	5.3	(17.6)	1.5	(5.0)	2.7	(8.9)	1.2	(3.9)	2.2	(6.9)	6.0	(19.7)	3.7	(13.4)
USA, Illinois: White	4.7	(23.7)	0.4	(1.2)	3.9	(19.4)	1.1	(5.1)	1.9	(9.1)	0.7	(3.1)	1.2	(5.3)	6.0	(25.1)	1.6	(8.1)
USA, Indiana	5.1	(24.3)	0.4	(1.3)	3.9	(18.7)	1.2	(5.9)	2.0	(9.1)	0.8	(3.4)	1.1	(4.9)	6.3	(26.0)	1.2	(6.4)
USA, Iowa	5.8	(27.2)	0.4	(1.0)	4.2	(19.0)	1.7	(7.3)	2.3	(10.0)	0.8	(3.1)	1.1	(4.1)	6.1	(22.5)	0.9	(5.7)
USA, Kentucky	5.7	(24.7)	0.4	(1.3)	3.7	(16.4)	1.3	(5.5)	2.2	(9.7)	0.8	(3.1)	1.3	(5.1)	7.2	(27.8)	1.3	(6.4)

Rates based on less than 10 cases are in italics.

\*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Colon (C18) - Female (contd)**

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9	
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other									
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
America, North (contd)																		
USA, Maine	4.7	(22.6)	0.6	(1.5)	3.9	(17.8)	1.1	(5.1)	2.3	(10.3)	0.7	(2.9)	1.0	(4.1)	6.4	(25.4)	2.0	(10.2)
USA, Massachusetts	4.9	(24.6)	0.4	(1.3)	3.6	(17.7)	1.0	(5.1)	1.9	(9.2)	0.6	(2.9)	1.2	(4.9)	6.4	(26.3)	1.4	(8.2)
USA, Michigan	4.7	(24.5)	0.5	(1.6)	3.8	(19.7)	0.9	(4.5)	1.7	(8.7)	0.6	(2.6)	1.1	(5.1)	5.3	(24.1)	1.6	(9.1)
USA, Michigan: Black	6.8	(24.5)	0.6	(2.0)	5.1	(18.8)	1.3	(4.7)	2.4	(8.2)	1.2	(3.9)	1.9	(7.3)	6.2	(22.4)	2.0	(8.2)
USA, Michigan: White	4.5	(24.6)	0.4	(1.5)	3.6	(19.8)	0.8	(4.5)	1.7	(8.8)	0.5	(2.5)	1.0	(4.7)	5.2	(24.3)	1.5	(9.3)
USA, Michigan, Detroit	5.3	(25.9)	0.5	(1.6)	3.8	(18.5)	1.1	(5.3)	1.6	(7.6)	0.7	(3.2)	1.2	(5.5)	6.0	(26.4)	1.1	(5.9)
USA, Michigan, Detroit: Black	7.0	(24.6)	0.6	(1.7)	5.1	(19.0)	1.5	(5.2)	2.3	(7.9)	1.2	(3.8)	2.0	(7.6)	6.5	(23.6)	1.7	(6.6)
USA, Michigan, Detroit: White	4.9	(26.5)	0.5	(1.6)	3.4	(18.3)	1.0	(5.3)	1.5	(7.6)	0.6	(3.1)	1.0	(4.8)	5.9	(27.3)	0.9	(5.6)
USA, Missouri	4.9	(24.1)	0.4	(1.3)	3.9	(19.3)	1.1	(5.3)	1.9	(9.0)	0.7	(3.1)	1.2	(4.7)	6.1	(25.5)	1.4	(7.8)
USA, Missouri: Black	7.1	(23.8)	0.3	(1.0)	5.6	(18.0)	1.6	(5.5)	2.5	(8.6)	1.3	(3.9)	1.6	(5.0)	9.5	(28.9)	1.4	(5.3)
USA, Missouri: White	4.7	(24.1)	0.4	(1.3)	3.8	(19.5)	1.1	(5.3)	1.9	(9.1)	0.6	(3.0)	1.1	(4.7)	5.7	(25.0)	1.4	(8.1)
USA, Montana	4.2	(23.2)	0.4	(1.2)	3.1	(16.6)	0.8	(5.0)	1.9	(10.1)	0.6	(2.8)	0.8	(4.8)	6.0	(28.5)	1.3	(7.7)
USA, NPCR	4.6	(23.7)	0.4	(1.3)	3.5	(18.2)	1.0	(5.0)	1.8	(8.8)	0.7	(3.0)	1.1	(5.2)	5.9	(26.0)	1.6	(8.8)
USA, NPCR: Black	5.9	(23.1)	0.3	(1.2)	4.4	(17.1)	1.2	(4.6)	2.2	(8.4)	1.1	(4.0)	1.8	(6.7)	6.6	(24.4)	2.5	(10.4)
USA, NPCR: White	4.5	(24.0)	0.4	(1.3)	3.4	(18.4)	1.0	(5.1)	1.7	(8.9)	0.6	(2.9)	1.1	(4.9)	5.8	(25.8)	1.5	(8.6)
USA, New Jersey	5.3	(24.4)	0.5	(1.4)	4.2	(19.6)	0.9	(4.4)	1.8	(8.3)	0.7	(2.8)	1.3	(5.4)	6.3	(24.9)	1.8	(8.7)
USA, New Jersey: Black	6.8	(24.6)	0.5	(1.7)	4.9	(17.9)	1.2	(4.5)	2.0	(7.5)	0.8	(2.8)	2.0	(7.4)	6.9	(24.5)	2.4	(9.1)
USA, New Jersey: White	5.2	(24.7)	0.5	(1.4)	4.1	(19.9)	0.9	(4.5)	1.8	(8.4)	0.7	(2.7)	1.2	(5.1)	6.2	(24.7)	1.7	(8.5)
USA, New Mexico	3.7	(25.2)	0.2	(1.2)	2.2	(14.0)	0.7	(4.7)	1.0	(6.9)	0.5	(3.2)	0.7	(4.6)	5.2	(30.5)	1.2	(9.7)
USA, New Mexico: American Indian	3.0	(33.3)	-	-	1.5	(16.7)	0.4	(4.8)	0.3	(2.4)	-	-	0.2	(2.4)	3.7	(35.7)	0.5	(4.8)
USA, New Mexico: Hispanic White	3.6	(25.4)	0.3	(2.0)	2.1	(13.8)	0.5	(3.2)	0.8	(5.5)	0.5	(3.2)	0.8	(5.5)	5.0	(31.1)	1.3	(10.4)
USA, New Mexico: Non-Hispanic White	3.9	(24.8)	0.3	(1.0)	2.3	(14.1)	0.8	(5.4)	1.2	(7.7)	0.7	(3.5)	0.7	(4.0)	5.5	(29.9)	1.2	(9.6)
USA, New York State	4.6	(21.6)	0.4	(1.1)	3.8	(17.9)	0.9	(4.5)	1.8	(8.5)	0.7	(3.0)	1.3	(5.5)	6.6	(26.1)	2.4	(11.8)
USA, New York State: Black	5.7	(22.6)	0.2	(0.9)	4.5	(17.8)	1.0	(4.2)	1.7	(6.7)	1.0	(4.0)	1.7	(6.7)	6.4	(24.2)	3.1	(12.8)
USA, New York State: White	4.5	(21.8)	0.4	(1.2)	3.8	(18.1)	0.9	(4.5)	1.9	(8.7)	0.7	(2.9)	1.3	(5.3)	6.6	(26.0)	2.2	(11.6)
USA, Ohio	4.7	(22.6)	0.5	(1.5)	3.7	(18.0)	0.9	(4.4)	1.7	(8.2)	0.6	(2.5)	1.1	(4.7)	6.0	(25.4)	2.4	(12.8)
USA, Ohio: Black	5.9	(23.2)	0.4	(1.4)	3.9	(14.9)	1.2	(4.6)	1.7	(6.9)	1.0	(3.8)	1.6	(6.0)	6.0	(23.1)	3.6	(16.0)
USA, Ohio: White	4.5	(22.7)	0.5	(1.5)	3.6	(18.3)	0.8	(4.3)	1.7	(8.3)	0.5	(2.4)	1.1	(4.5)	5.9	(25.5)	2.3	(12.4)
USA, Oklahoma	4.4	(22.1)	0.2	(0.7)	3.5	(18.1)	0.8	(3.7)	1.5	(7.1)	0.6	(2.5)	1.3	(5.7)	5.5	(24.0)	2.9	(16.1)
USA, Oregon	4.5	(26.0)	0.4	(1.4)	3.0	(16.5)	1.0	(5.9)	1.8	(10.4)	0.6	(2.8)	0.8	(3.8)	5.6	(25.9)	1.0	(7.2)
USA, Pennsylvania	5.1	(24.5)	0.5	(1.3)	4.0	(19.4)	1.1	(5.2)	2.0	(9.2)	0.7	(3.2)	1.2	(5.1)	6.7	(26.5)	1.1	(5.7)
USA, Pennsylvania: Black	6.7	(25.5)	0.5	(1.5)	4.4	(17.0)	1.0	(3.9)	2.5	(8.8)	1.0	(3.7)	1.6	(6.5)	6.9	(24.4)	2.0	(8.6)
USA, Pennsylvania: White	5.0	(24.5)	0.5	(1.3)	4.0	(19.6)	1.1	(5.3)	2.0	(9.3)	0.7	(3.1)	1.2	(5.0)	6.6	(26.5)	1.0	(5.4)
USA, Rhode Island	5.4	(25.9)	0.4	(1.3)	3.5	(16.6)	1.2	(5.5)	1.8	(8.3)	0.9	(3.9)	1.1	(4.6)	7.7	(29.4)	0.8	(4.4)
USA, SEER (9 Registries)	4.8	(25.5)	0.4	(1.3)	3.4	(17.9)	1.1	(5.8)	1.7	(8.8)	0.6	(3.1)	1.2	(5.3)	5.9	(26.7)	0.9	(5.7)
USA, SEER (9 Registries): Black	6.4	(24.5)	0.4	(1.5)	4.7	(17.9)	1.4	(5.3)	2.3	(8.5)	1.1	(4.2)	2.0	(7.4)	6.5	(24.0)	1.7	(6.8)
USA, SEER (9 Registries): White	4.8	(26.3)	0.4	(1.3)	3.3	(18.0)	1.1	(5.8)	1.6	(8.8)	0.6	(2.9)	1.1	(4.9)	5.7	(26.3)	0.9	(5.8)
USA, SEER (14 Registries)	4.7	(25.1)	0.4	(1.4)	3.2	(17.5)	1.0	(5.5)	1.7	(8.9)	0.7	(3.2)	1.1	(5.3)	5.8	(26.9)	1.0	(6.2)
USA, SEER (14 Registries): Asian and Pacific Islander	2.5	(17.3)	0.2	(1.3)	2.2	(15.0)	0.8	(5.6)	1.4	(9.2)	0.6	(3.6)	1.1	(7.0)	6.0	(37.4)	0.5	(3.7)
USA, SEER (14 Registries): Black	6.5	(24.5)	0.4	(1.4)	4.4	(16.9)	1.3	(4.8)	2.3	(8.5)	1.2	(4.4)	1.9	(7.0)	7.0	(25.5)	1.7	(7.1)
USA, SEER (14 Registries): Hispanic White	3.3	(23.5)	0.3	(2.4)	2.2	(15.2)	0.7	(5.1)	1.0	(7.4)	0.5	(3.2)	0.8	(5.4)	4.6	(30.8)	0.9	(7.0)
USA, SEER (14 Registries): Non-Hispanic White	4.8	(25.9)	0.4	(1.4)	3.3	(17.9)	1.1	(5.6)	1.7	(9.1)	0.6	(3.1)	1.1	(4.9)	5.8	(26.0)	1.0	(6.2)
USA, South Carolina	5.1	(24.5)	0.3	(1.1)	3.1	(15.2)	1.0	(5.0)	1.7	(7.8)	0.6	(2.7)	1.3	(5.6)	6.4	(28.1)	2.0	(10.0)
USA, South Carolina: Black	6.1	(23.3)	0.3	(1.0)	3.6	(13.6)	1.4	(5.5)	2.2	(8.4)	1.1	(4.3)	1.8	(7.2)	6.9	(26.2)	2.5	(10.5)
USA, South Carolina: White	4.7	(25.0)	0.3	(1.2)	2.9	(15.8)	0.9	(4.9)	1.5	(7.6)	0.4	(2.2)	1.1	(5.0)	6.2	(28.7)	1.7	(9.7)
USA, Texas	3.8	(21.3)	0.3	(1.4)	3.3	(18.5)	0.7	(4.1)	1.5	(8.0)	0.6	(2.8)	1.0	(5.1)	5.1	(25.8)	2.1	(12.9)
USA, Texas: Black	5.2	(19.4)	0.3	(1.1)	4.7	(17.6)	1.0	(3.7)	2.7	(9.3)	1.1	(3.8)	2.1	(7.4)	6.4	(22.8)	3.7	(15.0)
USA, Texas: White	3.6	(21.8)	0.3	(1.4)	3.1	(18.8)	0.7	(4.2)	1.4	(7.9)	0.5	(2.7)	0.9	(4.7)	4.9	(26.0)	1.9	(12.6)
USA, Utah	4.1	(28.0)	0.4	(1.8)	2.3	(15.8)	0.7	(4.9)	1.1	(7.5)	0.5	(3.5)	1.1	(6.4)	4.8	(28.4)	0.6	(3.7)
USA, Vermont	4.5	(22.1)	0.4	(1.1)	3.9	(19.3)	0.9	(4.8)	1.8	(9.7)	0.6	(2.6)	1.0	(4.8)	6.3	(27.5)	1.3	(8.0)
USA, Washington State	4.9	(27.2)	0.3	(1.2)	3.2	(17.7)	1.3	(7.1)	1.8	(9.3)	0.6	(3.1)	1.0	(4.7)	5.0	(23.8)	0.9	(6.0)
USA, Washington, Seattle	4.9	(27.4)	0.3	(1.1)	3.2	(17.9)	1.2	(6.9)	1.6	(8.4)	0.6	(2.9)	1.0	(5.0)	5.0	(24.5)	0.9	(5.9)
USA, West Virginia	5.4	(24.4)	0.5	(1.4)	3.9	(18.0)	1.1	(4.9)	2.0	(8.7)	0.6	(2.6)	1.3	(5.5)	7.4	(28.5)	1.1	(6.0)
USA, Wisconsin	4.6	(23.8)	0.4	(1.3)	3.5	(18.9)	1.2	(5.7)	1.9	(9.5)	0.6	(2.7)	1.0	(4.4)	5.6	(24.7)	1.5	(8.9)
Asia																		
Bahrain: Bahraini	0.7	(12.5)	-	-	0.3	(6.3)	-	-	0.2	(3.1)	-	-	0.1	(3.1)	1.2	(25.0)	2.7	(50.0)
China, Guangzhou City	0.6	(5.2)	0.1	(1.1)	2.2	(19.9)	0.9	(8.6)	0.7	(6.9)	0.2	(1.7)	0.8	(7.6)	3.0	(27.8)	2.3	(21.2)*
China, Hong Kong	0.6	(3.6)	0.0	(0.2)	1.2	(6.5)	0.6	(3.3)	0.7	(3.6)	0.3	(1.5)	0.7	(3.5)	2.7	(14.1)	12.1	(63.7)
China, Jiashan	1.0	(11.8)	-	-	1.7	(19.3)	0.6	(6.7)	0.5	(5.0)	0.1	(0.8)	1.1	(11.8)	1.8	(21.0)	2.0	(23.5)*
China, Nangang District, Harbin City	0.0	(0.5)	0.0	(0.5)	-	-	0.4	(5.7)	-	-	-	-	-	-	-	-		

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Colon (C18) - Female (contd)**

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9	
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other									
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
<b>Asia (contd)</b>																		
Korea	0.5	(5.9)	0.1	(1.3)	1.8	(20.6)	0.3	(3.6)	0.6	(7.2)	0.1	(1.0)	0.4	(4.5)	3.0	(33.2)	1.9	(22.7)
Korea, Busan	0.3	(4.3)	0.0	(0.6)	1.8	(22.8)	0.3	(3.3)	0.6	(7.0)	0.1	(1.1)	0.3	(3.6)	2.3	(29.8)	2.1	(27.4)
Korea, Daegu	0.8	(8.8)	0.2	(1.8)	2.1	(22.7)	0.4	(4.1)	0.6	(6.5)	0.1	(1.3)	0.5	(5.9)	2.9	(31.6)	1.5	(17.3)
Korea, Daejeon	0.4	(4.6)	0.2	(1.7)	1.3	(14.9)	0.2	(2.3)	0.8	(9.2)	0.1	(0.7)	0.2	(2.6)	3.5	(38.6)	2.2	(25.4)
Korea, Gwangju	0.2	(1.9)	0.2	(1.9)	1.9	(20.7)	0.3	(3.8)	0.5	(6.0)	0.0	(0.3)	0.2	(2.8)	2.4	(26.6)	3.1	(36.1)
Korea, Incheon	0.7	(6.7)	0.1	(1.1)	2.1	(21.4)	0.3	(2.6)	0.7	(7.7)	0.1	(0.5)	0.5	(4.6)	3.4	(34.7)	2.0	(20.6)
Korea, Jeju-do	0.3	(4.0)	0.2	(2.7)	1.0	(14.7)	0.4	(5.3)	0.4	(5.3)	0.4	(5.3)	0.5	(6.7)	2.6	(36.0)	1.1	(20.0)
Korea, Seoul	0.7	(6.0)	0.1	(1.2)	2.4	(20.3)	0.5	(4.0)	0.8	(7.3)	0.1	(1.3)	0.5	(4.9)	4.2	(37.2)	2.1	(17.8)
Korea, Ulsan	0.7	(7.1)	0.2	(1.8)	2.0	(20.1)	0.4	(4.1)	0.5	(5.3)	0.1	(0.6)	0.2	(1.8)	3.2	(30.8)	2.7	(28.4)
Kuwait: Kuwaitis	0.6	(6.4)	0.1	(1.1)	0.6	(8.5)	0.2	(2.1)	0.2	(3.2)	0.1	(2.1)	0.5	(6.4)	3.1	(42.6)	2.3	(27.7)
Kuwait: Non-Kuwaitis	0.3	(9.1)	0.0	(1.8)	0.3	(3.6)	0.1	(1.8)	0.3	(5.5)	0.0	(1.8)	1.0	(10.9)	1.4	(30.9)	3.3	(34.5)
Malaysia, Penang	0.8	(7.4)	0.0	(0.4)	0.2	(1.3)	0.0	(0.4)	0.5	(4.8)	0.0	(0.4)	0.4	(3.9)	2.8	(26.4)	5.7	(55.0)
Malaysia, Sarawak	1.0	(13.4)	0.1	(0.8)	0.3	(3.5)	0.2	(2.8)	0.1	(1.6)	0.1	(1.2)	0.2	(3.1)	1.4	(19.7)	3.8	(53.9)
Oman: Omani	0.2	(8.1)	0.2	(8.1)	0.1	(5.4)	-	-	0.0	(2.7)	-	-	-	-	0.3	(16.2)	1.3	(59.5) *
Pakistan, South Karachi	0.5	(12.3)	0.2	(4.1)	0.4	(12.3)	-	-	0.1	(2.7)	0.1	(2.7)	0.0	(1.4)	0.8	(23.3)	1.3	(41.1) *
Philippines, Manila	0.5	(4.7)	0.1	(0.6)	0.8	(6.2)	0.1	(1.1)	0.4	(4.0)	0.0	(0.4)	0.5	(4.6)	2.8	(24.9)	6.1	(53.4) *
Singapore	2.0	(10.4)	0.1	(0.7)	1.7	(9.0)	0.9	(4.5)	1.7	(9.1)	0.8	(4.2)	1.3	(6.9)	7.1	(37.0)	3.4	(18.2)
Singapore: Chinese	2.2	(10.6)	0.1	(0.6)	1.9	(9.3)	1.0	(4.5)	1.9	(9.3)	0.8	(4.2)	1.5	(6.9)	7.7	(36.6)	3.7	(18.0)
Singapore: Indian	1.1	(14.6)	0.2	(2.4)	0.4	(4.9)	0.2	(2.4)	0.8	(9.8)	-	-	0.3	(4.9)	3.0	(36.6)	2.1	(24.4)
Singapore: Malay	0.5	(5.2)	0.2	(2.1)	0.7	(5.2)	0.6	(6.3)	0.5	(6.3)	0.6	(6.3)	0.7	(7.3)	4.2	(42.7)	1.8	(18.8)
Thailand, Chiang Mai	0.5	(11.1)	0.1	(1.4)	0.8	(15.9)	0.1	(2.4)	0.6	(12.0)	-	-	0.3	(5.8)	1.8	(35.6)	0.8	(15.9) *
Thailand, Lampang	0.4	(5.2)	0.1	(1.2)	0.5	(7.6)	0.1	(1.2)	0.4	(5.8)	0.1	(0.6)	0.1	(1.7)	1.2	(15.7)	4.4	(61.0) *
Thailand, Songkhla	0.2	(6.0)	0.1	(1.7)	0.1	(3.4)	-	-	0.2	(4.3)	-	-	0.1	(3.4)	1.2	(31.6)	1.9	(49.6)
Turkey, Antalya	0.8	(14.4)	0.1	(1.2)	0.5	(9.6)	0.0	(0.6)	0.1	(1.2)	0.0	(0.6)	0.4	(7.2)	1.5	(26.3)	2.1	(38.9) *
Turkey, Izmir	0.8	(14.4)	0.1	(1.3)	0.7	(13.9)	0.2	(4.0)	0.3	(6.2)	0.2	(4.6)	0.4	(6.9)	1.5	(28.8)	1.1	(19.9) *
<b>Europe</b>																		
Austria	2.3	(16.3)	0.5	(1.5)	1.5	(10.7)	0.5	(3.6)	1.0	(6.6)	0.4	(2.4)	0.5	(3.3)	5.4	(31.4)	3.3	(24.3)
Austria, Tyrol	2.8	(21.6)	0.1	(0.6)	1.3	(11.3)	0.7	(4.2)	1.5	(10.7)	0.8	(5.4)	0.9	(5.7)	4.7	(29.3)	1.5	(11.3)
Austria, Vorarlberg	2.6	(15.6)	0.7	(2.4)	3.2	(18.4)	0.7	(4.1)	1.1	(5.4)	0.4	(2.4)	0.3	(2.0)	6.5	(35.0)	2.0	(14.6)
Belarus	1.3	(14.9)	0.1	(0.4)	1.0	(12.0)	0.9	(9.3)	0.9	(9.1)	0.6	(5.7)	0.5	(4.6)	3.7	(37.3)	0.6	(6.7) *
Belgium, Antwerp	2.4	(19.1)	0.3	(1.2)	2.4	(18.0)	0.7	(5.7)	0.9	(6.7)	0.7	(4.6)	0.7	(5.0)	5.3	(35.1)	0.6	(4.6) *
Belgium, Flanders	2.2	(14.4)	0.5	(1.8)	2.0	(13.2)	0.3	(1.7)	0.8	(5.2)	0.3	(1.7)	0.8	(4.5)	5.2	(28.2)	4.8	(29.3)
Bulgaria	1.3	(11.5)	0.0	(0.1)	1.5	(13.8)	0.5	(4.2)	1.0	(8.5)	0.5	(3.9)	1.0	(8.4)	4.1	(33.9)	1.5	(15.7) *
Croatia	1.0	(8.1)	0.1	(0.3)	1.0	(8.4)	0.2	(1.7)	0.7	(5.8)	0.3	(2.4)	0.6	(4.2)	3.7	(28.2)	4.9	(40.8)
Czech Republic	2.7	(15.7)	0.3	(1.3)	2.1	(12.8)	1.2	(7.3)	1.5	(8.5)	1.1	(5.9)	1.2	(6.3)	6.2	(32.2)	1.6	(10.0)
Denmark	3.5	(19.8)	0.5	(1.4)	2.5	(14.3)	0.5	(3.1)	1.8	(10.1)	0.5	(2.6)	0.8	(4.2)	7.2	(36.2)	1.5	(8.3)
Estonia	2.2	(16.4)	0.1	(0.6)	2.4	(19.0)	0.6	(4.7)	1.6	(11.1)	0.6	(3.5)	0.8	(5.6)	5.2	(36.1)	0.4	(3.0)
Finland	-	-	-	-	5.6	(43.3)	-	-	1.7	(14.0)	-	-	0.5	(3.6)	3.8	(30.1)	1.0	(9.1)
France, Bas-Rhin	2.6	(19.8)	0.3	(1.0)	3.1	(22.5)	0.4	(2.3)	1.3	(7.7)	0.5	(2.5)	2.6	(13.0)	5.2	(30.4)	0.2	(0.9)
France, Calvados	2.7	(25.2)	0.2	(1.1)	1.5	(12.5)	0.7	(5.5)	1.3	(12.1)	0.8	(4.9)	0.7	(6.1)	4.3	(29.8)	0.3	(3.0)
France, Doubs	2.5	(20.4)	0.1	(0.5)	3.0	(21.5)	0.7	(5.2)	0.9	(7.4)	0.6	(4.9)	1.3	(9.3)	4.1	(27.8)	0.3	(3.0)
France, Haut-Rhin	1.5	(9.2)	0.2	(1.1)	3.9	(26.3)	0.3	(2.0)	0.8	(4.5)	0.1	(0.5)	1.9	(11.0)	4.8	(23.8)	3.6	(21.8)
France, Hérault	1.9	(14.3)	0.1	(0.6)	3.3	(21.7)	0.6	(4.2)	0.9	(5.7)	0.6	(3.2)	2.9	(15.6)	4.5	(25.6)	1.3	(9.2)
France, Isère	2.7	(20.4)	0.4	(1.7)	3.5	(24.0)	0.6	(3.9)	1.1	(7.8)	0.4	(2.2)	1.8	(10.4)	4.8	(27.4)	0.4	(2.3)
France, Loire-Atlantique	2.1	(16.7)	0.2	(0.8)	3.1	(26.0)	0.5	(3.8)	1.0	(7.7)	0.2	(1.1)	1.9	(12.8)	3.8	(24.4)	0.8	(6.6)
France, Manche	2.2	(24.3)	0.3	(1.2)	1.4	(14.5)	0.8	(8.2)	1.2	(8.9)	0.3	(3.9)	0.9	(7.0)	3.8	(27.0)	0.6	(5.1)
France, Somme	1.5	(13.2)	0.1	(0.7)	2.5	(20.6)	0.5	(3.7)	1.0	(6.7)	0.4	(3.0)	1.3	(9.2)	4.4	(27.3)	1.6	(15.7)
France, Tarn	2.6	(20.0)	-	-	2.1	(18.2)	0.8	(9.1)	1.0	(10.3)	1.1	(6.4)	1.1	(7.3)	3.4	(22.1)	0.6	(6.7)
France, Vendée	0.9	(7.3)	0.2	(0.8)	1.4	(11.1)	0.6	(4.9)	0.6	(4.0)	0.5	(3.2)	1.4	(7.5)	2.8	(18.2)	5.5	(42.9)
Germany, Brandenburg	2.0	(12.9)	0.4	(1.4)	2.2	(14.5)	0.6	(4.2)	1.2	(7.3)	0.5	(3.0)	0.9	(4.9)	6.4	(35.2)	2.3	(16.6)
Germany, Free State of Saxony	2.2	(14.6)	0.3	(1.1)	2.3	(15.3)	0.9	(5.8)	1.3	(8.6)	0.6	(3.7)	0.8	(4.5)	6.0	(33.9)	1.5	(12.3)
Germany, Hamburg	1.8	(12.3)	0.1	(0.4)	1.8	(12.3)	0.1	(1.0)	0.7	(4.7)	0.1	(0.8)	0.5	(2.9)	4.6	(26.3)	5.3	(39.3)
Germany, Mecklenburg-Western Pomerania	2.3	(14.7)	0.2	(1.2)	2.2	(13.6)	1.0	(6.1)	1.0	(6.0)	0.6	(3.5)	1.1	(5.5)	6.1	(34.6)	1.9	(14.8)
Germany, Munich	2.5	(13.7)	0.4	(1.1)	2.9	(16.1)	0.3	(1.5)	1.6	(8.2)	0.3	(1.3)	1.2	(5.6)	6.4	(29.9)	3.6	(22.4)
Germany, Northrhine-Westphalia: Munster	3.1	(16.4)	0.2	(0.7)	2.6	(13.3)	0.6	(3.2)	1.2	(6.3)	0.5	(2.3)	0.7	(3.1)	5.5	(26.5)	5.0	(28.3)
Germany, Saarland	2.6	(13.7)	0.2	(0.6)	2.2	(12.1)	1.0	(4.7)	1.5	(6.4)	0.5	(2.6)	0.8	(3.3)	6.7	(30.7)	4.8	(25.8)
Iceland	3.6	(21.9)	0.1	(0.5)	2.0	(15.5)	0.2	(1.1)	1.5	(10.7)	0.3	(2.1)	1.5	(8.6)	5.6	(33.7)	0.9	(5.9)
Ireland	4.0	(23.8)	0.2	(1.0)	1.9	(10.6)	0.7	(4.3)	1.5	(8.5)	0.7	(4.1)	1.3	(6.5)	5.9	(29.9)	1.6	(11.4)
Italy, Biella Province	2.3	(16.3)	1.7	(1.9)	2.3	(15.2)	0.6	(3.8)	2.0	(11.7)	0.4	(1.5)	2.0	(9.5)	6.1	(34.1)	1.2	(6.1)
Italy, Brescia Province	2.4	(13.8)	-	-	3.2	(18.6)	0.7	(4.3)	1.3	(7.1)	0.9	(3.7)	2.7	(13.3)	5.0	(24.4)	2.6	(14.8)
Italy, Ferrara Province	1.5	(7.2)	0.4	(0.8)	4.9	(23.2)	0.7	(2.8)	1.8	(8.5)	0.5	(2.5)	2.6	(10.8)	9.5	(37.1)	1.3	(7.2)
Italy, Florence and Prato	2.7	(15.5)	0.2	(0.5)	3.4	(17.9)	0.5	(2.3)	1.3	(6.9)	0.5	(2.4)	2.4	(10.9)	5.9	(28.9)	2.6	(14.8)
Italy, Genoa Province	2.7	(15.5)	0.5	(0.9)	3.2	(17.4)	0.4	(2.4)	1.4	(7.1)	0.5	(3.0)	2.5	(11.0)	8.1	(33.9)	1.6	(8.7)
Italy, Macerata Province	1.8	(10.4)	-	-	2.4	(11.5)	0.4	(1.1)	1.4	(7.2)	0.4	(1.1)	1.8	(6.5)	8.4	(34.1)	5.4	(28.3)
Italy, Milan	1.4	(8.3)	0.1	(0.2)	2.6	(13.7)	0.3	(1.4)	0.9	(4.6)	0.5	(1.9)	1.6	(7.3)	4.0	(18.3)	8.8	(44.3)
Italy, Modena Province	1.5	(9.0)	0.0	(0.1)	2.9	(16.8)	0.3	(1.4)	1.1	(6.5)	0.5	(2.2)	2.0	(7.9)	7.6	(36.5)	3.5	(19.5)
Italy, Naples	0.7	(5.0)	0.1	(0.3)	1.6	(10.7)	0.3	(2.0)	1.0	(5.7)	0.2	(1.0)	1.3	(8.1)	3.2	(20.5)	7.3	(46.6)
Italy, North East Cancer Surveillance Network	1.6	(8.5)	0.1	(0.4)	1.6	(9.1)	0.6	(2.9)	1.1	(5.6)	0.3	(1.3)	0.8	(4.2)	4.8	(21.4)	9.4	(46.7)
Italy, Parma Province	1.2	(7.3)	0.3	(1.0)	4.7	(25.4)	0.8	(3.6)	1.5	(9.4)	0.7	(2.6)	3.0	(13.1)	6.3	(30.0)	1.3	(7.5)
Italy, Ragusa Province	1.0	(7.0)	0.2	(0.8)	2.6	(19.8)	0.7	(5.4)	0.8	(5.4)	0.6	(3.3)	2.1	(14.0)	5.8	(33.9)	1.2	(10.3)
Italy, Reggio Emilia Province	1.6	(9.3)	0.2	(0.9)	3.4	(19.0)	0.6	(2.8)	1.3	(7.6)	0.3	(1.4)	1.9	(9.2)	7.1	(34.0)	2.6	(15.7)
Italy, Romagna Region	1.7	(8.8)	0.1	(0.4)	4.5	(22.6)	0.5	(2.5)	1.6	(7.2)	0.6	(2.7)	2.1	(8.5)	8.2	(33.4)	2.6	(13.8)
Italy, Salerno Province	0.9	(7.9)	0.1	(0.5)	1.7	(14.7)	0.1	(0.8)	0.7	(4.4)	0.3	(2.2)</						

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Colon (C18) - Female (contd)**

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9		
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Europe (contd)																			
Latvia	1.4	(13.8)	0.1	(1.1)	1.2	(12.6)	0.6	(6.5)	0.9	(8.6)	0.3	(2.8)	0.6	(5.5)	4.3	(38.4)	1.0	(10.8)	
Lithuania	1.6	(15.9)	0.0	(0.2)	1.4	(13.4)	0.5	(4.3)	1.2	(11.0)	0.4	(3.4)	0.7	(5.8)	4.5	(39.4)	0.6	(6.7)	
Malta	2.6	(19.4)	0.1	(0.8)	1.8	(12.3)	0.4	(2.8)	1.0	(6.7)	0.4	(2.4)	1.1	(6.7)	4.2	(28.6)	2.5	(20.2)	
Norway	5.2	(25.5)	0.4	(1.2)	3.2	(16.0)	0.8	(3.6)	2.4	(11.2)	0.6	(2.7)	0.9	(3.5)	6.9	(28.7)	1.4	(7.7)	
Poland, Cracow	1.1	(9.2)	0.0	(0.2)	0.9	(6.5)	0.5	(4.4)	0.8	(6.9)	0.4	(3.4)	0.6	(4.2)	4.8	(36.3)	3.3	(28.9)*	
Poland, Kielce	1.2	(12.4)	0.0	(0.2)	0.8	(8.2)	0.4	(3.9)	0.6	(5.9)	0.3	(2.4)	0.3	(2.7)	3.8	(35.0)	2.6	(29.3)	
Poland, Warsaw City	1.8	(16.1)	0.0	(0.3)	1.0	(9.1)	0.5	(4.4)	0.8	(6.7)	0.4	(3.5)	0.5	(4.0)	4.5	(36.7)	1.9	(19.2)	
Portugal, Porto	0.7	(4.9)	0.1	(0.7)	1.0	(6.4)	0.4	(2.9)	0.6	(4.0)	0.2	(1.3)	0.6	(4.0)	4.7	(29.3)	7.2	(46.6)*	
Portugal, South Regional	1.5	(10.1)	0.3	(1.2)	1.6	(10.7)	0.4	(2.7)	0.6	(4.1)	0.3	(2.1)	1.0	(5.4)	5.8	(33.6)	4.2	(30.1)	
Russia, St Petersburg	2.3	(14.3)	0.0	(0.2)	1.7	(10.6)	1.0	(6.1)	1.6	(9.1)	1.0	(5.4)	1.1	(5.9)	7.0	(39.1)	1.4	(9.3)	
Serbia	1.3	(14.1)	0.0	(0.4)	0.6	(6.5)	0.3	(2.8)	0.4	(4.1)	0.2	(2.1)	0.3	(2.9)	2.0	(22.2)	4.0	(45.0)	
Slovak Republic	2.3	(15.1)	0.2	(0.9)	1.8	(12.1)	1.0	(6.6)	1.3	(7.8)	0.8	(4.9)	1.1	(6.5)	5.7	(34.2)	1.6	(11.9)	
Slovenia	2.2	(18.1)	0.1	(0.6)	1.8	(14.0)	0.8	(5.9)	1.0	(7.8)	0.7	(4.6)	0.6	(4.4)	5.6	(39.5)	0.6	(5.2)	
Spain, Albacete	1.5	(14.0)	0.1	(0.5)	1.2	(11.4)	0.3	(2.1)	0.7	(6.7)	0.1	(1.0)	0.9	(6.7)	4.2	(32.6)	2.8	(24.9)	
Spain, Asturias	1.0	(7.4)	0.2	(0.6)	0.9	(7.7)	0.3	(2.2)	0.5	(4.1)	0.3	(2.3)	0.7	(5.4)	4.5	(33.4)	4.4	(36.8)	
Spain, Basque Country	1.7	(13.6)	0.2	(1.2)	1.5	(11.8)	0.6	(4.6)	0.8	(5.3)	0.5	(4.1)	0.9	(5.3)	6.0	(39.6)	1.7	(14.4)	
Spain, Canary Islands	2.2	(16.4)	0.2	(1.2)	1.7	(12.1)	0.6	(3.5)	0.7	(5.6)	0.6	(4.3)	1.1	(7.0)	5.2	(35.1)	1.9	(14.7)	
Spain, Cuenca	1.5	(12.4)	0.2	(1.8)	1.2	(8.8)	0.6	(4.1)	1.5	(9.4)	0.4	(2.4)	0.8	(7.1)	4.9	(39.4)	1.7	(14.7)	
Spain, Girona	2.0	(11.5)	0.3	(1.1)	1.7	(8.2)	0.6	(3.0)	0.6	(3.6)	0.2	(1.4)	0.9	(4.8)	6.0	(29.6)	6.2	(36.7)	
Spain, Granada	1.3	(9.6)	0.1	(1.2)	1.3	(10.9)	0.5	(4.2)	1.0	(8.3)	0.5	(3.5)	1.3	(10.0)	6.3	(46.4)	0.6	(6.0)	
Spain, Murcia	2.2	(13.9)	0.2	(1.0)	2.0	(12.6)	0.5	(3.3)	0.7	(4.1)	0.4	(2.4)	1.4	(8.5)	5.7	(34.5)	3.2	(19.8)	
Spain, Navarra	2.3	(18.3)	0.4	(2.3)	1.5	(11.5)	0.9	(5.5)	0.9	(6.8)	0.9	(5.3)	1.0	(5.8)	5.8	(39.2)	0.6	(5.1)	
Spain, Tarragona	1.5	(9.8)	0.1	(0.6)	2.2	(11.7)	0.5	(2.3)	0.8	(5.0)	0.4	(2.5)	1.1	(5.4)	7.5	(38.3)	3.5	(24.3)	
Spain, Zaragoza	1.2	(12.2)	0.2	(0.8)	0.9	(8.6)	0.4	(3.4)	0.5	(4.4)	0.4	(3.2)	0.5	(3.9)	3.1	(27.1)	4.3	(36.3)	
Sweden	3.1	(22.5)	0.3	(1.2)	2.1	(15.1)	0.6	(4.1)	1.3	(8.7)	0.4	(2.7)	0.6	(3.6)	4.7	(28.4)	2.1	(13.7)	
Switzerland, Geneva	3.6	(22.6)	0.5	(2.4)	1.9	(14.2)	0.4	(3.4)	1.6	(8.7)	0.9	(5.3)	1.1	(6.1)	5.4	(31.6)	0.7	(5.8)	
Switzerland, Graubunden and Glarus	3.7	(28.8)	0.2	(1.6)	2.4	(16.2)	0.4	(2.1)	1.1	(8.9)	0.9	(4.2)	0.3	(2.1)	5.7	(34.0)	0.1	(2.1)	
Switzerland, Neuchatel	2.8	(26.0)	0.1	(0.8)	1.6	(13.7)	0.2	(2.3)	1.0	(8.4)	0.8	(6.1)	1.0	(7.6)	4.6	(30.5)	0.4	(4.6)	
Switzerland, St Gall-Appenzell	2.1	(19.0)	0.4	(2.5)	1.6	(15.4)	0.6	(5.0)	1.0	(7.6)	0.5	(2.8)	1.1	(8.1)	4.7	(33.3)	0.5	(6.2)	
Switzerland, Ticino	1.4	(11.4)	0.2	(0.7)	3.1	(21.5)	0.6	(4.6)	1.8	(12.7)	0.6	(4.2)	0.9	(5.2)	5.7	(34.5)	0.6	(5.2)	
Switzerland, Valais	2.5	(21.5)	-	-	1.6	(14.1)	0.7	(5.5)	0.9	(8.0)	0.8	(6.1)	0.7	(5.5)	4.4	(36.8)	0.3	(2.5)	
Switzerland, Vaud	2.6	(20.5)	0.1	(0.4)	2.7	(18.3)	0.2	(1.7)	1.2	(8.7)	0.5	(3.6)	1.0	(5.8)	6.1	(36.0)	0.5	(5.1)	
The Netherlands	4.3	(24.2)	0.5	(1.6)	2.6	(14.7)	1.1	(6.2)	1.6	(8.3)	0.8	(4.3)	0.9	(4.1)	6.9	(33.7)	0.5	(2.8)	
The Netherlands, Eindhoven	4.2	(20.3)	0.3	(0.9)	3.7	(17.6)	1.3	(5.8)	1.8	(9.0)	0.8	(4.0)	0.9	(4.2)	8.2	(36.4)	0.4	(1.7)	
The Netherlands, Maastricht	3.7	(22.0)	0.7	(2.3)	2.6	(15.2)	1.2	(6.2)	1.3	(7.5)	0.8	(4.7)	0.7	(3.2)	6.7	(35.5)	0.6	(3.4)	
UK, East of England Region	4.0	(27.6)	0.3	(1.3)	1.7	(11.2)	0.5	(3.1)	1.4	(8.7)	0.4	(2.7)	0.8	(4.6)	5.1	(29.8)	1.4	(11.1)	
UK, England, Merseyside and Cheshire	3.1	(23.1)	0.1	(0.6)	1.1	(7.5)	0.3	(2.4)	0.8	(5.8)	0.4	(2.3)	0.6	(3.8)	4.4	(27.1)	3.9	(27.3)	
UK, England, North Western	3.2	(22.8)	0.3	(1.3)	1.0	(6.7)	0.3	(2.0)	1.0	(6.3)	0.5	(2.9)	0.5	(3.2)	4.8	(28.3)	3.8	(26.4)	
UK, England, Northern and Yorkshire	3.5	(25.4)	0.2	(1.0)	1.4	(9.4)	0.6	(4.0)	1.2	(7.8)	0.6	(3.6)	0.7	(4.6)	4.7	(29.3)	1.8	(14.8)	
UK, England, Oxford Region	3.5	(25.3)	0.2	(1.4)	1.5	(11.0)	0.5	(2.9)	1.2	(7.6)	0.4	(2.7)	0.7	(4.4)	4.7	(29.0)	1.9	(15.7)	
UK, England, South and Western Regions	3.9	(24.3)	0.4	(1.2)	1.5	(9.0)	0.5	(3.1)	1.3	(7.4)	0.4	(2.6)	0.6	(3.3)	4.9	(26.2)	3.5	(23.0)	
UK, England, Thames	3.0	(22.9)	0.2	(0.9)	1.1	(7.7)	0.4	(2.8)	1.0	(7.0)	0.4	(2.8)	0.5	(3.1)	4.4	(27.4)	3.2	(25.4)	
UK, England, Trent	3.3	(25.1)	0.2	(0.9)	1.4	(9.4)	0.4	(2.4)	1.0	(6.6)	0.4	(2.5)	0.6	(3.5)	4.3	(26.4)	3.2	(23.1)	
UK, England, West Midlands	3.4	(24.2)	0.1	(0.6)	1.7	(11.2)	0.4	(2.4)	0.9	(5.6)	0.4	(2.6)	0.6	(3.1)	4.7	(26.9)	3.1	(23.3)	
UK, Northern Ireland	4.3	(24.9)	0.3	(1.3)	2.1	(12.3)	0.6	(3.1)	1.7	(9.3)	0.7	(3.7)	0.7	(3.3)	6.0	(29.2)	2.1	(12.8)	
UK, Scotland	4.2	(24.3)	0.3	(1.2)	1.9	(10.7)	0.6	(3.3)	1.5	(8.6)	0.7	(3.6)	0.8	(4.3)	5.8	(29.1)	2.5	(15.0)	
Oceania																			
Australia, New South Wales	4.7	(23.0)	0.3	(1.1)	3.2	(14.7)	0.9	(4.2)	2.4	(10.9)	0.9	(4.1)	1.0	(3.8)	6.6	(27.0)	2.2	(11.2)	
Australia, Northern Territory	3.8	(19.6)	0.3	(3.6)	2.9	(14.3)	-	-	1.3	(7.1)	0.9	(3.6)	2.6	(12.5)	5.3	(32.1)	1.1	(7.1)	
Australia, Queensland	5.8	(24.7)	0.6	(1.9)	3.8	(15.6)	1.3	(5.0)	2.4	(9.5)	0.9	(3.5)	1.1	(4.1)	6.4	(24.1)	2.5	(11.5)	
Australia, South	5.2	(26.7)	0.6	(1.4)	3.9	(18.1)	0.8	(3.6)	2.3	(9.4)	0.8	(3.3)	1.2	(5.1)	6.7	(27.2)	0.9	(5.2)	
Australia, Tasmania	5.6	(25.3)	0.6	(1.9)	3.0	(13.1)	0.7	(3.3)	2.7	(10.3)	1.0	(3.5)	1.0	(3.8)	7.1	(26.0)	2.9	(12.6)	
Australia, Victoria	4.8	(22.5)	0.4	(1.5)	3.4	(16.1)	1.0	(4.4)	2.3	(10.1)	0.8	(3.2)	1.1	(4.5)	6.3	(25.8)	2.2	(11.9)	
Australia, Western	3.8	(20.6)	0.3	(1.2)	4.4	(21.1)	0.6	(3.4)	2.0	(9.6)	0.8	(4.0)	1.6	(6.9)	6.0	(27.1)	0.9	(6.0)	
Australian Capital Territory	5.4	(23.4)	0.5	(1.7)	3.6	(16.3)	1.4	(5.9)	2.0	(8.4)	1.1	(4.6)	1.0	(3.8)	7.2	(28.5)	1.5	(7.5)	
French Polynesia	0.3	(4.3)	0.3	(4.3)	1.1	(17.4)	-	-	0.5	(8.7)	0.3	(4.3)	0.2	(4.3)	1.6	(30.4)	1.6	(26.1)	
New Zealand	5.4	(21.0)	0.5	(1.4)	5.5	(20.6)	1.1	(4.0)	2.9	(10.4)	0.8	(3.1)	1.8	(6.3)	7.7	(25.7)	1.8	(7.5)	
USA, Hawaii	2.9	(18.9)	0.3	(1.3)	3.1	(18.2)	1.0	(5.5)	1.7	(10.0)	0.7	(3.9)	1.3	(6.8)	6.6	(32.0)	0.5	(3.4)	
USA, Hawaii: Chinese	3.2	(21.1)	0.5	(2.2)	2.3	(15.6)	1.3	(6.7)	1.3	(7.8)	0.6	(4.4)	1.0	(5.6)	6.7	(32.2)	0.3	(4.4)	
USA, Hawaii: Filipino	1.8	(17.7)	0.1	(1.0)	1.2	(9.4)	0.5	(4.2)	1.2	(11.5)	0.7	(5.2)	0.8	(6.3)	5.4	(40.6)	0.5	(4.2)	
USA, Hawaii: Hawaiian	1.7	(8.3)	0.2	(0.9)	3.5	(16.7)	1.6	(9.3)	1.4	(8.3)	1.6	(8.3)	2.2	(12.0)	6.7	(36.1)	-	-	
USA, Hawaii: Japanese	3.8	(23.0)	0.4	(0.7)	3.9	(19.7)	0.8	(4.2)	2.1	(10.0)	0.6	(2.2)	1.8	(6.9)	8.0	(30.1)	0.6	(3.3)	
USA, Hawaii: White	2.6	(18.3)	0.5	(2.1)	3.6	(23.0)	0.9	(6.4)	1.3	(9.8)	0.7	(4.7)	0.9	(4.3)	5.5	(27.2)	0.6	(4.3)	

Rates based on less than 10 cases are in italics.

\*Important. See note on population page.