

# Age-standardized (world) incidence rates (per 100,000)

## Percentage distribution of the number of cases

### Stomach (C16) - Male

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia	Fundus	Body	Pyloric	Pylorus	Le. curv.	Gr. curv.	Other								
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																
Algeria, Setif	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.1(100.0) *	
Egypt, Gharbiah	0.6	(17.7)	0.1	(1.4)	0.1	(4.8)	0.3	(11.6)	0.2	(6.1)	0.1	(4.8)	0.1	(3.4)	1.8	(50.3)
Tunisia, Centre, Sousse	0.5	(7.8)	0.3	(7.8)	0.3	(5.9)	1.8	(35.3)	0.1	(2.0)	0.5	(9.8)	0.1	(2.0)	1.5	(29.4) *
Uganda, Kyadondo County	-	-	-	-	-	-	-	-	0.3	(3.4)	0.0	(1.7)	-	-	5.8	(94.9) *
Zimbabwe, Harare: African	0.2	(2.3)	-	-	-	-	0.1	(0.8)	-	-	-	-	-	-	8.8	(96.9) *
America, Central and South																
Argentina, Bahia Blanca	0.5	(3.3)	1.1	(7.5)	0.1	(0.8)	0.9	(6.7)	0.1	(0.8)	-	-	0.1	(0.8)	10.7	(80.0)
Brazil, Brasilia	0.8	(3.0)	0.2	(0.7)	0.6	(1.9)	1.6	(5.7)	0.3	(1.0)	0.1	(0.5)	0.0	(0.2)	25.3	(87.0)
Brazil, Cuiaba	0.1	(0.8)	-	-	-	-	1.0	(5.0)	-	-	-	-	-	-	18.1	(94.1)
Brazil, Goiania	0.8	(4.2)	-	-	0.3	(1.9)	2.8	(14.7)	-	-	0.0	(0.4)	-	-	15.1	(78.8)
Brazil, Sao Paulo	1.5	(5.0)	0.1	(0.2)	0.4	(1.4)	1.1	(3.7)	0.1	(0.3)	0.1	(0.4)	0.1	(0.2)	26.1	(88.9)
Chile, Valdivia	4.2	(10.0)	0.1	(0.3)	0.9	(2.1)	1.6	(3.7)	0.2	(0.5)	-	-	-	-	36.1	(83.5)
Colombia, Cali	1.4	(5.3)	0.1	(0.4)	0.5	(1.8)	4.2	(15.5)	0.3	(1.0)	0.3	(1.0)	0.1	(0.2)	20.5	(74.8)
Costa Rica	2.5	(7.7)	0.5	(1.4)	1.6	(4.7)	6.9	(20.7)	0.7	(2.0)	1.1	(3.3)	0.3	(1.0)	19.5	(59.2)
Ecuador, Quito	0.7	(3.2)	0.3	(1.7)	1.3	(6.0)	3.3	(14.7)	0.4	(1.8)	0.3	(1.5)	0.1	(0.5)	15.4	(70.6)
France, La Martinique	0.3	(1.7)	0.6	(3.0)	0.1	(0.8)	2.1	(11.0)	0.0	(0.4)	0.7	(3.4)	0.3	(1.3)	14.6	(78.4)
Peru, Trujillo	0.5	(2.7)	0.1	(0.5)	0.1	(0.5)	0.2	(0.9)	0.1	(0.5)	-	-	-	-	24.1	(95.0) *
America, North																
Canada (Excluding Quebec, Yukon and Nunavut)	2.7	(33.0)	0.3	(3.9)	0.5	(6.2)	1.2	(15.4)	0.2	(3.1)	0.6	(7.0)	0.2	(2.5)	2.2	(28.8)
Canada, Alberta	2.9	(37.6)	0.2	(3.3)	0.4	(5.1)	0.9	(12.7)	0.2	(2.0)	0.6	(8.3)	0.1	(1.4)	2.2	(29.6)
Canada, British Columbia	2.7	(36.1)	0.4	(6.0)	0.3	(4.7)	1.1	(15.1)	0.2	(2.6)	0.3	(3.9)	0.1	(1.6)	2.0	(29.9)
Canada, Manitoba	3.1	(34.2)	0.2	(3.0)	0.7	(8.3)	0.9	(12.1)	0.3	(4.1)	0.7	(8.8)	0.2	(2.5)	1.9	(27.0)
Canada, New Brunswick	2.7	(28.7)	0.3	(3.6)	0.8	(9.3)	1.7	(18.2)	0.3	(4.0)	0.4	(5.7)	0.1	(1.2)	2.4	(29.1)
Canada, Newfoundland and Labrador	3.5	(24.9)	0.5	(3.5)	0.9	(7.0)	2.1	(16.3)	0.5	(3.1)	0.6	(4.3)	0.2	(1.2)	5.1	(39.7)
Canada, Northwest Territories	0.8	(12.5)	-	-	2.8	(25.0)	4.5	(37.5)	-	-	-	-	-	-	2.9	(25.0)
Canada, Nova Scotia	2.8	(32.4)	0.2	(2.0)	0.3	(4.4)	0.8	(9.8)	0.2	(3.0)	0.7	(7.4)	0.3	(3.0)	3.0	(37.8)
Canada, Ontario	2.6	(31.8)	0.3	(3.6)	0.5	(6.6)	1.3	(16.7)	0.2	(3.0)	0.6	(7.8)	0.2	(3.0)	2.1	(27.5)
Canada, Prince Edward Island	1.2	(20.0)	0.8	(13.3)	-	-	1.4	(26.7)	0.5	(10.0)	0.1	(3.3)	0.3	(6.7)	1.3	(20.0)
Canada, Saskatchewan	3.0	(35.9)	0.2	(3.6)	0.5	(6.5)	1.0	(14.1)	0.4	(5.9)	0.6	(8.5)	0.3	(4.2)	1.3	(21.2)
USA, Alabama	1.6	(27.0)	0.3	(4.9)	0.3	(5.5)	1.0	(17.5)	0.1	(2.3)	0.5	(7.7)	0.2	(3.0)	1.8	(32.0)
USA, Alabama: Black	1.5	(12.8)	0.6	(5.0)	0.9	(7.8)	2.8	(23.4)	0.5	(4.4)	0.9	(7.5)	0.5	(4.4)	4.1	(34.7)
USA, Alabama: White	1.6	(35.2)	0.2	(5.0)	0.2	(4.3)	0.6	(13.7)	0.1	(1.2)	0.4	(8.0)	0.1	(2.3)	1.3	(30.4)
USA, Alaska	3.1	(38.8)	0.7	(7.8)	0.2	(1.7)	1.3	(15.5)	0.0	(0.9)	1.0	(11.2)	0.4	(4.3)	1.6	(19.8)
USA, Arizona	2.0	(38.5)	0.3	(5.2)	0.2	(4.7)	0.6	(11.7)	0.1	(2.3)	0.2	(4.8)	0.2	(4.3)	1.4	(28.4)
USA, California	2.4	(31.2)	0.3	(4.5)	0.6	(7.9)	1.3	(18.6)	0.2	(3.2)	0.6	(8.5)	0.3	(4.0)	1.6	(22.2)
USA, California: Asian and Pacific Islander	1.4	(13.2)	0.4	(3.7)	0.9	(8.5)	3.3	(29.9)	0.5	(4.5)	1.4	(11.7)	0.6	(5.0)	2.6	(23.6)
USA, California: Black	1.5	(14.5)	0.6	(6.1)	0.8	(7.7)	2.7	(26.7)	0.4	(4.4)	1.0	(9.6)	0.6	(6.1)	2.6	(25.0)
USA, California: Hispanic White	1.6	(15.6)	0.5	(4.4)	1.1	(11.4)	2.3	(22.1)	0.4	(4.3)	1.2	(10.8)	0.4	(4.3)	2.7	(27.2)
USA, California: Non-Hispanic White	2.8	(45.6)	0.3	(4.6)	0.3	(6.3)	0.6	(12.4)	0.1	(2.1)	0.4	(6.5)	0.2	(3.3)	1.1	(19.2)
USA, California, Greater San Francisco Bay Area	2.3	(30.1)	0.3	(3.5)	0.4	(5.3)	1.5	(19.5)	0.2	(3.0)	0.7	(8.9)	0.4	(5.2)	1.8	(24.3)
USA, California, Greater San Francisco Bay Area: Black	1.1	(10.5)	0.5	(5.2)	0.5	(3.9)	3.3	(28.1)	0.7	(5.9)	1.4	(11.1)	1.0	(7.8)	3.1	(27.5)
USA, California, Greater San Francisco Bay Area: Chinese	2.2	(19.1)	0.5	(4.4)	0.7	(7.4)	3.3	(27.5)	0.4	(3.9)	1.4	(12.3)	0.9	(6.9)	2.1	(18.6)
USA, California, Greater San Francisco Bay Area: Filipino	1.0	(21.1)	0.2	(5.3)	0.1	(2.6)	1.3	(31.6)	0.3	(7.9)	-	-	0.2	(7.9)	1.0	(23.7)
USA, California, Greater San Francisco Bay Area: Japanese	1.3	(10.5)	-	-	1.1	(8.8)	2.3	(19.3)	-	-	2.7	(14.0)	0.5	(5.3)	6.3	(42.1)
USA, California, Greater San Francisco Bay Area: Hispanic White	1.7	(17.1)	0.3	(3.2)	1.0	(10.4)	2.4	(23.0)	0.3	(3.6)	1.5	(12.6)	0.5	(5.0)	2.5	(25.2)
USA, California, Greater San Francisco Bay Area: Non-Hispanic White	2.8	(45.7)	0.2	(3.4)	0.2	(3.6)	0.6	(11.8)	0.1	(1.7)	0.4	(6.8)	0.3	(4.2)	1.3	(22.8)
USA, California, Los Angeles County	2.2	(24.2)	0.5	(6.4)	0.9	(10.8)	1.8	(21.7)	0.3	(3.6)	0.7	(7.9)	0.3	(2.9)	1.9	(22.4)
USA, California, Los Angeles County: Black	1.7	(16.5)	0.8	(7.7)	1.1	(10.7)	2.4	(24.9)	0.4	(4.6)	0.7	(6.9)	0.5	(4.6)	2.5	(24.1)
USA, California, Los Angeles County: Chinese	0.7	(8.3)	0.4	(4.1)	1.2	(13.2)	3.2	(33.9)	0.7	(6.6)	1.0	(9.1)	0.4	(3.3)	2.2	(21.5)
USA, California, Los Angeles County: Filipino	1.1	(20.0)	0.3	(8.9)	0.6	(8.9)	0.6	(15.6)	0.3	(4.4)	0.8	(13.3)	0.3	(4.4)	1.2	(24.4)
USA, California, Los Angeles County: Japanese	3.4	(17.8)	1.0	(6.5)	2.2	(12.1)	3.8	(26.2)	0.9	(2.8)	1.5	(9.3)	0.6	(1.9)	3.8	(23.4)
USA, California, Los Angeles County: Korean	1.2	(3.4)	1.4	(4.5)	3.4	(10.7)	12.6	(38.4)	1.3	(4.0)	4.9	(14.1)	1.3	(4.0)	6.9	(20.9)
USA, California, Los Angeles County: Hispanic White	1.6	(13.4)	0.7	(5.8)	1.3	(12.6)	2.4	(22.5)	0.5	(4.3)	1.0	(9.4)	0.3	(3.1)	3.2	(28.9)
USA, California, Los Angeles County: Non-Hispanic White	2.9	(41.7)	0.5	(7.4)	0.6	(9.7)	0.9	(14.5)	0.1	(2.3)	0.4	(5.3)	0.1	(2.1)	1.1	(16.9)
USA, Colorado	1.8	(35.5)	0.2	(3.0)	0.2	(4.7)	0.7	(13.7)	0.1	(2.8)	0.4	(7.4)	0.2	(3.3)	1.5	(29.5)
USA, Connecticut	2.9	(34.9)	0.4	(5.0)	0.5	(6.6)	1.1	(15.4)	0.2	(2.3)	0.7	(8.4)	0.4	(4.5)	1.7	(22.7)
USA, Connecticut: Black	2.1	(15.6)	0.6	(4.2)	1.4	(9.4)	3.5	(26.0)	0.4	(3.1)	2.0	(13.5)	0.3	(3.1)	3.1	(25.0)
USA, Connecticut: White	3.1	(37.6)	0.4	(5.1)	0.4	(5.9)	1.0	(14.1)	0.2	(2.3)	0.6	(7.5)	0.4	(4.8)	1.6	(22.7)
USA, District of Columbia	1.0	(11.7)	0.3	(3.9)	0.4	(3.9)	1.6	(17.5)	0.3	(3.9)	0.6	(7.8)	0.3	(4.5)	4.1	(46.8)
USA, District of Columbia: Black	0.8	(6.9)	0.5	(5.2)	0.6	(5.2)	2.0	(19.0)	0.5	(4.3)	0.8	(9.5)	0.5	(5.2)	4.9	(44.8)
USA, District of Columbia: White	1.6	(33.3)	-	-	-	-	0.7	(13.3)	-	-	0.1	(3.3)	-	-	2.6	(50.0)
USA, Florida	2.2	(32.7)	0.3	(4.3)	0.4	(6.6)	0.7	(12.7)	0.1	(2.3)	0.4	(6.9)	0.2	(3.5)	1.9	(30.9)
USA, Florida: Black	1.4	(11.7)	0.4	(3.5)	1.0	(9.0)	2.3	(19.7)	0.4	(3.5)	1.3	(11.2)	0.4	(3.7)	4.4	(37.7)
USA, Florida: White	2.3	(36.5)	0.2	(4.4)	0.3	(6.2)	0.6	(11.4)	0.1	(2.1)	0.3	(6.1)	0.2	(3.4)	1.7	(29.9)
USA, Georgia	1.6	(27.9)	0.2	(4.0)	0.3	(6.1)	0.8	(14.2)	0.1	(1.7)	0.4	(7.5)	0.2	(3.9)	2.0	(34.9)
USA, Georgia: Black	1.1	(11.1)	0.4	(3.8)	0.8	(7.8)	2.0	(19.1)	0.2	(2.5)	1.1	(10.1)	0.5	(4.0)	4.4	(41.7)
USA, Georgia: White	1.7	(39.0)	0.2	(4.2)	0.2	(5.2)	0.5	(10.9)	0.0	(1.1)	0.2	(5.3)	0.2	(3.5)	1.4	(30.8)
USA, Georgia, Atlanta	1.4	(26.3)	0.2	(4.0)	0.4	(6.9)	0.9	(15.6)	0.1	(2.4)	0.4	(7.2)	0.3	(5.0)	1.8	(32.6)
USA, Georgia, Atlanta: Black	1.3	(12.9)	0.1	(1.8)	1.0	(10.4)	1.9									

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Stomach (C16) - Male (contd)**

	C16.0 Cardia		C16.1 Fundus		C16.2 Body		C16.3 Pyloric		C16.4 Pylorus		C16.5 Le. curv.		C16.6 Gr. curv.		C16.8-9 Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
<b>America, North (contd)</b>																
USA, Maine	3.7	(53.0)	0.1	(1.8)	0.2	(3.6)	0.8	(12.3)	0.1	(2.1)	0.4	(7.2)	0.2	(3.6)	1.1	(16.5)
USA, Massachusetts	2.5	(32.2)	0.4	(5.4)	0.4	(6.3)	1.1	(15.9)	0.1	(2.2)	0.5	(7.8)	0.3	(3.7)	1.8	(26.5)
USA, Michigan	2.3	(36.8)	0.2	(3.9)	0.5	(7.8)	0.7	(11.9)	0.2	(2.7)	0.4	(6.0)	0.2	(3.3)	1.7	(27.6)
USA, Michigan: Black	1.5	(13.1)	0.6	(5.4)	1.3	(12.3)	2.3	(20.6)	0.5	(4.6)	0.9	(7.8)	0.5	(4.8)	3.4	(31.4)
USA, Michigan: White	2.4	(42.6)	0.2	(3.6)	0.4	(6.8)	0.5	(9.6)	0.1	(2.3)	0.3	(5.5)	0.2	(3.0)	1.4	(26.7)
USA, Michigan, Detroit	3.0	(36.0)	0.3	(3.8)	0.7	(9.5)	1.2	(14.9)	0.2	(3.3)	0.5	(6.4)	0.4	(4.4)	1.6	(21.6)
USA, Michigan, Detroit: Black	1.6	(14.1)	0.6	(4.9)	1.4	(13.4)	2.5	(21.6)	0.6	(4.9)	1.0	(8.5)	0.7	(5.7)	2.9	(26.9)
USA, Michigan, Detroit: White	3.3	(44.7)	0.2	(3.5)	0.5	(7.9)	0.8	(12.4)	0.2	(2.7)	0.4	(5.5)	0.3	(3.8)	1.3	(19.5)
USA, Missouri	2.2	(40.0)	0.2	(4.1)	0.4	(7.4)	0.6	(11.6)	0.1	(1.8)	0.4	(7.7)	0.2	(3.5)	1.2	(24.1)
USA, Missouri: Black	1.4	(12.8)	0.6	(5.4)	0.9	(9.5)	1.9	(16.9)	0.5	(4.7)	1.1	(10.8)	0.7	(6.8)	3.4	(33.1)
USA, Missouri: White	2.3	(45.1)	0.2	(4.0)	0.3	(6.9)	0.5	(10.3)	0.1	(1.2)	0.3	(7.0)	0.1	(3.0)	1.0	(22.5)
USA, Montana	3.3	(54.7)	0.2	(3.9)	0.2	(3.4)	0.4	(8.4)	0.1	(2.5)	0.3	(4.9)	0.2	(3.4)	1.0	(18.7)
USA, NPCR	2.4	(33.9)	0.3	(4.3)	0.4	(6.4)	0.9	(14.1)	0.2	(2.4)	0.5	(7.2)	0.2	(3.8)	1.8	(27.9)
USA, NPCR: Black	1.3	(12.1)	0.5	(4.4)	0.9	(8.1)	2.3	(20.7)	0.4	(3.7)	1.1	(9.7)	0.5	(4.8)	4.0	(36.5)
USA, NPCR: White	2.5	(39.1)	0.3	(4.3)	0.3	(6.0)	0.7	(12.1)	0.1	(2.2)	0.4	(6.6)	0.2	(3.6)	1.5	(26.1)
USA, New Jersey	2.9	(30.8)	0.3	(4.0)	0.7	(7.9)	1.3	(14.9)	0.2	(1.9)	0.6	(7.2)	0.3	(4.2)	2.4	(29.1)
USA, New Jersey: Black	1.4	(11.1)	0.4	(3.2)	1.5	(12.5)	2.5	(20.4)	0.3	(2.6)	1.2	(9.9)	0.5	(5.0)	4.3	(35.3)
USA, New Jersey: White	3.1	(35.2)	0.3	(4.1)	0.6	(7.1)	1.1	(13.7)	0.1	(1.8)	0.5	(6.8)	0.3	(4.0)	2.0	(27.2)
USA, New Mexico	1.8	(27.5)	0.2	(2.3)	0.4	(7.3)	1.1	(17.6)	0.3	(4.3)	0.6	(9.1)	0.3	(5.0)	1.7	(27.0)
USA, New Mexico: American Indian	0.8	(7.3)	0.4	(2.4)	1.0	(7.3)	1.6	(14.6)	1.5	(12.2)	1.9	(14.6)	1.0	(9.8)	3.7	(31.7)
USA, New Mexico: Hispanic White	1.9	(20.0)	0.2	(1.7)	0.8	(8.9)	1.9	(18.9)	0.5	(4.4)	1.2	(11.7)	0.6	(6.1)	2.6	(28.3)
USA, New Mexico: Non-Hispanic White	1.9	(41.7)	0.2	(3.0)	0.2	(5.4)	0.7	(15.5)	0.1	(2.4)	0.2	(4.8)	0.1	(3.0)	1.0	(24.4)
USA, New York State	2.9	(31.7)	0.3	(3.6)	0.5	(5.8)	1.2	(14.1)	0.2	(2.0)	0.7	(8.0)	0.3	(3.3)	2.7	(31.4)
USA, New York State: Black	1.3	(10.8)	0.4	(3.4)	0.8	(7.0)	2.2	(19.0)	0.4	(3.5)	1.2	(10.1)	0.4	(3.9)	4.9	(42.3)
USA, New York State: White	3.2	(37.5)	0.3	(3.8)	0.4	(5.6)	0.9	(12.5)	0.1	(1.7)	0.6	(7.4)	0.2	(3.1)	2.2	(28.5)
USA, Ohio	2.2	(38.2)	0.2	(4.1)	0.2	(4.7)	0.5	(10.2)	0.1	(2.1)	0.3	(5.3)	0.2	(3.0)	1.7	(32.4)
USA, Ohio: Black	1.4	(13.8)	0.6	(6.1)	0.4	(4.3)	1.8	(18.7)	0.3	(3.1)	0.5	(5.8)	0.4	(4.6)	4.3	(43.6)
USA, Ohio: White	2.2	(42.9)	0.2	(3.8)	0.2	(4.8)	0.4	(8.5)	0.1	(2.0)	0.2	(5.1)	0.1	(2.8)	1.4	(30.0)
USA, Oklahoma	1.9	(37.3)	0.1	(3.0)	0.2	(5.0)	0.5	(9.6)	0.1	(2.2)	0.3	(5.6)	0.2	(4.1)	1.6	(33.2)
USA, Oregon	2.6	(45.9)	0.2	(3.4)	0.3	(5.7)	0.6	(11.2)	0.1	(1.9)	0.3	(5.7)	0.3	(5.0)	1.1	(21.3)
USA, Pennsylvania	3.0	(39.5)	0.3	(4.7)	0.5	(7.4)	0.9	(13.6)	0.2	(2.5)	0.5	(7.1)	0.3	(4.1)	1.4	(21.2)
USA, Pennsylvania: Black	1.7	(14.2)	0.8	(6.8)	1.0	(9.0)	2.3	(21.4)	0.5	(4.7)	1.0	(8.5)	0.7	(6.0)	3.3	(29.3)
USA, Pennsylvania: White	3.1	(43.2)	0.3	(4.5)	0.4	(7.1)	0.7	(12.4)	0.1	(2.2)	0.4	(6.8)	0.3	(3.9)	1.2	(19.9)
USA, Rhode Island	2.8	(31.9)	0.6	(7.5)	0.3	(3.8)	1.3	(19.4)	0.3	(4.7)	0.4	(6.6)	0.3	(5.6)	1.4	(20.6)
USA, SEER (9 Registries)	2.5	(34.2)	0.3	(4.0)	0.5	(7.2)	1.1	(15.9)	0.2	(2.5)	0.6	(8.1)	0.3	(4.3)	1.6	(23.7)
USA, SEER (9 Registries): Black	1.4	(12.9)	0.5	(4.5)	1.2	(10.7)	2.6	(22.8)	0.4	(4.1)	1.2	(10.4)	0.6	(5.1)	3.2	(29.5)
USA, SEER (9 Registries): White	2.7	(42.2)	0.3	(4.2)	0.3	(6.1)	0.7	(12.6)	0.1	(2.0)	0.4	(6.8)	0.2	(3.9)	1.3	(22.3)
USA, SEER (14 Registries)	2.4	(32.5)	0.3	(4.3)	0.5	(7.5)	1.2	(16.9)	0.2	(2.8)	0.6	(8.0)	0.3	(4.2)	1.7	(23.8)
USA, SEER (14 Registries): Asian and Pacific Islander	1.5	(13.2)	0.4	(3.3)	1.0	(9.2)	3.2	(28.2)	0.4	(3.7)	1.4	(11.7)	0.6	(5.3)	2.9	(25.3)
USA, SEER (14 Registries): Black	1.4	(12.8)	0.5	(4.5)	1.1	(9.7)	2.6	(23.8)	0.4	(3.9)	1.1	(10.1)	0.6	(5.5)	3.2	(29.7)
USA, SEER (14 Registries): Hispanic White	1.7	(16.4)	0.4	(4.0)	1.1	(11.1)	2.3	(21.8)	0.4	(4.3)	1.1	(10.5)	0.5	(4.6)	2.7	(27.3)
USA, SEER (14 Registries): Non-Hispanic White	2.7	(43.3)	0.3	(4.6)	0.3	(6.1)	0.7	(12.3)	0.1	(2.0)	0.4	(6.4)	0.2	(3.7)	1.2	(21.6)
USA, South Carolina	1.8	(26.3)	0.4	(5.3)	0.4	(6.0)	0.9	(14.2)	0.2	(2.3)	0.5	(7.7)	0.2	(3.0)	2.4	(35.2)
USA, South Carolina: Black	1.2	(9.6)	0.6	(4.1)	1.2	(8.5)	2.4	(19.7)	0.5	(3.8)	1.3	(11.2)	0.4	(2.7)	5.2	(40.3)
USA, South Carolina: White	2.0	(38.5)	0.3	(6.2)	0.2	(4.3)	0.5	(10.3)	0.1	(1.4)	0.2	(5.0)	0.2	(3.3)	1.5	(31.1)
USA, Texas	1.9	(28.0)	0.3	(4.2)	0.4	(6.1)	0.9	(13.4)	0.2	(2.6)	0.5	(7.1)	0.3	(3.9)	2.2	(34.6)
USA, Texas: Black	1.4	(12.8)	0.3	(3.1)	0.8	(7.9)	2.1	(20.1)	0.4	(3.2)	1.1	(10.1)	0.4	(4.0)	4.0	(38.8)
USA, Texas: White	1.9	(31.2)	0.3	(4.5)	0.3	(5.7)	0.7	(12.0)	0.1	(2.4)	0.4	(6.5)	0.2	(3.9)	2.0	(33.7)
USA, Utah	1.7	(34.3)	0.3	(6.0)	0.5	(9.8)	0.5	(12.1)	0.1	(2.6)	0.3	(7.2)	0.1	(2.6)	1.1	(25.3)
USA, Vermont	2.2	(38.7)	0.2	(4.2)	0.3	(4.2)	0.8	(15.1)	0.3	(5.0)	0.2	(5.0)	0.2	(3.4)	1.2	(24.4)
USA, Washington State	2.8	(45.2)	0.2	(3.5)	0.3	(5.4)	0.8	(13.1)	0.1	(1.6)	0.3	(6.1)	0.2	(3.9)	1.3	(21.2)
USA, Washington, Seattle	2.9	(44.6)	0.2	(3.6)	0.4	(6.1)	0.8	(13.1)	0.1	(1.3)	0.3	(5.6)	0.2	(2.8)	1.5	(22.9)
USA, West Virginia	1.9	(34.0)	0.4	(7.7)	0.2	(5.5)	0.5	(11.3)	0.2	(5.0)	0.4	(7.4)	0.1	(3.2)	1.3	(25.9)
USA, Wisconsin	3.2	(47.4)	0.2	(3.5)	0.3	(5.0)	0.6	(9.9)	0.1	(1.2)	0.4	(6.3)	0.2	(3.6)	1.3	(23.1)
<b>Asia</b>																
Bahrain: Bahraini	-	-	0.2	(2.1)	0.2	(2.1)	0.2	(2.1)	0.2	(2.1)	-	-	-	-	7.7	(91.5)
China, Guangzhou City	1.7	(9.9)	0.4	(2.6)	1.1	(6.8)	2.9	(17.2)	0.2	(1.5)	0.2	(1.4)	0.1	(0.4)	10.3	(60.1) *
China, Hong Kong	0.8	(5.5)	0.1	(0.4)	0.2	(1.5)	0.9	(6.3)	0.2	(1.0)	0.1	(0.8)	0.0	(0.1)	12.5	(84.5)
China, Jiasan	4.1	(12.3)	1.2	(3.9)	2.4	(7.7)	9.0	(28.3)	0.4	(1.4)	2.1	(6.7)	0.1	(0.5)	12.6	(39.2) *
China, Nangang District, Harbin City	13.3	(52.6)	-	-	-	-	-	-	-	-	-	-	-	-	11.5	(47.4)
China, Shanghai	4.7	(14.1)	0.3	(0.9)	2.5	(7.3)	6.1	(17.6)	0.4	(1.0)	1.8	(5.2)	0.2	(0.5)	18.2	(53.4) *
China, Zhongshan	1.3	(13.6)	0.2	(1.7)	1.2	(12.6)	2.1	(22.8)	0.0	(0.3)	0.5	(5.3)	0.1	(1.0)	4.0	(42.7) *
Cyprus	0.5	(6.1)	0.4	(4.9)	0.2	(3.0)	0.2	(2.4)	0.3	(4.9)	0.2	(2.4)	0.1	(0.6)	5.2	(75.6) *
India, Chennai (Madras)	0.8	(6.1)	0.2	(1.9)	0.5	(4.4)	2.6	(21.4)	0.3	(2.4)	0.3	(2.0)	0.0	(0.1)	7.5	(61.8)
India, New Delhi	0.2	(5.1)	-	-	-	-	0.0	(0.6)	0.0	(0.1)	-	-	-	-	3.2	(94.2) *
India, Karunagappally	0.3	(3.9)	0.1	(2.0)	0.2	(3.9)	0.5	(7.8)	0.4	(5.9)	-	-	0.1	(2.0)	4.4	(74.5)
India, Mumbai (Bombay)	0.6	(12.0)	0.1	(2.2)	0.0	(0.5)	0.1	(2.4)	0.0	(0.7)	0.0	(0.3)	0.0	(0.2)	3.8	(81.7)
India, Nagpur	0.3	(7.0)	-	-	-	-	-	-	0.1	(1.9)	-	-	-	-	3.7	(91.1) *
India, Poona	0.5	(11.3)	-	-	-	-	0.1	(2.3)	0.0	(0.4)	-	-	0.0	(0.4)	3.7	(85.7) *
India, Trivandrum	0.5	(9.8)	0.0	(0.8)	0.1	(2.5)	0.4	(8.2)	0.1	(1.6)	0.1	(2.5)	-	-	3.5	(74.6) *
Israel	1.8	(15.3)	0.1	(1.3)	0.6	(4.9)	1.3	(11.1)	0.2	(1.5)	0.5	(4.2)	0.2	(1.7)	6.9	(60.0)
Israel: Jews	1.8	(15.5)	0.1	(1.3)	0.6	(4.9)	1.3	(11.2)	0.2	(1.4)	0.5	(4.2)	0.2	(1.7)	7.2	(59.9)
Israel: Non-Jews	0.8	(12.9)	0.1	(2.0)	0.4	(5.0)	0.7	(10.9)	0.3	(5.0)	0.4	(5.9)	0.1	(2.0)	3.7	(56.4)
Japan, Aichi Prefecture	0.9	(1.8)	0.2	(0.4)	2.9	(5.5)	1.5	(2.9)	0.8	(1.7)	0.2	(0.4)	0.2	(0.4)	43.6	(86.9)
Japan, Fukui Prefecture	2.7	(4.2)	2.9	(4.2)	13.4	(19.1)	7.6	(11.4)	2.4	(3.8)	0.3	(0.4)	0.2	(0.2)	35.3	(56.7)
Japan, Hiroshima	4.4	(5.4)	2.5	(3.0)	29.9	(37.3)	22.2	(27.7)	1.6	(2.0)	3.1	(3.8)	0.2	(0.3)	16.4	(20.6)
Japan, Miyagi Prefecture	6.5	(9.9)	0.2	(0.2)	15.8	(23.2)	12.5	(19.0)	1.5	(2.4)	0.0	(0.0)	0.0	(0.0)	29.3	(45.2)
Japan, Nagasaki Prefecture	5.6	(9.4)	0.1	(0.2)	18.9	(31.0)	14.0	(23.9)	1.2	(2.1)	2.3	(3.8)	-	-	17.4	(29.5)
Japan, Osaka Prefecture	2.0	(3.8)	0.1	(0.1)	6.3	(12.1)	4.4	(8.5)	0.4	(0.7)	0.3	(0.5)	0.2	(0.3)	37.8	(74.0)
Japan, Yamagata Prefecture	2.3	(3.0)	2.6	(3.2)	11.4	(13.5)	11.7	(14.0)	1.4	(2.0)	0.3	(0.4)	0.1	(0.1)	49.6	(63.9)

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Stomach (C16) - Male (contd)**

	C16.0 Cardia		C16.1 Fundus		C16.2 Body		C16.3 Pyloric		C16.4 Pylorus		C16.5 Le. curv.		C16.6 Gr. curv.		C16.8-9 Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
<b>Asia (contd)</b>																
Korea	2.5	(3.7)	0.5	(0.7)	13.0	(20.3)	21.1	(32.3)	0.9	(1.4)	1.8	(2.7)	0.2	(0.3)	26.1	(38.5)
Korea, Busan	2.3	(3.8)	0.9	(1.4)	11.4	(20.0)	19.6	(33.5)	0.8	(1.3)	0.6	(1.0)	0.1	(0.2)	24.2	(38.9)
Korea, Daegu	2.7	(3.6)	0.6	(0.9)	16.8	(25.3)	22.4	(32.5)	1.0	(1.4)	1.7	(2.4)	0.1	(0.2)	23.9	(33.6)
Korea, Daejeon	2.1	(2.8)	0.4	(0.6)	13.2	(18.6)	25.0	(33.9)	1.3	(1.8)	4.1	(5.9)	0.8	(1.0)	26.8	(35.4)
Korea, Gwangju	1.5	(2.2)	0.4	(0.6)	8.3	(13.3)	16.5	(25.5)	0.5	(0.7)	2.0	(3.1)	0.5	(0.8)	37.0	(53.9)
Korea, Incheon	2.0	(3.1)	0.4	(0.6)	12.4	(20.6)	21.1	(33.9)	0.7	(1.3)	1.8	(3.1)	0.2	(0.3)	23.8	(37.2)
Korea, Jeju-do	2.1	(3.9)	0.2	(0.5)	9.9	(18.9)	15.0	(27.8)	0.6	(1.2)	2.5	(5.1)	-	-	24.1	(42.6)
Korea, Seoul	2.5	(3.9)	0.3	(0.5)	13.2	(21.9)	21.5	(34.2)	0.9	(1.3)	1.7	(2.9)	0.2	(0.3)	23.5	(35.0)
Korea, Ulsan	1.7	(3.1)	0.7	(0.7)	8.5	(13.7)	18.7	(29.1)	0.5	(0.8)	0.6	(1.2)	0.3	(0.4)	36.5	(51.0)
Kuwait: Kuwaitis	0.4	(9.7)	-	-	0.2	(6.5)	0.1	(3.2)	-	-	0.2	(6.5)	-	-	2.6	(74.2)
Kuwait: Non-Kuwaitis	0.4	(20.5)	0.1	(2.3)	0.0	(4.5)	0.2	(11.4)	0.4	(4.5)	0.0	(4.5)	-	-	1.7	(52.3)
Malaysia, Penang	0.5	(4.0)	-	-	-	-	0.1	(0.9)	0.1	(0.4)	0.1	(0.9)	-	-	11.6	(93.8)
Malaysia, Sarawak	0.3	(2.1)	-	-	-	-	0.5	(3.6)	0.0	(0.2)	-	-	0.0	(0.2)	11.5	(93.8)
Oman: Omani	0.4	(3.2)	-	-	0.1	(0.9)	0.6	(4.1)	0.1	(0.9)	0.1	(0.5)	-	-	12.1	(90.4) *
Pakistan, South Karachi	0.7	(11.5)	0.0	(0.6)	0.2	(2.6)	0.6	(8.3)	0.2	(3.2)	-	-	0.1	(0.6)	4.3	(73.1) *
Philippines, Manila	0.3	(3.4)	-	-	0.0	(0.4)	0.2	(2.2)	0.1	(1.4)	-	-	-	-	7.4	(92.6) *
Singapore	2.1	(11.7)	0.1	(0.7)	0.6	(3.3)	2.0	(10.5)	0.6	(3.1)	0.4	(2.0)	0.1	(0.3)	12.5	(68.4)
Singapore: Chinese	2.5	(11.7)	0.1	(0.7)	0.7	(3.4)	2.4	(10.7)	0.7	(3.3)	0.4	(2.0)	0.1	(0.4)	14.5	(67.9)
Singapore: Indian	1.1	(15.0)	0.1	(1.7)	0.1	(1.7)	1.0	(11.7)	0.1	(1.7)	0.1	(1.7)	-	-	5.2	(66.7)
Singapore: Malay	0.6	(7.9)	-	-	0.2	(3.2)	0.3	(4.8)	-	-	0.2	(3.2)	-	-	5.1	(81.0)
Thailand, Chiang Mai	0.7	(12.8)	0.1	(0.9)	0.3	(5.3)	1.6	(26.4)	0.1	(1.3)	0.1	(1.8)	0.1	(1.3)	2.9	(50.2) *
Thailand, Lampang	0.5	(8.3)	0.1	(1.7)	-	-	0.2	(3.3)	0.0	(0.8)	0.1	(1.7)	0.0	(0.8)	4.4	(83.3) *
Thailand, Songkhla	0.5	(17.8)	-	-	-	-	0.1	(2.7)	0.0	(1.4)	-	-	-	-	2.1	(78.1)
Turkey, Antalya	0.9	(8.1)	0.0	(0.6)	0.4	(3.5)	0.6	(5.2)	-	-	0.4	(3.2)	0.1	(1.3)	8.2	(78.1) *
Turkey, Izmir	1.7	(15.8)	0.1	(0.7)	1.0	(9.2)	2.1	(18.8)	0.1	(1.5)	1.1	(10.1)	0.4	(3.0)	4.5	(41.0) *
<b>Europe</b>																
Austria	1.8	(13.2)	0.1	(0.8)	0.6	(4.6)	1.0	(7.5)	0.1	(0.5)	0.1	(0.6)	0.1	(0.4)	9.4	(72.2)
Austria, Tyrol	2.5	(14.8)	0.1	(0.5)	1.5	(8.3)	3.8	(21.9)	0.1	(0.5)	0.2	(1.2)	0.2	(1.2)	8.8	(51.7)
Austria, Vorarlberg	2.1	(17.2)	0.1	(0.7)	0.9	(6.9)	1.2	(9.0)	0.2	(1.4)	0.9	(6.9)	0.3	(2.1)	6.9	(55.9)
Belarus	3.4	(9.5)	0.4	(1.0)	10.9	(30.4)	5.5	(15.3)	1.9	(5.2)	0.1	(0.4)	0.0	(0.1)	13.6	(38.1) *
Belgium, Antwerp	2.4	(29.4)	0.3	(3.7)	0.8	(10.8)	1.4	(18.3)	0.3	(4.0)	0.3	(4.4)	0.1	(1.0)	2.1	(28.4) *
Belgium, Flanders	1.6	(16.1)	0.2	(2.6)	0.3	(3.1)	0.9	(9.6)	0.1	(1.3)	0.1	(1.5)	0.0	(0.3)	5.8	(65.5)
Bulgaria	1.5	(8.3)	0.3	(2.0)	2.3	(13.2)	1.7	(9.6)	0.6	(3.3)	1.5	(8.2)	0.8	(4.6)	8.6	(50.8) *
Croatia	1.1	(5.2)	0.1	(0.5)	0.2	(0.9)	0.2	(1.1)	0.1	(0.3)	0.1	(0.3)	0.0	(0.1)	20.0	(91.7)
Czech Republic	2.0	(13.7)	0.4	(3.0)	2.5	(17.8)	1.5	(10.6)	0.8	(5.5)	0.6	(4.2)	0.3	(2.2)	6.0	(43.1)
Denmark	3.2	(43.4)	0.1	(1.0)	0.5	(7.1)	0.6	(8.0)	0.3	(3.9)	0.2	(2.9)	0.1	(1.8)	2.2	(32.0)
Estonia	2.4	(8.6)	0.1	(0.3)	8.9	(32.0)	5.2	(19.1)	0.2	(0.6)	0.0	(0.1)	0.0	(0.1)	10.7	(39.3)
Finland	2.3	(22.3)	-	-	-	-	-	-	-	-	-	-	-	-	7.9	(77.7)
France, Bas-Rhin	3.3	(30.5)	0.4	(3.9)	0.1	(0.8)	1.2	(11.3)	0.1	(0.5)	0.8	(7.9)	0.4	(3.7)	4.3	(41.3)
France, Calvados	2.9	(29.4)	0.9	(10.2)	1.8	(18.8)	2.1	(23.3)	0.1	(1.2)	0.2	(1.2)	0.1	(0.4)	1.4	(15.5)
France, Doubs	3.0	(31.1)	0.5	(5.5)	0.1	(0.5)	1.9	(19.7)	0.5	(4.9)	0.4	(4.9)	0.4	(4.4)	2.5	(29.0)
France, Haut-Rhin	2.2	(18.6)	0.1	(1.0)	0.0	(0.3)	0.8	(6.4)	0.2	(1.6)	0.3	(2.6)	0.0	(0.3)	7.9	(69.2)
France, Herault	2.1	(27.3)	0.3	(4.1)	0.2	(2.0)	0.8	(12.6)	0.0	(0.3)	0.3	(5.1)	0.1	(1.7)	3.2	(46.8)
France, Isere	2.9	(30.1)	0.6	(6.2)	0.1	(0.7)	1.8	(19.8)	0.2	(2.2)	0.6	(6.2)	0.2	(1.5)	3.2	(33.3)
France, Loire-Atlantique	1.4	(15.7)	0.2	(1.9)	-	-	0.3	(4.3)	0.0	(0.3)	0.1	(1.1)	0.0	(0.3)	6.5	(76.5)
France, Manche	3.5	(24.1)	1.0	(8.5)	2.1	(15.8)	4.2	(32.3)	0.3	(2.8)	0.4	(3.8)	0.1	(0.3)	1.6	(12.3)
France, Somme	2.2	(27.3)	0.8	(10.2)	0.1	(0.5)	1.7	(19.8)	0.4	(4.8)	0.6	(7.0)	0.1	(1.6)	2.5	(28.9)
France, Tarn	2.6	(34.4)	0.4	(5.3)	0.5	(6.6)	1.6	(20.5)	0.1	(2.0)	0.9	(12.6)	0.2	(2.6)	1.0	(15.9)
France, Vendee	1.7	(15.6)	0.4	(4.1)	0.1	(0.7)	0.9	(8.9)	0.1	(0.7)	0.3	(2.2)	0.1	(0.7)	6.3	(67.0)
Germany, Brandenburg	2.2	(13.5)	0.5	(3.3)	2.2	(13.9)	2.7	(16.7)	0.4	(2.5)	0.2	(1.0)	0.2	(1.2)	7.8	(47.8)
Germany, Free State of Saxony	2.7	(16.3)	0.4	(2.6)	3.0	(17.7)	3.1	(19.0)	0.3	(2.1)	0.1	(0.9)	0.1	(0.7)	6.6	(40.8)
Germany, Hamburg	2.2	(18.8)	0.1	(0.8)	0.6	(5.2)	1.3	(11.3)	0.1	(0.5)	0.1	(0.8)	0.0	(0.2)	7.0	(62.3)
Germany, Mecklenburg-Western Pomerania	2.8	(14.3)	0.8	(4.2)	3.0	(15.2)	3.1	(15.7)	0.4	(1.8)	0.2	(1.0)	0.1	(0.6)	9.5	(47.2)
Germany, Munich	2.3	(17.3)	0.4	(3.0)	1.7	(12.9)	2.3	(17.2)	0.2	(1.2)	0.3	(2.4)	0.1	(0.9)	5.7	(45.1)
Germany, Northrhine-Westphalia: Munster	3.5	(22.0)	0.3	(1.8)	1.2	(8.3)	1.7	(11.4)	0.2	(1.0)	0.2	(1.3)	0.1	(0.5)	7.9	(53.8)
Germany, Saarland	3.1	(22.2)	0.1	(0.6)	1.3	(9.4)	1.9	(13.4)	0.1	(0.8)	0.2	(1.7)	0.0	(0.3)	6.9	(51.6)
Iceland	2.4	(20.7)	-	-	1.9	(16.4)	1.4	(12.9)	0.2	(1.7)	0.6	(5.2)	0.1	(0.9)	4.8	(42.7)
Ireland	3.4	(29.3)	1.0	(8.3)	0.7	(6.0)	1.3	(11.2)	0.7	(6.3)	1.5	(13.3)	0.5	(4.8)	2.3	(20.7)
Italy, Biella Province	2.9	(18.5)	0.9	(6.6)	1.9	(11.3)	2.8	(18.5)	0.6	(5.3)	2.1	(15.2)	0.7	(5.3)	2.6	(19.2)
Italy, Brescia Province	2.5	(9.0)	1.1	(4.3)	5.6	(21.4)	8.8	(32.8)	0.9	(3.4)	1.1	(4.0)	0.2	(0.6)	6.2	(24.3)
Italy, Ferrara Province	2.0	(12.7)	1.1	(6.1)	2.2	(14.5)	2.5	(15.5)	0.3	(1.5)	0.3	(1.8)	0.1	(0.9)	6.9	(47.0)
Italy, Florence and Prato	2.1	(9.5)	0.6	(2.6)	1.7	(7.0)	4.8	(21.8)	0.1	(0.7)	1.2	(5.0)	0.2	(0.9)	11.0	(52.6)
Italy, Genoa Province	2.0	(13.6)	0.9	(7.4)	1.9	(13.1)	2.7	(20.8)	0.3	(2.0)	1.2	(8.3)	0.3	(2.0)	4.4	(32.8)
Italy, Macerata Province	0.3	(1.6)	0.2	(0.6)	0.5	(2.3)	2.1	(7.1)	-	-	2.9	(10.3)	0.5	(1.6)	23.2	(76.5)
Italy, Milan	1.3	(9.7)	0.3	(2.0)	0.9	(6.3)	1.0	(7.1)	0.2	(1.5)	0.7	(4.3)	0.2	(1.7)	9.1	(67.5)
Italy, Modena Province	1.0	(5.7)	0.5	(2.4)	1.8	(9.0)	2.6	(15.3)	0.3	(1.5)	1.0	(4.9)	0.2	(1.1)	11.3	(60.1)
Italy, Naples	1.2	(8.3)	0.2	(1.4)	0.7	(5.0)	1.2	(9.2)	0.2	(1.4)	0.4	(2.8)	0.2	(1.4)	9.8	(70.6)
Italy, North East Cancer Surveillance Network	1.5	(7.5)	0.4	(1.9)	2.0	(9.6)	2.5	(12.5)	0.2	(0.9)	0.4	(1.8)	0.1	(0.4)	12.9	(65.4)
Italy, Parma Province	2.4	(9.1)	1.2	(4.9)	3.3	(12.8)	5.1	(21.2)	0.4	(1.4)	2.9	(11.0)	0.5	(2.5)	8.4	(37.1)
Italy, Ragusa Province	1.9	(16.3)	0.8	(6.5)	1.4	(13.1)	1.1	(11.1)	0.1	(1.3)	0.6	(5.9)	0.5	(3.3)	4.5	(42.5)
Italy, Reggio Emilia Province	2.4	(11.9)	1.4	(7.4)	3.4	(16.2)	4.8	(21.2)	0.3	(1.7)	0.8	(4.1)	0.4	(1.5)	7.3	(36.1)
Italy, Romagna Region	2.5	(8.3)	3.8	(13.4)	3.3	(12.7)	6.1	(22.9)	0.3	(1.2)	0.2	(0.7)	0.1	(0.3)	10.7	(40.5)
Italy, Salerno Province	0.9	(8.1)	0.4	(4.2)	0.5	(4.7)	1.2	(11.2)	0.1	(0.5)	0.5	(4.7)	0.2	(1.6)	7.1	(65.0)
Italy, Sassari Province	1.1	(11.1)	0.4	(4.4)	1.1	(13.3)	2.6	(29.4)	0.2	(2.2)	1.1	(11.7)	0.2	(1.7)	2.3	(26.1)
Italy, Syracuse Province	1.4	(14.2)	0.4	(4.3)	0.5	(5.0)	0.8	(6.4)	0.2	(2.1)	0.5	(5.7)	0.1	(1.4)	6.4	(61.0)
Italy, Sondrio	4.0	(13.8)	0.4	(1.5)	4.5	(17.9)	5.4	(23.0)	0.9	(3.6)	2.1	(7.7)	0.6	(2.6)	7.9	(30.1)
Italy, Torino	1.4	(10.9)	0.5	(3.8)	1.1	(7.9)	1.9	(15.4)	0.3	(2.7)	0.9	(6.9)	0.2	(1.1)	6.8	(51.3)
Italy, Umbria Region	2.8	(12.0)	0.5	(1.9)	1.8	(7.3)	4.4	(18.7)	0.4	(1.5)	1.0	(3.7)	0.4	(1.3)	12.4	(53.6)
Italy, Varese Province	2.5	(11.7)	1.4	(5.9)	3.1	(14.3)	6.3	(28.0)	0.1	(0.4)	0.7	(2.9)	0.0	(0.2)	8.2	(36.6)
Italy, Veneto Region	1.4	(9.3)	0.3	(1.9)	1.0	(6.5)	1.3	(8.2)	0.1	(0.8)	0.4	(2.0)	0.0	(0.3)	11.1	(71.1)

Rates based on less than 10 cases are in italics.

\*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Stomach (C16) - Male (contd)**

	C16.0 Cardia		C16.1 Fundus		C16.2 Body		C16.3 Pyloric		C16.4 Pylorus		C16.5 Le. curv.		C16.6 Gr. curv.		C16.8-9 Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
<b>Europe (contd)</b>																
Latvia	1.9	(7.8)	0.5	(2.2)	3.1	(13.0)	1.3	(5.3)	0.5	(2.2)	0.1	(0.4)	0.0	(0.2)	16.6	(69.1)
Lithuania	1.9	(6.8)	0.1	(0.4)	5.2	(18.6)	1.9	(6.9)	0.8	(3.0)	0.2	(0.8)	0.0	(0.1)	17.5	(63.4)
Malta	1.9	(18.2)	0.2	(2.0)	1.0	(8.8)	0.9	(8.1)	0.5	(4.1)	0.8	(7.4)	0.3	(2.7)	5.1	(48.6)
Norway	2.3	(24.0)	0.2	(2.0)	0.9	(10.3)	1.1	(12.6)	0.5	(5.7)	0.3	(3.9)	0.1	(1.8)	3.5	(39.7)
Poland, Cracow	1.8	(10.1)	0.1	(0.4)	0.1	(0.7)	-	-	0.0	(0.2)	-	-	-	-	15.6	(88.6)*
Poland, Kielce	1.4	(7.7)	0.1	(0.5)	0.1	(0.8)	0.0	(0.3)	0.1	(0.9)	-	-	-	-	16.3	(89.9)
Poland, Warsaw City	1.2	(11.9)	0.0	(0.3)	0.1	(0.6)	0.0	(0.3)	0.1	(0.5)	0.0	(0.3)	-	-	8.8	(86.1)
Portugal, Porto	2.0	(6.3)	0.2	(0.6)	2.3	(6.7)	4.5	(13.0)	0.4	(1.2)	0.6	(1.8)	0.2	(0.6)	23.1	(69.8)*
Portugal, South Regional	1.5	(7.9)	0.3	(1.6)	1.5	(7.1)	3.4	(16.3)	0.2	(0.9)	0.7	(3.4)	0.1	(0.7)	12.2	(62.2)
Russia, St Petersburg	3.6	(10.9)	0.1	(0.4)	8.3	(25.4)	0.7	(2.3)	4.7	(14.3)	0.2	(0.6)	0.1	(0.3)	14.9	(45.7)
Serbia	1.7	(12.7)	0.1	(1.0)	0.5	(3.6)	0.4	(3.1)	0.1	(0.8)	0.2	(1.4)	0.2	(1.3)	10.6	(76.0)
Slovak Republic	2.0	(10.3)	0.3	(1.5)	3.2	(16.7)	2.8	(14.7)	1.1	(5.7)	0.8	(4.0)	0.3	(1.6)	8.7	(45.5)
Slovenia	2.7	(12.8)	0.2	(0.8)	2.6	(12.2)	3.2	(15.4)	0.3	(1.5)	0.9	(4.5)	0.3	(1.3)	10.7	(51.5)
Spain, Albacete	1.2	(10.7)	0.3	(1.9)	1.5	(11.9)	1.5	(13.8)	-	-	0.8	(6.3)	0.5	(3.1)	6.9	(52.2)
Spain, Asturias	1.8	(10.5)	0.2	(1.6)	0.5	(3.2)	2.1	(13.9)	0.2	(1.1)	0.7	(4.4)	0.2	(1.2)	10.1	(64.2)
Spain, Basque Country	2.9	(15.1)	0.5	(2.7)	1.7	(9.4)	4.8	(24.8)	0.3	(1.4)	1.2	(6.1)	0.3	(1.6)	7.3	(38.9)
Spain, Canary Islands	2.2	(21.7)	0.3	(3.5)	1.1	(10.2)	1.7	(16.6)	0.2	(1.6)	0.4	(3.5)	0.0	(0.4)	4.4	(42.5)
Spain, Cuenca	1.0	(7.7)	0.2	(2.4)	2.3	(18.5)	2.7	(19.6)	0.2	(1.2)	0.9	(6.5)	0.5	(2.4)	4.5	(41.7)
Spain, Girona	1.4	(11.5)	0.1	(0.6)	0.4	(3.2)	1.6	(12.1)	0.1	(0.6)	0.4	(2.9)	0.1	(1.0)	8.4	(68.2)
Spain, Granada	1.9	(16.7)	0.6	(5.6)	1.9	(16.9)	3.4	(32.2)	0.2	(1.7)	0.7	(6.1)	0.2	(1.4)	2.1	(19.4)
Spain, Murcia	1.3	(11.3)	0.3	(2.8)	0.7	(5.9)	2.0	(16.8)	0.2	(1.4)	0.5	(4.2)	0.4	(2.8)	6.5	(54.9)
Spain, Navarra	2.2	(14.3)	0.8	(5.2)	3.4	(21.9)	4.6	(28.7)	0.2	(1.2)	1.0	(6.6)	0.0	(0.2)	3.5	(21.9)
Spain, Tarragona	1.3	(9.8)	0.4	(2.5)	0.7	(5.5)	1.9	(14.2)	0.1	(0.4)	0.3	(2.5)	0.2	(1.5)	7.8	(63.6)
Spain, Zaragoza	1.0	(7.7)	0.2	(1.4)	0.7	(5.1)	1.9	(16.3)	0.2	(1.8)	0.6	(4.9)	0.3	(2.2)	7.4	(60.7)
Sweden	1.9	(24.7)	0.2	(2.2)	0.5	(7.2)	0.5	(6.8)	0.2	(2.5)	0.1	(1.7)	0.1	(0.8)	3.8	(54.1)
Switzerland, Geneva	2.1	(28.0)	0.8	(8.5)	0.2	(3.4)	1.8	(21.2)	0.2	(2.5)	1.0	(11.9)	0.4	(5.9)	1.4	(18.6)
Switzerland, Graubunden and Glarus	3.4	(27.0)	0.5	(4.3)	1.1	(10.4)	4.7	(39.1)	0.1	(1.7)	-	-	-	-	1.9	(17.4)
Switzerland, Neuchatel	2.2	(31.0)	0.1	(1.7)	0.3	(3.4)	1.5	(20.7)	-	-	0.6	(8.6)	0.4	(3.4)	2.8	(31.0)
Switzerland, St Gall-Appenzell	3.3	(35.5)	0.1	(0.5)	0.7	(9.1)	1.8	(19.4)	0.2	(2.2)	0.4	(3.8)	0.1	(1.6)	2.5	(28.0)
Switzerland, Ticino	2.3	(16.6)	0.5	(4.1)	1.8	(12.4)	5.6	(39.4)	0.3	(2.6)	-	-	-	-	3.3	(24.9)
Switzerland, Valais	3.3	(27.9)	0.2	(1.4)	2.2	(18.6)	3.6	(26.4)	0.1	(0.7)	0.3	(3.6)	0.4	(2.9)	2.5	(18.6)
Switzerland, Vaud	2.3	(30.3)	0.3	(3.7)	0.2	(3.2)	1.7	(22.9)	0.1	(1.1)	1.0	(11.2)	0.3	(4.3)	1.8	(23.4)
The Netherlands	3.6	(31.6)	0.2	(2.3)	1.0	(8.9)	1.9	(17.5)	0.5	(4.8)	0.7	(6.2)	0.3	(2.5)	2.8	(26.2)
The Netherlands, Eindhoven	2.9	(24.1)	0.2	(2.1)	0.8	(7.1)	2.3	(19.7)	0.7	(6.2)	1.2	(10.3)	0.4	(3.7)	3.0	(26.8)
The Netherlands, Maastricht	2.6	(24.3)	0.4	(3.7)	0.7	(6.0)	1.5	(14.6)	0.5	(4.7)	1.1	(11.2)	0.5	(4.4)	3.3	(31.1)
UK, East of England Region	3.7	(33.9)	0.2	(2.3)	0.2	(1.7)	0.4	(4.0)	0.2	(2.5)	1.0	(9.4)	0.3	(2.9)	4.1	(43.3)
UK, England, Merseyside and Cheshire	4.5	(30.7)	0.2	(1.5)	0.3	(2.0)	0.6	(4.3)	0.4	(2.9)	1.1	(8.1)	0.3	(2.3)	6.4	(48.2)
UK, England, North Western	4.7	(32.4)	0.1	(1.0)	0.2	(1.2)	0.6	(4.2)	0.4	(2.9)	0.6	(4.1)	0.2	(1.4)	6.9	(52.8)
UK, England, Northern and Yorkshire	4.3	(29.9)	0.2	(1.2)	0.2	(1.6)	0.6	(4.3)	0.2	(1.5)	1.2	(9.0)	0.3	(2.7)	6.6	(49.8)
UK, England, Oxford Region	2.5	(27.6)	0.1	(1.3)	0.1	(1.7)	0.4	(4.7)	0.1	(1.4)	0.5	(5.5)	0.2	(2.5)	4.6	(55.3)
UK, England, South and Western Regions	3.9	(36.0)	0.2	(1.8)	0.4	(3.9)	0.5	(5.8)	0.3	(2.9)	0.7	(7.4)	0.3	(3.1)	3.6	(39.1)
UK, England, Thames	2.6	(25.7)	0.1	(1.6)	0.2	(2.0)	0.4	(4.6)	0.2	(1.7)	0.6	(6.6)	0.2	(2.3)	5.1	(55.4)
UK, England, Trent	3.8	(28.0)	0.1	(1.2)	0.5	(4.3)	0.6	(5.0)	0.4	(3.0)	0.8	(6.2)	0.4	(3.4)	6.0	(48.9)
UK, England, West Midlands	4.0	(27.9)	0.1	(0.9)	0.3	(2.1)	0.7	(5.2)	0.3	(2.1)	1.1	(8.4)	0.3	(2.5)	6.4	(50.9)
UK, Northern Ireland	3.8	(28.5)	0.2	(1.7)	0.5	(4.0)	0.6	(5.3)	0.5	(3.7)	0.8	(6.5)	0.3	(2.7)	6.1	(47.7)
UK, Scotland	4.2	(32.0)	0.2	(1.9)	0.5	(3.7)	1.1	(8.3)	0.3	(2.3)	1.0	(7.8)	0.4	(3.2)	5.1	(40.8)
<b>Oceania</b>																
Australia, New South Wales	2.6	(29.7)	0.3	(3.5)	0.6	(6.7)	1.1	(13.1)	0.3	(3.3)	0.8	(9.9)	0.3	(3.4)	2.5	(30.4)
Australia, Northern Territory	0.6	(13.6)	-	-	-	-	-	-	1.0	(13.6)	-	-	-	-	4.8	(72.7)
Australia, Queensland	3.0	(34.7)	0.2	(2.4)	0.4	(4.6)	0.6	(7.7)	0.2	(2.9)	0.8	(9.0)	0.5	(5.5)	2.6	(33.2)
Australia, South	2.6	(28.6)	-	-	-	-	-	-	1.5	(16.2)	-	-	-	-	5.1	(55.2)
Australia, Tasmania	3.0	(34.8)	-	-	-	-	-	-	1.2	(14.8)	0.1	(0.6)	-	-	3.8	(49.7)
Australia, Victoria	3.3	(32.4)	0.1	(1.5)	0.5	(4.6)	1.0	(9.9)	0.2	(2.1)	1.0	(10.2)	0.4	(3.9)	3.4	(35.3)
Australia, Western	2.4	(28.7)	0.2	(2.5)	0.4	(4.9)	0.9	(12.1)	0.2	(2.7)	0.5	(6.1)	0.2	(2.1)	3.2	(40.8)
Australian Capital Territory	2.9	(36.6)	0.2	(2.8)	0.6	(7.0)	1.0	(12.7)	0.2	(1.4)	0.9	(9.9)	0.4	(4.2)	2.1	(25.4)
French Polynesia	0.5	(6.9)	0.4	(6.9)	0.2	(3.4)	2.0	(24.1)	-	-	0.5	(10.3)	0.5	(6.9)	2.7	(41.4)
New Zealand	3.3	(35.2)	0.1	(1.6)	0.8	(8.8)	1.0	(11.0)	0.4	(4.8)	0.8	(8.3)	0.3	(3.7)	2.3	(26.6)
USA, Hawaii	2.2	(17.8)	0.2	(1.8)	1.1	(11.2)	2.5	(24.5)	0.3	(2.0)	1.6	(13.9)	0.6	(5.3)	2.6	(23.4)
USA, Hawaii: Chinese	1.1	(23.8)	0.1	(4.8)	0.4	(4.8)	0.6	(14.3)	0.4	(4.8)	-	-	0.1	(4.8)	1.9	(42.9)
USA, Hawaii: Filipino	1.9	(20.6)	0.2	(3.2)	0.2	(3.2)	1.9	(23.8)	0.2	(3.2)	1.0	(12.7)	0.7	(6.3)	2.6	(27.0)
USA, Hawaii: Hawaiian	1.2	(10.2)	-	-	1.7	(13.6)	2.3	(18.6)	0.4	(3.4)	2.4	(18.6)	1.0	(8.5)	3.6	(27.1)
USA, Hawaii: Japanese	3.4	(14.4)	0.3	(2.1)	1.8	(12.6)	4.7	(29.5)	0.4	(1.4)	1.9	(13.0)	0.8	(4.6)	3.8	(22.5)
USA, Hawaii: White	2.3	(37.7)	0.1	(1.3)	0.6	(10.4)	0.8	(15.6)	-	-	0.7	(11.7)	0.2	(5.2)	0.9	(18.2)

Rates based on less than 10 cases are in italics.

\*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Stomach (C16) - Female**

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric		Pylorus		Le. curv.		Gr. curv.		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																
Algeria, Setif	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.1(100.0) *
Egypt, Gharbiah	0.2	(11.7)	0.0	(1.8)	0.1	(4.5)	0.2	(12.6)	0.1	(5.4)	-	-	0.1	(7.2)	1.2	(56.8)
Tunisia, Centre, Sousse	0.2	(8.0)	0.4	(16.0)	-	-	0.5	(20.0)	-	-	0.2	(8.0)	0.1	(4.0)	1.1	(44.0) *
Uganda, Kyadondo County	0.1	(1.6)	-	-	-	-	0.1	(3.1)	-	-	-	-	-	-	6.7	(95.3) *
Zimbabwe, Harare: African	0.1	(2.0)	-	-	-	-	-	-	-	-	-	-	-	-	9.1	(98.0) *
America, Central and South																
Argentina, Bahia Blanca	0.3	(4.8)	0.5	(7.2)	-	-	0.3	(4.8)	-	-	-	-	-	-	5.8	(83.1)
Brazil, Brasilia	0.0	(0.3)	-	-	0.6	(4.4)	0.5	(3.5)	0.1	(0.9)	0.2	(1.2)	-	-	11.8	(89.8)
Brazil, Cuiaba	-	-	0.1	(1.4)	0.3	(2.9)	0.2	(1.4)	-	-	-	-	-	-	8.8	(94.3)
Brazil, Goiania	0.1	(1.2)	-	-	0.2	(1.8)	0.7	(7.2)	-	-	0.1	(1.8)	0.1	(0.6)	7.9	(87.4)
Brazil, Sao Paulo	0.3	(2.3)	0.0	(0.1)	0.2	(1.2)	0.5	(3.8)	0.0	(0.3)	0.0	(0.4)	0.0	(0.1)	11.4	(91.7)
Chile, Valdivia	1.4	(11.0)	-	-	0.2	(1.1)	1.0	(6.0)	-	-	0.1	(0.5)	-	-	13.2	(81.3)
Colombia, Cali	0.7	(3.9)	0.1	(0.4)	0.4	(2.0)	2.4	(15.2)	0.3	(1.8)	0.1	(0.5)	0.0	(0.3)	12.0	(75.8)
Costa Rica	0.8	(4.8)	0.2	(1.1)	1.0	(5.4)	3.5	(19.7)	0.4	(2.4)	0.5	(3.0)	0.2	(1.0)	10.6	(62.6)
Ecuador, Quito	0.5	(3.5)	0.3	(1.7)	1.6	(11.0)	1.8	(12.6)	0.2	(1.2)	0.4	(2.9)	0.1	(0.8)	8.9	(66.3)
France, La Martinique	0.2	(3.2)	0.1	(1.9)	0.1	(1.3)	1.0	(11.5)	-	-	0.4	(4.5)	0.1	(0.6)	6.8	(77.1)
Peru, Trujillo	0.1	(0.5)	-	-	0.1	(0.5)	0.1	(0.5)	-	-	-	-	-	-	16.3	(98.4) *
America, North																
Canada (Excluding Quebec, Yukon and Nunavut)	0.6	(15.7)	0.1	(4.2)	0.3	(8.1)	0.7	(20.1)	0.1	(3.2)	0.3	(7.0)	0.1	(3.2)	1.3	(38.5)
Canada, Alberta	0.7	(18.6)	0.2	(4.9)	0.3	(6.7)	0.7	(20.0)	0.1	(2.1)	0.2	(6.5)	0.2	(3.9)	1.4	(37.4)
Canada, British Columbia	0.6	(16.8)	0.3	(7.1)	0.2	(6.6)	0.7	(21.7)	0.1	(1.8)	0.2	(4.8)	0.1	(1.8)	1.2	(39.4)
Canada, Manitoba	0.5	(16.0)	0.0	(2.0)	0.3	(10.5)	0.7	(21.5)	0.0	(1.5)	0.4	(10.0)	0.1	(3.0)	1.2	(35.5)
Canada, New Brunswick	0.4	(12.2)	0.2	(5.3)	0.5	(11.5)	0.7	(23.7)	0.1	(3.1)	0.2	(6.9)	0.0	(1.5)	1.2	(35.9)
Canada, Newfoundland and Labrador	0.8	(16.4)	0.1	(2.7)	0.2	(5.5)	0.9	(18.2)	0.4	(4.5)	0.3	(5.5)	0.1	(1.8)	1.9	(45.5)
Canada, Northwest Territories	-	-	-	-	-	-	2.7	(40.0)	-	-	-	-	1.8	(20.0)	2.9	(40.0)
Canada, Nova Scotia	0.6	(12.8)	0.1	(2.3)	0.2	(5.2)	0.4	(12.2)	0.2	(6.4)	0.3	(5.8)	0.1	(3.5)	1.7	(51.7)
Canada, Ontario	0.5	(15.4)	0.1	(3.4)	0.3	(8.8)	0.7	(19.7)	0.1	(3.4)	0.3	(7.8)	0.1	(3.6)	1.2	(37.8)
Canada, Prince Edward Island	0.2	(16.7)	0.6	(22.2)	-	-	0.4	(16.7)	-	-	0.4	(11.1)	-	-	0.5	(33.3)
Canada, Saskatchewan	0.5	(13.4)	0.1	(2.7)	0.3	(10.2)	0.8	(23.0)	0.2	(6.4)	0.3	(7.5)	0.1	(3.2)	1.1	(33.7)
USA, Alabama	0.4	(13.3)	0.2	(4.8)	0.2	(6.3)	0.5	(19.2)	0.1	(3.8)	0.2	(5.9)	0.1	(4.4)	1.2	(42.3)
USA, Alabama: Black	0.3	(8.6)	0.2	(4.6)	0.2	(4.6)	0.8	(22.3)	0.2	(5.6)	0.3	(6.1)	0.2	(3.6)	1.8	(44.7)
USA, Alabama: White	0.4	(15.6)	0.1	(5.1)	0.1	(7.1)	0.4	(17.9)	0.1	(2.8)	0.2	(5.7)	0.1	(4.6)	1.0	(41.1)
USA, Alaska	0.7	(17.2)	0.4	(7.8)	0.2	(4.7)	0.5	(12.5)	0.2	(4.7)	1.0	(21.9)	0.4	(7.8)	1.1	(23.4)
USA, Arizona	0.3	(13.7)	0.1	(3.8)	0.3	(11.8)	0.4	(17.0)	0.1	(2.9)	0.2	(8.0)	0.1	(5.3)	0.9	(37.5)
USA, California	0.5	(14.2)	0.2	(4.9)	0.4	(10.5)	0.9	(24.6)	0.1	(3.3)	0.3	(8.9)	0.2	(5.0)	1.1	(28.6)
USA, California: Asian and Pacific Islander	0.4	(5.9)	0.3	(4.0)	0.6	(9.2)	2.2	(35.5)	0.3	(4.5)	0.8	(11.4)	0.4	(6.2)	1.5	(23.3)
USA, California: Black	0.4	(7.7)	0.3	(5.5)	0.7	(13.2)	1.5	(28.7)	0.2	(3.6)	0.3	(5.5)	0.3	(5.7)	1.6	(30.1)
USA, California: Hispanic White	0.6	(9.8)	0.3	(4.8)	0.7	(11.2)	1.4	(24.3)	0.2	(3.9)	0.7	(10.7)	0.3	(4.3)	1.9	(30.9)
USA, California: Non-Hispanic White	0.6	(20.9)	0.1	(5.3)	0.2	(10.3)	0.4	(19.7)	0.0	(2.5)	0.2	(7.6)	0.1	(4.8)	0.7	(28.9)
USA, California, Greater San Francisco Bay Area	0.5	(12.8)	0.2	(3.6)	0.4	(9.2)	0.9	(24.4)	0.1	(2.9)	0.4	(10.9)	0.3	(6.3)	1.2	(30.0)
USA, California, Greater San Francisco Bay Area: Black	0.3	(6.7)	0.2	(3.8)	0.9	(14.3)	1.4	(25.7)	0.3	(5.7)	0.4	(6.7)	0.2	(3.8)	2.0	(33.3)
USA, California, Greater San Francisco Bay Area: Chinese	0.5	(8.5)	0.4	(4.9)	0.5	(7.0)	2.3	(38.0)	0.2	(2.8)	0.8	(12.0)	0.4	(7.0)	1.4	(19.7)
USA, California, Greater San Francisco Bay Area: Filipino	0.1	(5.1)	0.1	(2.6)	0.2	(7.7)	0.7	(25.6)	-	-	0.3	(10.3)	0.3	(10.3)	1.2	(38.5)
USA, California, Greater San Francisco Bay Area: Japanese	0.6	(6.6)	0.1	(1.6)	0.9	(6.6)	3.1	(32.8)	0.2	(3.3)	2.5	(19.7)	1.3	(8.2)	2.0	(21.3)
USA, California, Greater San Francisco Bay Area: Hispanic White	0.5	(8.5)	0.2	(4.2)	0.5	(9.1)	1.2	(21.8)	0.2	(3.0)	0.8	(13.3)	0.4	(7.3)	1.9	(32.7)
USA, California, Greater San Francisco Bay Area: Non-Hispanic White	0.6	(19.7)	0.1	(3.0)	0.2	(8.8)	0.4	(19.1)	0.0	(2.1)	0.2	(10.3)	0.2	(5.8)	0.8	(31.3)
USA, California, Los Angeles County	0.6	(11.7)	0.3	(5.7)	0.6	(13.0)	1.3	(28.1)	0.2	(3.5)	0.4	(8.2)	0.2	(3.1)	1.3	(26.6)
USA, California, Los Angeles County: Black	0.5	(9.2)	0.3	(5.5)	0.8	(12.9)	1.8	(34.1)	0.2	(4.1)	0.2	(4.6)	0.2	(4.1)	1.3	(25.3)
USA, California, Los Angeles County: Chinese	0.7	(9.5)	0.5	(6.7)	0.5	(8.6)	2.7	(41.0)	0.3	(2.9)	0.6	(9.5)	0.3	(3.8)	1.5	(18.1)
USA, California, Los Angeles County: Filipino	0.3	(11.1)	0.1	(7.4)	0.4	(14.8)	0.3	(14.8)	-	-	0.4	(11.1)	0.2	(11.1)	0.6	(29.6)
USA, California, Los Angeles County: Japanese	0.2	(2.9)	0.8	(7.1)	1.4	(11.4)	3.4	(38.6)	0.5	(7.1)	0.9	(8.6)	0.3	(2.9)	1.9	(21.4)
USA, California, Los Angeles County: Korean	0.5	(2.2)	0.2	(1.5)	2.2	(12.4)	7.7	(40.9)	0.8	(5.8)	1.9	(10.9)	0.4	(2.2)	4.6	(24.1)
USA, California, Los Angeles County: Hispanic White	0.7	(9.2)	0.3	(5.2)	0.9	(13.3)	1.7	(26.4)	0.2	(3.8)	0.7	(9.9)	0.2	(2.3)	1.9	(30.0)
USA, California, Los Angeles County: Non-Hispanic White	0.6	(19.3)	0.2	(6.9)	0.4	(14.0)	0.6	(19.8)	0.1	(2.7)	0.2	(6.9)	0.1	(3.2)	0.9	(27.1)
USA, Colorado	0.4	(12.9)	0.2	(4.9)	0.2	(8.9)	0.5	(20.1)	0.1	(3.0)	0.2	(7.0)	0.2	(6.3)	0.9	(36.8)
USA, Connecticut	0.6	(15.6)	0.2	(5.4)	0.3	(8.3)	0.7	(23.0)	0.1	(2.8)	0.4	(9.9)	0.2	(5.9)	0.9	(29.1)
USA, Connecticut: Black	0.2	(4.1)	0.2	(4.1)	0.4	(10.2)	1.3	(28.6)	0.2	(4.1)	1.1	(22.4)	0.4	(6.1)	1.0	(20.4)
USA, Connecticut: White	0.6	(16.6)	0.2	(5.4)	0.3	(8.3)	0.6	(22.5)	0.1	(2.7)	0.3	(9.0)	0.2	(5.6)	1.0	(30.1)
USA, District of Columbia	0.2	(4.7)	0.3	(6.0)	0.2	(5.4)	1.1	(22.8)	0.3	(6.0)	0.4	(6.7)	0.4	(6.7)	2.2	(41.6)
USA, District of Columbia: Black	0.2	(4.3)	0.3	(6.8)	0.2	(4.3)	1.1	(22.2)	0.5	(7.7)	0.4	(5.1)	0.3	(4.3)	2.8	(45.3)
USA, District of Columbia: White	0.2	(4.3)	0.1	(4.3)	0.3	(13.0)	0.7	(26.1)	-	-	0.2	(8.7)	0.4	(17.4)	0.7	(26.1)
USA, Florida	0.5	(15.7)	0.1	(4.9)	0.2	(8.8)	0.5	(19.3)	0.1	(3.4)	0.2	(7.1)	0.1	(4.5)	1.0	(36.4)
USA, Florida: Black	0.4	(6.8)	0.1	(2.6)	0.6	(12.1)	1.2	(23.8)	0.3	(4.9)	0.4	(8.2)	0.2	(4.0)	2.1	(37.8)
USA, Florida: White	0.5	(17.4)	0.1	(5.4)	0.2	(8.1)	0.4	(18.3)	0.1	(3.0)	0.2	(6.7)	0.1	(4.5)	0.9	(36.5)
USA, Georgia	0.4	(12.1)	0.2	(5.5)	0.2	(6.8)	0.5	(17.8)	0.1	(3.0)	0.3	(8.7)	0.1	(4.4)	1.2	(41.7)
USA, Georgia: Black	0.5	(8.5)	0.4	(6.5)	0.3	(6.0)	1.0	(18.4)	0.2	(3.9)	0.4	(8.0)	0.2	(3.6)	2.2	(45.1)
USA, Georgia: White	0.4	(14.6)	0.1	(5.0)	0.2	(7.4)	0.4	(17.6)	0.1	(2.6)	0.2	(8.7)	0.1	(4.8)	0.8	(39.4)
USA, Georgia, Atlanta	0.5	(14.8)	0.2	(6.4)	0.2	(8.4)	0.5	(17.5)	0.1	(3.0)	0.2	(5.7)	0.1	(4.0)	1.2	(40.1)
USA, Georgia, Atlanta: Black	0.3	(7.4)	0.5	(8.1)	0.4	(8.8)	0.9	(17.6)	0.2	(3.7)	0.3	(5.9)	0.2	(4.4)	2.2	(44.1)
USA, Georgia, Atlanta																

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Stomach (C16) - Female (contd)**

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric		Pylorus		Le. curv.		Gr. curv.		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
America, North (contd)																
USA, Maine	0.5	(22.1)	0.1	(3.3)	0.2	(8.3)	0.4	(18.2)	0.1	(2.2)	0.2	(10.5)	0.1	(5.0)	0.8	(30.4)
USA, Massachusetts	0.5	(13.9)	0.1	(4.3)	0.2	(8.0)	0.6	(21.9)	0.1	(3.0)	0.2	(7.0)	0.2	(6.0)	1.1	(35.9)
USA, Michigan	0.5	(15.7)	0.1	(4.3)	0.3	(9.6)	0.5	(17.1)	0.1	(3.0)	0.2	(8.2)	0.1	(4.8)	1.0	(37.3)
USA, Michigan: Black	0.6	(9.6)	0.2	(2.6)	0.7	(13.1)	1.1	(19.8)	0.1	(2.2)	0.6	(10.9)	0.3	(4.5)	2.1	(37.4)
USA, Michigan: White	0.5	(17.8)	0.1	(4.6)	0.2	(8.7)	0.4	(16.2)	0.1	(3.2)	0.2	(7.3)	0.1	(5.0)	0.9	(37.2)
USA, Michigan, Detroit	0.6	(15.3)	0.1	(4.0)	0.4	(11.7)	0.6	(18.2)	0.1	(3.2)	0.3	(9.3)	0.2	(4.9)	1.2	(33.3)
USA, Michigan, Detroit: Black	0.7	(9.8)	0.2	(2.0)	0.7	(12.6)	1.2	(20.5)	0.2	(3.5)	0.6	(9.8)	0.3	(4.3)	2.3	(37.4)
USA, Michigan, Detroit: White	0.5	(18.2)	0.1	(4.9)	0.3	(11.0)	0.5	(17.1)	0.1	(3.1)	0.3	(9.0)	0.1	(5.3)	1.0	(31.4)
USA, Missouri	0.4	(20.7)	0.1	(3.6)	0.2	(7.6)	0.4	(19.7)	0.0	(2.1)	0.2	(7.3)	0.2	(6.7)	0.7	(32.4)
USA, Missouri: Black	0.5	(11.8)	0.1	(1.0)	0.5	(9.8)	1.2	(27.5)	0.2	(3.9)	0.6	(12.7)	0.2	(5.9)	1.1	(27.5)
USA, Missouri: White	0.4	(23.3)	0.1	(4.1)	0.2	(7.3)	0.3	(17.8)	0.0	(1.6)	0.1	(6.1)	0.1	(6.5)	0.6	(33.3)
USA, Montana	0.8	(27.0)	0.0	(0.9)	0.4	(11.3)	0.4	(17.4)	0.1	(1.7)	0.2	(5.2)	0.2	(7.0)	0.7	(29.6)
USA, NPCR	0.5	(15.1)	0.1	(4.9)	0.3	(8.7)	0.6	(19.9)	0.1	(3.1)	0.2	(8.0)	0.2	(4.7)	1.1	(35.4)
USA, NPCR: Black	0.4	(7.5)	0.2	(4.3)	0.5	(8.6)	1.2	(23.8)	0.2	(4.4)	0.5	(8.7)	0.2	(4.0)	2.1	(38.7)
USA, NPCR: White	0.5	(17.4)	0.1	(5.1)	0.2	(8.8)	0.5	(18.4)	0.1	(2.8)	0.2	(7.5)	0.1	(4.8)	0.9	(35.2)
USA, New Jersey	0.6	(15.7)	0.2	(5.5)	0.4	(9.7)	0.7	(20.9)	0.1	(2.3)	0.4	(9.1)	0.2	(3.9)	1.2	(32.9)
USA, New Jersey: Black	0.6	(9.4)	0.2	(3.5)	0.5	(10.2)	1.4	(26.0)	0.1	(2.4)	0.7	(11.8)	0.3	(4.3)	2.0	(32.3)
USA, New Jersey: White	0.7	(17.7)	0.2	(5.9)	0.3	(9.5)	0.6	(19.2)	0.1	(2.4)	0.3	(8.3)	0.1	(3.8)	1.0	(33.1)
USA, New Mexico	0.4	(11.7)	0.2	(5.6)	0.3	(8.5)	0.7	(20.6)	0.1	(2.8)	0.3	(8.9)	0.2	(5.6)	1.2	(36.3)
USA, New Mexico: American Indian	1.1	(13.9)	0.5	(5.6)	0.1	(2.8)	2.6	(33.3)	0.3	(2.8)	1.1	(13.9)	0.2	(2.8)	2.0	(25.0)
USA, New Mexico: Hispanic White	0.6	(10.8)	0.4	(5.4)	0.5	(7.7)	1.3	(21.5)	0.1	(2.3)	0.5	(9.2)	0.3	(5.4)	2.1	(37.7)
USA, New Mexico: Non-Hispanic White	0.2	(12.2)	0.1	(6.8)	0.2	(12.2)	0.2	(14.9)	0.1	(4.1)	0.1	(5.4)	0.1	(8.1)	0.5	(36.5)
USA, New York State	0.6	(15.2)	0.2	(4.8)	0.3	(7.9)	0.8	(19.5)	0.1	(3.0)	0.3	(7.8)	0.2	(4.4)	1.5	(37.4)
USA, New York State: Black	0.4	(5.9)	0.4	(5.4)	0.4	(6.6)	1.5	(23.2)	0.3	(4.7)	0.6	(8.7)	0.3	(4.1)	2.7	(41.5)
USA, New York State: White	0.7	(17.9)	0.2	(4.8)	0.3	(8.2)	0.6	(18.0)	0.1	(2.6)	0.3	(7.3)	0.2	(4.4)	1.3	(36.8)
USA, Ohio	0.4	(16.2)	0.1	(4.8)	0.2	(6.8)	0.4	(16.9)	0.1	(3.0)	0.1	(5.2)	0.1	(4.0)	1.0	(43.2)
USA, Ohio: Black	0.3	(5.9)	0.3	(5.1)	0.4	(7.5)	0.9	(21.3)	0.1	(1.6)	0.1	(3.6)	0.2	(3.6)	2.3	(51.4)
USA, Ohio: White	0.4	(18.6)	0.1	(4.7)	0.1	(6.6)	0.3	(16.1)	0.1	(3.4)	0.1	(5.3)	0.1	(4.0)	0.8	(41.3)
USA, Oklahoma	0.3	(15.1)	0.1	(5.2)	0.1	(6.0)	0.3	(14.3)	0.1	(2.7)	0.2	(8.0)	0.1	(3.8)	0.8	(44.8)
USA, Oregon	0.5	(21.2)	0.1	(4.5)	0.1	(6.5)	0.4	(17.0)	0.0	(1.4)	0.2	(10.8)	0.1	(7.1)	0.7	(31.4)
USA, Pennsylvania	0.6	(17.3)	0.2	(6.4)	0.3	(9.9)	0.5	(19.1)	0.1	(3.8)	0.3	(9.5)	0.2	(4.8)	0.8	(29.2)
USA, Pennsylvania: Black	0.6	(8.1)	0.3	(6.4)	0.6	(10.8)	1.3	(24.2)	0.3	(6.4)	0.5	(10.1)	0.2	(3.0)	1.7	(31.0)
USA, Pennsylvania: White	0.6	(18.9)	0.2	(6.4)	0.2	(9.6)	0.4	(18.4)	0.1	(3.4)	0.2	(9.4)	0.1	(5.1)	0.7	(28.8)
USA, Rhode Island	0.9	(19.4)	0.1	(2.9)	0.3	(8.3)	0.8	(25.2)	0.2	(4.1)	0.3	(6.6)	0.2	(3.3)	1.1	(30.2)
USA, SEER (9 Registries)	0.5	(15.3)	0.2	(4.6)	0.3	(9.5)	0.6	(20.6)	0.1	(2.7)	0.3	(9.0)	0.2	(5.2)	1.1	(33.2)
USA, SEER (9 Registries): Black	0.5	(8.6)	0.3	(4.0)	0.6	(11.2)	1.1	(21.0)	0.2	(4.0)	0.5	(9.3)	0.2	(4.3)	2.1	(37.6)
USA, SEER (9 Registries): White	0.5	(18.8)	0.1	(5.0)	0.2	(9.1)	0.4	(17.7)	0.1	(2.5)	0.2	(8.1)	0.1	(5.2)	0.9	(33.6)
USA, SEER (14 Registries)	0.5	(14.7)	0.2	(4.9)	0.3	(9.9)	0.7	(22.6)	0.1	(3.1)	0.3	(9.0)	0.2	(4.8)	1.1	(30.9)
USA, SEER (14 Registries): Asian and Pacific Islander	0.4	(6.1)	0.2	(3.7)	0.6	(9.8)	2.0	(32.9)	0.2	(3.6)	0.8	(12.3)	0.4	(5.5)	1.7	(26.2)
USA, SEER (14 Registries): Black	0.5	(8.4)	0.2	(4.2)	0.6	(10.4)	1.4	(26.0)	0.2	(4.0)	0.6	(9.7)	0.3	(4.5)	1.8	(32.8)
USA, SEER (14 Registries): Hispanic White	0.6	(10.3)	0.3	(4.6)	0.6	(11.0)	1.4	(23.5)	0.2	(3.8)	0.6	(10.5)	0.3	(4.5)	1.9	(31.9)
USA, SEER (14 Registries): Non-Hispanic White	0.5	(19.4)	0.1	(5.6)	0.2	(9.7)	0.4	(19.0)	0.1	(2.6)	0.2	(7.6)	0.1	(4.7)	0.8	(31.4)
USA, South Carolina	0.3	(9.6)	0.2	(6.4)	0.2	(8.1)	0.5	(20.2)	0.1	(4.4)	0.2	(6.4)	0.2	(5.1)	1.1	(39.7)
USA, South Carolina: Black	0.2	(3.5)	0.3	(4.8)	0.3	(6.5)	1.2	(25.7)	0.2	(5.7)	0.5	(10.0)	0.1	(2.6)	2.0	(41.3)
USA, South Carolina: White	0.3	(14.0)	0.1	(7.8)	0.2	(9.1)	0.3	(16.0)	0.1	(3.6)	0.1	(3.9)	0.2	(6.8)	0.8	(38.8)
USA, Texas	0.5	(13.6)	0.1	(4.4)	0.2	(7.4)	0.5	(17.6)	0.1	(2.6)	0.2	(6.6)	0.1	(4.1)	1.4	(43.7)
USA, Texas: Black	0.6	(10.4)	0.2	(2.8)	0.3	(5.7)	1.1	(20.6)	0.2	(4.3)	0.4	(7.8)	0.2	(4.7)	2.3	(43.7)
USA, Texas: White	0.4	(14.4)	0.1	(4.8)	0.2	(7.9)	0.5	(16.9)	0.1	(2.2)	0.2	(6.1)	0.1	(3.8)	1.3	(43.8)
USA, Utah	0.5	(19.4)	0.1	(4.6)	0.2	(9.7)	0.4	(15.4)	0.0	(1.1)	0.1	(5.1)	0.1	(5.1)	0.9	(39.4)
USA, Vermont	0.6	(21.5)	-	-	0.2	(12.3)	0.3	(18.5)	0.0	(3.1)	0.2	(7.7)	0.1	(3.1)	0.7	(33.8)
USA, Washington State	0.6	(20.5)	0.1	(3.9)	0.2	(8.1)	0.4	(17.3)	0.1	(2.2)	0.2	(7.1)	0.1	(4.5)	1.0	(36.3)
USA, Washington, Seattle	0.6	(20.0)	0.1	(3.5)	0.2	(8.0)	0.4	(15.5)	0.1	(2.0)	0.2	(6.7)	0.1	(3.5)	1.1	(40.7)
USA, West Virginia	0.4	(14.1)	0.2	(7.5)	0.2	(10.6)	0.4	(19.8)	0.1	(5.7)	0.2	(11.9)	0.1	(4.4)	0.4	(26.0)
USA, Wisconsin	0.6	(21.7)	0.1	(4.9)	0.1	(5.5)	0.4	(18.0)	0.0	(1.5)	0.2	(8.5)	0.1	(4.9)	0.8	(34.9)
Asia																
Bahrain: Bahraini	-	-	0.4	(6.5)	-	-	-	-	-	-	0.4	(6.5)	-	-	4.7	(87.1)
China, Guangzhou City	0.4	(5.5)	0.2	(2.7)	0.7	(9.2)	1.7	(23.4)	0.2	(3.1)	0.2	(2.7)	0.1	(1.0)	3.9	(52.4)*
China, Hong Kong	0.3	(4.3)	0.0	(0.1)	0.1	(1.7)	0.5	(6.4)	0.1	(1.3)	0.1	(0.5)	0.0	(0.1)	6.3	(85.6)
China, Jiashan	0.5	(4.5)	0.3	(3.2)	0.8	(7.1)	3.0	(29.5)	0.3	(2.6)	0.8	(7.1)	0.1	(0.6)	4.9	(45.5)*
China, Nangang District, Harbin City	5.7	(48.8)	-	-	-	-	-	-	0.0	(0.3)	-	-	-	-	5.9	(50.8)
China, Shanghai	1.6	(9.5)	0.2	(1.1)	1.4	(7.7)	3.1	(17.7)	0.2	(1.1)	0.9	(4.9)	0.2	(0.9)	9.7	(57.1)*
China, Zhongshan	0.1	(1.3)	0.2	(4.0)	0.4	(8.1)	1.0	(23.5)	0.1	(1.3)	0.2	(4.7)	0.2	(3.4)	2.2	(53.7)*
Cyprus	0.2	(5.5)	0.2	(4.5)	0.2	(3.6)	0.1	(2.7)	0.1	(3.6)	0.1	(1.8)	-	-	3.4	(78.2)*
India, Chennai (Madras)	0.3	(4.4)	0.1	(0.9)	0.0	(0.9)	1.2	(20.4)	0.1	(2.4)	0.2	(2.6)	-	-	4.1	(68.4)
India, New Delhi	0.1	(3.1)	-	-	0.0	(0.3)	0.0	(1.2)	-	-	-	-	-	-	1.6	(95.4)*
India, Karunagappally	0.5	(20.8)	-	-	0.1	(4.2)	0.2	(8.3)	0.1	(4.2)	0.1	(4.2)	-	-	1.5	(58.3)
India, Mumbai (Bombay)	0.2	(8.0)	0.1	(3.1)	0.0	(0.8)	0.1	(2.3)	0.1	(2.9)	0.0	(1.0)	0.0	(0.		

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Stomach (C16) - Female (contd)**

	C16.0 Cardia		C16.1 Fundus		C16.2 Body		C16.3 Pyloric		C16.4 Pylorus		C16.5 Le. curv.		C16.6 Gr. curv.		C16.8-9 Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
<b>Asia (contd)</b>																
Korea	0.7	(2.5)	0.2	(0.6)	5.7	(21.7)	7.9	(29.8)	0.3	(1.1)	0.6	(2.3)	0.1	(0.3)	10.5	(41.6)
Korea, Busan	0.8	(3.2)	0.2	(0.8)	5.4	(22.9)	7.6	(31.2)	0.3	(1.2)	0.2	(0.8)	0.1	(0.3)	9.4	(39.7)
Korea, Daegu	0.6	(2.2)	0.2	(0.5)	8.0	(28.5)	8.7	(29.4)	0.4	(1.4)	0.7	(2.4)	0.0	(0.1)	10.1	(35.4)
Korea, Daejeon	0.6	(2.3)	0.1	(0.2)	6.4	(22.4)	10.1	(33.5)	0.4	(1.4)	1.2	(3.9)	0.1	(0.2)	10.3	(36.2)
Korea, Gwangju	0.6	(2.1)	0.0	(0.1)	3.6	(13.4)	5.8	(19.9)	0.1	(0.5)	1.0	(3.5)	0.3	(0.9)	16.1	(59.5)
Korea, Incheon	0.5	(2.4)	0.1	(0.6)	5.1	(23.8)	7.2	(30.7)	0.3	(1.4)	0.4	(2.0)	0.1	(0.3)	8.7	(38.9)
Korea, Jeju-do	1.0	(5.3)	-	-	4.8	(21.1)	4.8	(24.6)	0.1	(0.4)	0.6	(2.6)	-	-	8.4	(46.1)
Korea, Seoul	0.7	(2.7)	0.2	(0.6)	6.6	(25.1)	8.6	(30.8)	0.3	(1.1)	0.6	(2.4)	0.1	(0.2)	10.0	(37.2)
Korea, Ulsan	0.7	(2.2)	-	-	4.5	(19.0)	7.1	(24.7)	0.2	(1.0)	0.4	(1.8)	0.1	(0.4)	13.7	(50.8)
Kuwait: Kuwaitis	0.1	(3.3)	-	-	-	-	0.2	(13.3)	0.1	(3.3)	0.1	(3.3)	0.1	(3.3)	1.9	(73.3)
Kuwait: Non-Kuwaitis	-	-	-	-	0.1	(4.8)	0.4	(11.9)	0.1	(2.4)	-	-	0.0	(2.4)	3.6	(78.6)
Malaysia, Penang	0.2	(2.8)	-	-	0.1	(0.6)	-	-	0.1	(0.6)	-	-	0.1	(0.6)	7.7	(95.6)
Malaysia, Sarawak	0.2	(3.6)	-	-	-	-	0.2	(2.3)	0.1	(1.4)	0.0	(0.5)	-	-	5.7	(92.3)
Oman: Omani	0.1	(2.0)	-	-	-	-	0.8	(11.1)	-	-	-	-	0.1	(1.0)	5.2	(85.9) *
Pakistan, South Karachi	0.1	(4.8)	-	-	0.0	(1.2)	0.0	(1.2)	0.1	(4.8)	-	-	0.1	(1.2)	3.2	(86.7) *
Philippines, Manila	0.1	(2.1)	0.0	(0.5)	0.0	(0.7)	0.2	(4.0)	0.1	(1.4)	0.0	(0.2)	-	-	4.9	(91.1) *
Singapore	0.5	(5.4)	0.1	(0.6)	0.3	(2.7)	1.1	(10.8)	0.2	(2.4)	0.2	(2.2)	0.1	(0.7)	7.4	(75.2)
Singapore: Chinese	0.5	(4.9)	0.1	(0.5)	0.3	(2.8)	1.2	(10.9)	0.2	(2.3)	0.3	(2.4)	0.1	(0.7)	8.2	(75.7)
Singapore: Indian	0.5	(9.1)	-	-	0.2	(3.0)	0.8	(12.1)	-	-	-	-	0.1	(3.0)	4.2	(72.7)
Singapore: Malay	0.6	(14.6)	0.2	(4.9)	-	-	0.3	(7.3)	0.4	(7.3)	-	-	-	-	2.4	(65.9)
Thailand, Chiang Mai	0.1	(3.6)	0.0	(1.0)	0.4	(8.2)	1.3	(29.2)	0.0	(1.0)	0.1	(1.5)	0.1	(2.1)	2.5	(53.3) *
Thailand, Lampang	0.1	(4.9)	0.0	(1.2)	0.1	(2.5)	0.2	(7.4)	0.1	(1.2)	-	-	-	-	2.8	(82.7) *
Thailand, Songkhla	0.1	(11.1)	0.0	(2.8)	-	-	0.1	(5.6)	-	-	-	-	-	-	0.9	(80.6)
Turkey, Antalya	0.4	(6.8)	0.1	(2.5)	0.1	(1.9)	0.3	(5.6)	0.1	(1.2)	0.1	(1.9)	0.0	(0.6)	4.3	(79.6) *
Turkey, Izmir	0.6	(10.6)	0.1	(1.4)	0.7	(12.6)	1.2	(23.7)	0.1	(1.6)	0.4	(8.4)	0.1	(1.6)	2.0	(40.2) *
<b>Europe</b>																
Austria	0.5	(6.2)	0.1	(0.8)	0.4	(4.9)	0.7	(10.2)	0.1	(1.0)	0.0	(0.6)	0.0	(0.2)	5.4	(76.2)
Austria, Tyrol	1.0	(11.5)	0.1	(0.8)	0.8	(7.4)	2.1	(22.1)	0.2	(1.9)	0.1	(1.4)	0.0	(0.3)	5.2	(54.6)
Austria, Vorarlberg	1.0	(14.5)	-	-	0.7	(9.7)	1.0	(15.3)	0.1	(0.8)	0.1	(1.6)	0.3	(2.4)	3.6	(55.6)
Belarus	0.9	(6.3)	0.1	(0.9)	4.8	(30.0)	2.6	(17.7)	0.7	(4.9)	0.1	(0.4)	0.0	(0.1)	6.0	(39.7) *
Belgium, Antwerp	0.8	(20.9)	0.1	(3.8)	0.4	(9.5)	0.8	(21.7)	0.2	(7.9)	0.2	(4.6)	0.1	(3.3)	1.0	(28.5) *
Belgium, Flanders	0.5	(10.1)	0.1	(2.7)	0.1	(2.6)	0.5	(11.6)	0.1	(2.9)	0.1	(1.4)	0.0	(0.8)	2.9	(67.8)
Bulgaria	0.6	(6.3)	0.2	(1.9)	1.1	(11.9)	0.7	(8.3)	0.4	(4.2)	0.7	(7.8)	0.3	(3.9)	4.4	(55.7) *
Croatia	0.4	(4.5)	0.0	(0.5)	0.1	(0.8)	0.1	(1.1)	0.0	(0.4)	0.0	(0.3)	0.0	(0.0)	8.7	(92.3)
Czech Republic	0.6	(8.1)	0.2	(2.9)	1.2	(16.4)	1.0	(14.7)	0.5	(6.7)	0.3	(4.5)	0.1	(1.9)	3.1	(44.7)
Denmark	0.8	(22.0)	0.0	(1.5)	0.2	(7.9)	0.3	(11.9)	0.1	(4.7)	0.1	(2.6)	0.0	(1.2)	1.5	(48.2)
Estonia	0.7	(5.5)	0.0	(0.3)	4.4	(30.1)	2.8	(22.0)	0.1	(1.3)	0.0	(0.2)	-	-	5.1	(40.5)
Finland	0.6	(12.1)	-	-	-	-	-	-	-	-	-	-	-	-	4.9	(87.9)
France, Bas-Rhin	0.4	(11.9)	0.3	(8.1)	0.1	(1.9)	0.4	(12.9)	0.0	(1.4)	0.3	(8.6)	0.2	(4.8)	2.0	(50.5)
France, Calvados	0.5	(12.5)	0.4	(10.6)	0.9	(21.3)	1.1	(34.4)	0.2	(3.8)	0.1	(1.3)	0.0	(0.6)	0.6	(15.6)
France, Doubs	0.5	(14.4)	0.3	(8.2)	0.1	(2.1)	1.2	(40.2)	0.1	(2.1)	0.2	(7.2)	0.1	(2.1)	0.9	(23.7)
France, Haut-Rhin	0.2	(5.8)	0.1	(2.9)	0.1	(1.2)	0.7	(16.9)	0.1	(1.2)	0.1	(2.9)	0.0	(0.6)	3.1	(68.6)
France, Hérault	0.4	(13.4)	0.0	(1.2)	0.0	(1.2)	0.4	(15.1)	0.0	(0.6)	0.2	(5.8)	0.1	(2.9)	1.9	(59.9)
France, Isère	0.4	(10.4)	0.2	(4.2)	0.1	(1.5)	1.1	(23.6)	0.2	(3.9)	0.4	(9.3)	0.1	(2.3)	2.0	(44.8)
France, Loire-Atlantique	0.1	(4.2)	0.2	(3.7)	-	-	0.2	(7.0)	0.0	(0.9)	0.0	(0.5)	0.0	(0.9)	2.7	(82.8)
France, Manche	0.5	(6.3)	0.4	(8.8)	1.2	(22.0)	2.2	(46.8)	0.1	(3.4)	0.2	(2.4)	0.0	(0.5)	0.5	(9.8)
France, Somme	0.3	(12.0)	0.2	(5.6)	0.1	(0.9)	0.9	(32.4)	0.1	(3.7)	0.2	(7.4)	-	-	1.3	(38.0)
France, Tarn	0.4	(11.8)	0.1	(7.4)	0.2	(5.9)	0.9	(32.4)	0.2	(5.9)	0.1	(10.3)	0.2	(5.9)	0.3	(20.6)
France, Vendée	0.2	(7.5)	0.1	(2.8)	0.0	(0.9)	0.3	(14.0)	-	-	0.1	(1.9)	0.0	(0.9)	1.8	(72.0)
Germany, Brandenburg	0.5	(6.5)	0.2	(1.8)	1.5	(15.6)	1.5	(17.9)	0.2	(3.3)	0.1	(1.0)	0.0	(0.4)	4.3	(53.5)
Germany, Free State of Saxony	0.7	(9.0)	0.2	(2.1)	1.9	(19.3)	1.9	(23.2)	0.2	(2.3)	0.1	(1.3)	0.1	(0.6)	3.3	(42.1)
Germany, Hamburg	0.5	(9.2)	0.0	(0.7)	0.5	(8.6)	0.7	(12.3)	0.0	(0.6)	0.1	(0.9)	0.0	(0.4)	3.8	(67.3)
Germany, Mecklenburg-Western Pomerania	0.7	(8.1)	0.1	(1.2)	1.5	(15.0)	1.8	(20.1)	0.2	(2.4)	0.0	(0.4)	0.0	(0.3)	4.7	(52.5)
Germany, Munich	0.5	(6.6)	0.2	(2.6)	1.1	(12.1)	1.8	(22.6)	0.1	(0.9)	0.2	(2.9)	0.1	(0.8)	3.6	(51.6)
Germany, Northrhine-Westphalia: Munster	0.8	(10.2)	0.1	(1.1)	0.7	(9.0)	1.2	(16.0)	0.1	(1.2)	0.1	(1.5)	0.1	(0.7)	4.5	(60.3)
Germany, Saarland	0.6	(8.8)	0.1	(1.0)	0.8	(10.0)	0.9	(12.7)	0.1	(1.3)	0.0	(1.0)	0.0	(0.4)	4.3	(64.9)
Iceland	0.3	(5.7)	0.3	(2.9)	0.9	(14.3)	0.8	(17.1)	-	-	-	-	-	-	3.6	(60.0)
Ireland	1.1	(19.7)	0.4	(7.1)	0.4	(5.7)	0.7	(12.1)	0.5	(9.6)	0.7	(12.1)	0.3	(6.0)	1.5	(27.7)
Italy, Biella Province	0.7	(12.5)	0.2	(1.8)	1.1	(16.1)	1.5	(18.8)	0.3	(6.3)	2.0	(21.4)	0.3	(4.5)	1.0	(18.8)
Italy, Brescia Province	0.9	(6.0)	0.5	(3.2)	2.8	(20.7)	5.1	(38.2)	0.3	(1.4)	0.3	(2.4)	0.1	(0.6)	3.0	(27.4)
Italy, Ferrara Province	0.3	(4.9)	0.2	(4.5)	1.1	(15.7)	1.4	(21.1)	0.2	(2.2)	0.2	(3.1)	0.1	(0.9)	3.8	(47.5)
Italy, Florence and Prato	0.5	(4.5)	0.2	(1.6)	1.1	(7.8)	2.7	(25.6)	0.0	(0.7)	0.6	(4.8)	0.1	(0.9)	5.6	(54.0)
Italy, Genoa Province	0.4	(3.4)	0.1	(2.5)	0.8	(11.8)	2.5	(38.2)	0.2	(3.1)	0.7	(9.0)	0.2	(3.1)	2.1	(28.9)
Italy, Macerata Province	0.1	(1.0)	0.3	(1.5)	0.7	(4.1)	1.5	(10.2)	0.0	(0.5)	1.6	(10.2)	0.5	(2.0)	9.2	(70.4)
Italy, Milan	0.3	(3.9)	0.2	(2.0)	0.6	(7.0)	0.8	(8.7)	0.1	(1.0)	0.4	(4.0)	0.2	(2.3)	5.3	(71.1)
Italy, Modena Province	0.1	(1.4)	0.4	(3.5)	0.7	(7.9)	2.0	(23.0)	0.0	(0.7)	0.7	(6.5)	0.1	(1.4)	4.8	(55.6)
Italy, Naples	0.1	(1.4)	0.1	(1.4)	0.7	(7.6)	0.6	(8.3)	0.1	(1.4)	0.3	(3.4)	0.2	(2.8)	5.8	(73.8)
Italy, North East Cancer Surveillance Network	0.3	(3.8)	0.3	(2.4)	1.0	(9.5)	1.5	(17.1)	0.1	(1.4)	0.3	(2.6)	0.1	(0.5)	5.7	(62.8)
Italy, Parma Province	0.9	(5.5)	0.4	(3.5)	0.9	(8.5)	3.4	(31.0)	0.2	(2.5)	1.2	(11.3)	0.1	(1.3)	3.7	(36.5)
Italy, Ragusa Province	0.5	(8.1)	0.3	(3.5)	0.7	(12.8)	0.9	(18.6)	0.2	(3.5)	0.7	(12.8)	0.2	(3.5)	1.7	(37.2)
Italy, Reggio Emilia Province	0.6	(6.5)	0.5	(5.0)	2.5	(24.0)	1.7	(19.2)	0.3	(3.6)	0.3	(3.8)	0.0	(0.6)	3.5	(37.3)
Italy, Romagna Region	0.6	(3.7)	1.9	(11.0)	2.2	(14.1)	3.9	(27.6)	0.2	(1.3)	0.1	(0.5)	0.0	(0.3)	5.7	(41.4)
Italy, Salerno Province	0.2	(5.1)	0.2	(3.7)	0.3	(4.8)	0.9	(16.8)	0.1	(3.3)	0.3	(4.0)	0.1	(1.5)	3.7	(60.8)
Italy, Sassari Province	0.2	(4.1)	0.2	(3.3)	0.5	(12.4)	1.7	(34.7)	0.2	(3.3)	1.0	(18.2)	0.2	(2.5)	1.0	(21.5)
Italy, Syracuse Province	0.3	(5.3)	0.0	(1.3)	0.4	(7.9)	0.9	(22.4)	-	-	0.3	(6.6)	-	-	2.3	(56.6)
Italy, Sondrio	0.7	(7.5)	0.1	(0.8)	1.7	(16.7)	2.9	(28.3)	0.5	(5.8)	0.8	(7.5)	0.1	(1.7)	2.9	(31.7)
Italy, Torino	0.3	(5.6)	0.2	(2.6)	0.6	(8.4)	1.1	(18.3)	0.1	(3.0)	0.3	(5.8)	0.1	(1.2)	3.4	(55.2)
Italy, Umbria Region	0.8	(6.7)	0.2	(1.9)	1.3	(9.7)	2.6	(19.6)	0.1	(1.5)	0.5	(3.2)	0.2	(1.5)	6.6	(56.0)
Italy, Varese Province	0.4	(4.6)	0.5	(4.1)	1.4	(13.6)	3.5	(33.2)	0.2	(1.4)	0.5	(4.6)	-	-	4.2	(38.6)
Italy, Veneto Region	0.3	(3.9)	0.1	(1.3)	0.4	(4.6)	0.8	(10.5)	0.0	(0.7)	0.2	(2.7)	0.0	(0.1)	5.5	(76.2)

Rates based on less than 10 cases are in italics.

\*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)**  
**Percentage distribution of the number of cases**  
**Stomach (C16) - Female (contd)**

	C16.0 Cardia		C16.1 Fundus		C16.2 Body		C16.3 Pyloric		C16.4 Pylorus		C16.5 Le. curv.		C16.6 Gr. curv.		C16.8-9 Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
<b>Europe (contd)</b>																
Latvia	0.8	(7.7)	0.2	(1.5)	1.6	(13.5)	0.6	(5.0)	0.3	(2.4)	0.1	(0.7)	0.0	(0.1)	8.0	(69.2)
Lithuania	0.5	(3.7)	0.0	(0.2)	2.1	(16.1)	1.0	(9.2)	0.5	(4.0)	0.1	(0.9)	0.0	(0.2)	8.1	(65.7)
Malta	0.6	(11.8)	0.1	(2.4)	0.2	(3.5)	0.4	(7.1)	0.3	(4.7)	0.3	(8.2)	0.1	(1.2)	2.7	(61.2)
Norway	0.6	(13.9)	0.1	(1.9)	0.5	(12.1)	0.7	(17.0)	0.3	(7.1)	0.2	(4.5)	0.1	(2.0)	1.9	(41.4)
Poland, Cracow	0.4	(7.1)	-	-	0.1	(1.2)	0.0	(0.4)	0.0	(0.4)	-	-	-	-	5.4	(90.9)*
Poland, Kielce	0.4	(5.5)	0.0	(0.5)	0.1	(1.4)	0.0	(0.7)	0.0	(0.5)	-	-	0.0	(0.2)	6.0	(91.3)
Poland, Warsaw City	0.3	(8.1)	-	-	0.1	(1.3)	0.0	(0.8)	0.0	(0.8)	0.0	(0.3)	-	-	3.7	(88.8)
Portugal, Porto	0.7	(4.5)	0.1	(0.7)	1.0	(5.9)	2.3	(13.7)	0.2	(1.2)	0.3	(1.7)	0.1	(0.7)	12.2	(71.6)*
Portugal, South Regional	0.4	(4.6)	0.1	(1.6)	0.7	(6.1)	1.9	(19.4)	0.0	(0.4)	0.4	(3.2)	0.1	(0.8)	6.2	(63.9)
Russia, St Petersburg	1.2	(7.6)	0.1	(0.3)	4.4	(26.4)	0.3	(1.8)	2.5	(15.8)	0.1	(0.8)	0.0	(0.3)	7.4	(47.0)
Serbia	0.6	(10.5)	0.1	(1.1)	0.2	(3.4)	0.2	(3.6)	0.1	(1.2)	0.1	(1.4)	0.1	(1.6)	4.5	(77.0)
Slovak Republic	0.5	(5.7)	0.1	(1.2)	1.4	(15.7)	1.4	(18.2)	0.6	(7.7)	0.3	(3.8)	0.2	(2.0)	3.4	(45.7)
Slovenia	0.7	(7.2)	0.0	(0.2)	1.2	(11.9)	1.8	(20.4)	0.1	(1.4)	0.4	(4.2)	0.1	(0.5)	4.6	(54.3)
Spain, Albacete	0.1	(2.3)	0.1	(1.1)	0.7	(10.2)	1.1	(21.6)	-	-	0.1	(1.1)	0.1	(1.1)	3.9	(62.5)
Spain, Asturias	0.2	(2.1)	0.1	(1.5)	0.2	(3.4)	1.1	(17.4)	0.1	(1.0)	0.1	(2.1)	0.1	(1.5)	4.6	(71.0)
Spain, Basque Country	0.5	(6.2)	0.2	(2.2)	0.6	(8.2)	2.3	(33.8)	0.2	(2.6)	0.5	(7.2)	0.1	(1.5)	2.7	(38.2)
Spain, Canary Islands	0.3	(6.4)	0.2	(3.0)	0.4	(7.4)	1.1	(23.2)	0.1	(2.0)	0.2	(5.0)	0.1	(1.3)	2.4	(51.7)
Spain, Cuenca	0.1	(2.5)	0.1	(2.5)	0.9	(15.2)	1.4	(22.8)	0.1	(3.8)	0.4	(8.9)	0.0	(1.3)	2.0	(43.0)
Spain, Girona	0.2	(2.8)	-	-	0.5	(6.5)	0.8	(12.1)	0.0	(0.5)	0.2	(1.9)	0.1	(0.9)	4.8	(75.2)
Spain, Granada	0.3	(6.2)	0.4	(8.0)	1.5	(23.6)	1.6	(30.2)	0.2	(3.6)	0.3	(5.8)	0.1	(2.2)	1.1	(20.4)
Spain, Murcia	0.4	(5.9)	0.1	(1.8)	0.6	(9.8)	1.2	(20.4)	0.1	(1.5)	0.3	(4.7)	0.1	(2.1)	3.2	(53.8)
Spain, Navarra	0.3	(5.3)	0.3	(3.3)	1.9	(23.8)	2.0	(31.1)	0.1	(2.0)	0.4	(6.1)	0.0	(0.8)	1.8	(27.5)
Spain, Tarragona	0.2	(5.0)	0.1	(1.2)	0.5	(9.3)	0.7	(16.1)	0.1	(1.2)	0.0	(0.6)	0.1	(0.6)	3.6	(65.8)
Spain, Zaragoza	0.2	(2.4)	0.0	(1.2)	0.3	(5.4)	1.1	(20.7)	0.1	(1.2)	0.2	(3.6)	0.1	(1.5)	3.5	(64.0)
Sweden	0.5	(12.0)	0.1	(1.8)	0.4	(9.4)	0.3	(9.2)	0.1	(3.5)	0.1	(2.4)	0.0	(1.0)	2.3	(60.7)
Switzerland, Geneva	0.2	(9.0)	0.3	(7.9)	0.1	(2.2)	1.2	(33.7)	0.1	(4.5)	0.5	(12.4)	0.3	(5.6)	1.0	(24.7)
Switzerland, Graubunden and Glarus	0.6	(15.3)	-	-	0.6	(13.6)	2.0	(44.1)	-	-	-	-	-	-	1.3	(27.1)
Switzerland, Neuchatel	1.0	(24.2)	0.0	(3.0)	0.5	(15.2)	0.7	(33.3)	-	-	0.1	(6.1)	0.1	(6.1)	0.6	(12.1)
Switzerland, St Gall-Appenzell	0.9	(16.7)	0.1	(0.8)	0.8	(15.8)	0.9	(23.3)	-	-	0.2	(5.8)	0.1	(1.7)	1.4	(35.8)
Switzerland, Ticino	0.2	(5.0)	0.2	(1.4)	1.1	(15.7)	2.7	(50.7)	0.1	(0.7)	-	-	-	-	1.6	(26.4)
Switzerland, Valais	0.6	(13.2)	0.3	(5.9)	0.7	(16.2)	1.2	(29.4)	0.1	(2.9)	0.3	(5.9)	0.1	(2.9)	1.0	(23.5)
Switzerland, Vaud	0.4	(19.0)	0.2	(4.8)	0.0	(1.0)	1.0	(30.5)	0.1	(2.9)	0.3	(9.5)	0.1	(1.9)	1.1	(30.5)
The Netherlands	0.9	(17.9)	0.1	(2.1)	0.5	(11.3)	1.2	(25.0)	0.3	(5.9)	0.3	(6.6)	0.1	(3.1)	1.3	(28.2)
The Netherlands, Eindhoven	1.0	(18.0)	0.1	(1.1)	0.4	(7.4)	1.5	(24.6)	0.3	(5.5)	0.4	(8.1)	0.2	(2.9)	1.8	(32.4)
The Netherlands, Maastricht	0.7	(14.4)	0.1	(1.9)	0.4	(7.0)	1.2	(23.7)	0.3	(5.2)	0.7	(13.0)	0.2	(4.8)	1.8	(30.0)
UK, East of England Region	0.8	(19.8)	0.1	(2.0)	0.0	(1.4)	0.2	(7.1)	0.1	(3.0)	0.4	(10.6)	0.2	(4.6)	1.7	(51.5)
UK, England, Merseyside and Cheshire	1.0	(17.5)	0.1	(0.8)	0.1	(2.2)	0.3	(6.8)	0.2	(3.5)	0.4	(9.0)	0.2	(2.5)	2.8	(57.7)
UK, England, North Western	1.0	(17.5)	0.1	(1.1)	0.1	(1.0)	0.3	(5.6)	0.1	(3.4)	0.2	(4.1)	0.1	(1.7)	3.2	(65.7)
UK, England, Northern and Yorkshire	1.1	(18.1)	0.0	(1.1)	0.1	(1.7)	0.4	(6.6)	0.1	(2.1)	0.4	(7.9)	0.3	(3.9)	3.1	(58.5)
UK, England, Oxford Region	0.5	(13.7)	0.0	(1.0)	0.0	(0.8)	0.3	(7.5)	0.1	(2.6)	0.2	(4.2)	0.1	(1.8)	2.2	(68.5)
UK, England, South and Western Regions	0.9	(21.4)	0.0	(1.3)	0.2	(4.6)	0.3	(7.3)	0.2	(4.9)	0.3	(7.7)	0.1	(2.8)	1.6	(49.9)
UK, England, Thames	0.6	(14.6)	0.0	(0.6)	0.1	(2.0)	0.2	(6.3)	0.1	(2.2)	0.2	(5.4)	0.1	(2.0)	2.4	(66.8)
UK, England, Trent	0.9	(16.2)	0.1	(1.6)	0.2	(3.2)	0.4	(8.4)	0.2	(3.9)	0.3	(5.2)	0.2	(3.1)	2.8	(58.4)
UK, England, West Midlands	0.8	(14.4)	0.0	(0.5)	0.0	(1.4)	0.3	(6.7)	0.1	(2.5)	0.4	(8.8)	0.1	(2.4)	2.7	(63.4)
UK, Northern Ireland	0.9	(15.6)	0.1	(2.2)	0.2	(3.7)	0.3	(5.5)	0.5	(7.5)	0.3	(5.7)	0.3	(3.7)	3.1	(56.0)
UK, Scotland	1.4	(23.3)	0.1	(1.6)	0.3	(4.2)	0.7	(11.0)	0.2	(3.5)	0.4	(7.3)	0.2	(3.0)	2.6	(46.1)
<b>Oceania</b>																
Australia, New South Wales	0.7	(17.3)	0.1	(2.8)	0.3	(7.4)	0.6	(16.5)	0.1	(4.4)	0.4	(9.6)	0.2	(3.6)	1.4	(38.3)
Australia, Northern Territory	0.7	(30.8)	-	-	-	-	-	-	2.0	(53.8)	-	-	-	-	0.3	(15.4)
Australia, Queensland	0.5	(14.9)	0.1	(3.0)	0.2	(6.4)	0.4	(11.3)	0.2	(5.7)	0.4	(11.3)	0.2	(5.7)	1.4	(41.7)
Australia, South	0.5	(14.8)	-	-	-	-	-	-	0.9	(22.6)	-	-	-	-	2.3	(62.6)
Australia, Tasmania	0.9	(26.4)	-	-	-	-	-	-	0.8	(21.8)	0.1	(1.1)	-	-	2.0	(50.6)
Australia, Victoria	0.8	(18.5)	0.1	(2.3)	0.2	(4.7)	0.5	(11.4)	0.2	(3.5)	0.5	(10.1)	0.3	(5.7)	1.9	(43.8)
Australia, Western	0.4	(11.2)	0.1	(2.9)	0.2	(5.8)	0.4	(9.8)	0.1	(2.2)	0.1	(2.9)	0.1	(1.8)	2.2	(63.4)
Australian Capital Territory	0.7	(15.2)	0.1	(2.2)	0.4	(10.9)	0.8	(17.4)	0.1	(2.2)	0.8	(15.2)	0.1	(2.2)	1.7	(34.8)
French Polynesia	0.5	(10.0)	0.6	(10.0)	-	-	1.3	(30.0)	-	-	1.0	(20.0)	-	-	1.6	(30.0)
New Zealand	0.7	(16.4)	0.1	(2.8)	0.5	(10.4)	0.5	(12.9)	0.2	(5.1)	0.5	(10.4)	0.3	(5.8)	1.6	(36.2)
USA, Hawaii	0.5	(8.4)	0.1	(2.1)	0.8	(12.9)	1.5	(29.1)	0.1	(1.8)	0.7	(11.3)	0.3	(4.2)	1.9	(30.2)
USA, Hawaii: Chinese	0.3	(8.3)	-	-	0.3	(8.3)	1.0	(29.2)	-	-	0.4	(4.2)	0.4	(8.3)	1.8	(41.7)
USA, Hawaii: Filipino	0.4	(11.8)	0.1	(2.9)	0.2	(5.9)	0.8	(17.6)	0.2	(2.9)	0.6	(11.8)	-	-	2.0	(47.1)
USA, Hawaii: Hawaiian	0.6	(7.8)	0.4	(5.9)	0.9	(11.8)	2.6	(29.4)	0.1	(2.0)	1.2	(13.7)	0.3	(3.9)	2.0	(25.5)
USA, Hawaii: Japanese	0.6	(6.3)	0.1	(1.6)	1.1	(15.2)	1.8	(33.0)	0.2	(2.6)	0.7	(11.0)	0.3	(4.2)	2.3	(26.2)
USA, Hawaii: White	0.5	(20.0)	0.0	(2.2)	0.2	(8.9)	0.5	(20.0)	-	-	0.3	(11.1)	0.1	(4.4)	1.4	(33.3)

Rates based on less than 10 cases are in italics.

\*Important. See note on population page.